EROSION and SEDIMENTATION CONTROL PLAN PRELIMINARY REVIEW CHECKLIST



The following items shall be incorporated with respect to specific site conditions, in an erosion & sedimentation control plan: NPDES Construction Stormwater General Permit NCG010000 Designation on the plans where the 7 or 14 day ground stabilization requirements apply per Part II.E.1 of the permit. Design of basins with one acre or more of drainage area for surface withdrawal as per Part II.B.8 of the permit. **LOCATION INFORMATION** Name and classification of receiving water course or name of municipal operator (only where stormwater discharges are to Project location & labeled vicinity map (roads, streets, landmarks) occur) North arrow and scale STORMWATER CALCULATIONS Identify River Basin. Provide a copy of site located on applicable USGS quadrangle and NRCS Soils maps if it is in a River Basin with Riparian Buffer Pre-construction runoff calculations for each outlet from the site (at requirements. peak discharge points). Be sure to provide all supporting data for the computation methods used (rainfall data for required storm GENERAL SITE FEATURES (Plan elements) events, time of concentration/storm duration, and runoff coefficients). Design calculations for peak discharges of runoff (including the Property lines & ownership ID for adjoining properties construction phase & the final runoff coefficients for the site) Existing contours (topographic lines) Proposed contours Design calcs for culverts and storm sewers (include HW, TW and Limits of disturbed area (provide acreage total, delineate limits, outlet velocities) and label). Be sure to include all access to measures, lots that will Discharge and velocity calculations for open channel and ditch be disturbed, and utilities that may extend offsite. flows (easement & rights-of-way) Planned and existing building locations and elevations Design calcs for cross sections and method of stabilization for Planned & existing road locations & elevations, including existing and planned channels (include temporary linings). Include temporary access roads appropriate permissible velocity and/or shear stress data. Lot and/or building numbers Design calcs and construction details for energy dissipaters below Hydrogeologic features: rock outcrops, seeps, springs, wetland culvert and storm sewer outlets (include stone/material specs & and their limits, streams, lakes, ponds, dams, etc. (include all apron dimensions). Avoid discharges on fill slopes. required local or state buffer zones and any DWQ Riparian Buffer Design calcs and dimension of sediment basins (note current surface area and dewatering standards as well as diversion of determinations) Easements and drainageways, particularly required for offsite runoff to the basins). Be sure that all surface drains, including ditches and berms, will have positive drainage to the basins. affected areas. Include copies of any recorded easements and/or agreements with adjoining property owners. Profiles of streets, utilities, ditch lines, etc. **VEGETATIVE STABILIZATION** Stockpiled topsoil or subsoil locations If the same person conducts the land-disturbing activity & any Area & acreage to be stabilized with vegetation related borrow or waste activity, the related borrow or waste Method of soil preparation activity shall constitute part of the land-disturbing activity unless Seed type & rates (temporary & permanent) the borrow or waste activity is regulated under the Mining Act of Fertilizer type and rates 1971, or is a landfill regulated by the Division of Waste Mulch type and rates (include mulch anchoring methods) Management. If the land-disturbing activity and any related borrow or waste activity are not conducted by the same person, NOTE: Plan should include provisions for groundcover in accordance with they shall be considered separate land-disturbing activities and NPDES Construction Stormwater General Permit NCG010000. must be permitted either through the Sedimentation Pollution Control Act as a one-use borrow site or through the Mining Act. FINANCIAL RESPONSIBILITY/OWNERSHIP FORM Location and details associated with any onsite stone crushing or other processing of material excavated. If the affected area Completed, signed & notarized FR/O Form associated with excavation, processing, stockpiles and transport Accurate application fee payable to Henderson County (\$300.00 of such materials will comprise 1 or more acres, and materials will per acre rounded up the next acre with no ceiling amount) plus be leaving the development tract, a mining permit will be required. \$200.00 plan review fee. Required Army Corps 404 permit and Water Quality 401 Certificate of assumed name, if the owner is a partnership certification (e.g. stream disturbances over 150 linear feet) Name of Registered Agent (if applicable) Copy of the most current Deed for the site. Please make sure the **EROSION & SEDIMENT CONTROL MEASURES (on plan)** deed(s) and ownership information are consistent between the plan sheets, register of deed records and this form. Legend (provide appropriate symbols for all measures and Provide latitude & longitude (in decimal degrees) at the project reference them to the construction details) entrance. Location of temporary measures One hard-copy and 1 electronic submittal of the plans and Location of permanent measures supporting documents Construction drawings and details for temporary and permanent measures. Show measures to scale on plan and include proposed contours where necessary. Ensure NARRATIVE AND CONSTRUCTION SEQUENCE design storage requirements are maintained through all phases of construction. Narrative describing the nature & purpose of the construction Maintenance requirements for measures activity. Contact person responsible for maintenance Pre-construction conference, if requested. Construction sequence related to erosion and sediment control SITE DRAINAGE FEATURES (including installation of critical measures prior to the initiation of the land-disturbing activity & removal of measures after areas they Existing and planned drainage patterns (include off-site areas that serve are permanently stabilized). Address all phases of construction and necessary practices associated with temporary drain through project and address temporary and permanent conveyance of stormwater over graded slopes) stream bypasses and/or crossings.

specifications related

only

to

erosion

rev. 01252022

control

Size, pipe material and location of culverts and sewers
Soil information: type, special characteristics

Soil information below culvert storm outlets

Method used to determine acreage of land being disturbed and

drainage areas to all proposed measures (e.g. delineation map)