2019 SCHEDULE

OF VALUES, STANDARDS AND RULES: PRESENT USE VALUE



HENDERSON COUNTY, NORTH CAROLINA

Submitted by: Darlene Burgess, Tax Administrator Date Submitted: September 19, 2018 Date Effective: January 1, 2019

2019 SCHEDULE

OF VALUES, STANDARDS AND RULES: PRESENT-USE VALUE

Prepared and Presented by Darlene Burgess Henderson County Tax Administrator

to the

Henderson County Board of Commissioners

J. Michael Edney, Chairman Grady Hawkins, Vice-Chairman Charles Messer, Commissioner Tommy Thompson, Commissioner William Lapsley, Commissioner

Adopted:

Date

Signed:

Chairman, Henderson County Board of Commissioners

Foreword

This manual describes the methodology and procedures for appraising qualifying Henderson County real properties at present use value as of January 1, 2019 (the effective date for the County's 2019 Reappraisal). The Schedule of Values establishes the base rates and ranges for the various types of property that meet statutory requirements to be valued at present use.

Acknowledgements

We wish to extend our appreciation to the following persons and/or firms who assisted in our accomplishment of Henderson County's 2019 Reappraisal:

Kevin Hensley, Assistant County Assessor Luke Small, Deputy Tax Collector N. Dee Hill, Tax Relief Administrator David Reid, Consultant & Former Tax Administrator for Transylvania County

Henderson County's Real Property Appraisal Staff:

Jennifer Brown, Real Property Appraiser I	James Connell, Real Property Appraiser II
William Crumpler, Real Property Appraiser I	Audry Frazier, Sales Analyst
Andrew Freeman, Real Property Appraiser I	Ron Gates, Real Property Appraiser I
Judy Gilmore, Real Property Appraiser I	Scott Lewis, Real Property Appraiser II
Devin Murphy, Real Property Appraiser I	Heidi Jansen, Customer Service Specialist

Henderson County Management Henderson County Board of Commissioners Members, Henderson County Board of Equalization & Review

Guidance, resources and materials used to produce this Schedule of Values are provided by various outside sources. We wish to extend our appreciation to the following organizations: the North Carolina Department of Revenue, International Association of Assessing Officers (IAAO), the Appraisal Institute, The Appraisal Foundation (USPAP), UNC-CH School of Government, and the North Carolina Association of Assessing Officers (NCAAO).

Table of Contents

Contents

Introduction7
Overview of Present Use Value Assessment
Use Value Advisory Board
Crop Distinctions: Agriculture vs. Horticulture
Statutory Authority: Present-Use Value Program8
§ 105-277.2. Agricultural, horticultural, and forestland - Definitions
§ 105-277.3. Agricultural, horticultural, and forestland - Classifications
§ 105-277.4. Agricultural, horticultural and forestland - Application; appraisal at use value; appeal; deferred taxes.
§ 105-277.5. Agricultural, horticultural and forestland - Notice of change in use
§ 105-277.6. Agricultural, horticultural and forestland - Appraisal; computation of deferred tax
§ 105-277.7. Use-Value Advisory Board
§ 105-277.1F. Uniform provisions for payment of deferred taxes
§ 105-289. Duties of Department of Revenue
§ 105-296. Powers and duties of assessor
§ 40A-6. Reimbursement of owner for taxes paid on condemned property
§ 136-121.1. Reimbursement of owner for taxes paid on condemned property
Application Process
Ownership Requirements24
Size Requirements
Gross Income Requirements

Sound Management	27
Agriculture and Horticulture Properties	
Forestland	
The Gross Income per Acre Test	28
2019 Present-Use Value Schedules	29
Agricultural Land	
Horticultural Land	
Forestland	
Compliance Reviews	
Penalty for Non-Compliance and Notification Failure	
Deferred Taxes	31
Appeals	32
Wildlife Conservation Land Program	
2019 Wildlife Conservation Land Schedules	
Statutory Authority: Wildlife Conservation Land	
Appendix	
Appendix Item 1: 2019 Use Value Advisory Board Manual	

Introduction

Overview of Present Use Value Assessment

The present use value program began across North Carolina with reappraisals effective as of January 1, 1974. The original intent of the present use value program was to "keep the family farm in the hands of the farming family". Primary laws that govern the present use value program are found in North Carolina General Statutes 105-277.2 through 105-277.7.

Henderson County administers the Present Use Value Program by conforming to the requirements of North Carolina General Statutes that are in effect on January 1 of each year. All requirements and changes are determined by the North Carolina General Assembly, not by the Henderson County Commissioners or the Henderson County Assessor. All counties are required to develop both market value schedules and present use value schedules. The present use value schedule values land based on its ability to produce agricultural, horticultural or forestry products. The land values are based on land rents capitalized as required by the General Statutes. All improvements to farmland are valued using the market schedules as required by NCGS 105-317.

Schedules for the Wildlife Conservation Land Program are included in these Schedules, Standards and Rules for Present-Use Value.

Property that qualifies for present use value classification is assessed at its present use value rather than its market value. Present use value is usually much less than market value and qualifying tracts are assessed at this lower value. The difference between the market value (as established by the County Assessor) and the present use value (as established using rates published by the North Carolina Department of Revenue) is maintained in the tax records as deferred taxes. If the land fails to meet the qualifications to be classified as taxable at its present use, deferred taxes for the current year and the three previous years with accrued interest will usually become due and payable.

The North Carolina Department of Revenue has developed a PUV Program Guide that provides detailed information concerning the administration and requirements of the Present Use Program. This Guide may be accessed by visiting the Department's website at <u>https://www.ncdor.gov/documents/present-use-valuation-program-guide</u>.

Use Value Advisory Board

NCGS 105-277.7 establishes a nine-member Use Value Advisory Board. The Use Value Advisory Board is established under the supervision of the Agricultural Extension Service of North Carolina State University. Pursuant to statute, the Use Value Advisory Board must annually submit to the North Carolina Department of Revenue a recommended use-value manual. In developing the manual, the Board may consult with federal and state agencies as needed. The manual must contain the following:

- 1. The estimated cash rental rates for agricultural lands and horticultural lands for the various classes of soils found in the state;
- 2. The recommended income ranges for forestland furnished to the Board by the Forestry section of the North Carolina Cooperative Extension Service;

- 3. The capitalization rates adopted by the Board prior to February 1 for use in capitalizing incomes into values;
- 4. The value per acre adopted by the Board for the best agricultural land;
- 5. Recommendations concerning any changes to the capitalization rate for agricultural and horticultural land and to the maximum value per acre for the best agricultural land and horticultural land based on a calculation to be determined by the Board; and
- 6. Recommendations concerning requirements for horticultural land used to produce evergreens intended for use as Christmas trees when requested to do so by the Department.

The contents of the annual use-value manual reflect the combined judgment and effort of many professionals. The 2019 Use Value Advisory Board Manual is included in this Schedule of Values as a reference and is in the Appendix as *Appendix Item #1*.

Crop Distinctions: Agriculture vs. Horticulture

NCGS 105-277.2(a)(1) and (a)(3) define "the commercial production of growing of crops, plants, or animals under a sound management program as agricultural crops and the sound growing of fruits and vegetables or nursery or floral products under a sound management program as horticultural crops. NCGS 105-289(a)(6) establishes Christmas trees as a horticultural crop. Examples of horticultural and agricultural crops are outlined in *Table 1* below.

AGRICULTURAL CROPS	HORTICULTURAL CROPS
Field Corn	Sweet Corn
Seed Corn	Apples
Tobacco	Strawberries
Soybeans	Grapes
Barley	Blueberries
Wheat	Tomatoes
Нау	Cabbage
Alfalfa	Cucumbers
Silage	Potatoes
Pasture Grasses	Squash
Beef Cattle	Peaches
Dairy Cattle	Green Beans
Dairy Goats	Christmas Trees
Poultry	Nursery Products
Swine	Sod
Horses	Ornamental Shrubs
Sheep	Container-grown Plants
Llamas/Alpacas	Floral Products
Норѕ	Bamboo

Statutory Authority: Present-Use Value Program

The North Carolina General Assembly has enacted laws that address local government property taxation. These laws are found in North Carolina General Statutes Chapter 105, Subsection II (also known as the "Machinery Act"). The General Assembly has designated the North Carolina Department of Revenue, Local Government Division, as the oversight agency for local property tax appraisal and assessment. The following statutes specifically address the Present-Use Value Program:

§ 105-277.2. Agricultural, horticultural, and forestland - Definitions.

The following definitions apply in G.S. 105-277.3 through G.S. 105-277.7:

- (1)Agricultural land. - Land that is a part of a farm unit that is actively engaged in the commercial production or growing of crops, plants, or animals under a sound management program. For purposes of this definition, the commercial production or growing of animals includes the rearing, feeding, training, caring, and managing of horses. Agricultural land includes woodland and wasteland that is a part of the farm unit, but the woodland and wasteland included in the unit must be appraised under the use-value schedules as woodland or wasteland. A farm unit may consist of more than one tract of agricultural land, but at least one of the tracts must meet the requirements in G.S. 105-277.3(a)(1), and each tract must be under a sound management program. If the agricultural land includes less than 20 acres of woodland, then the woodland portion is not required to be under a sound management program. Also, woodland is not required to be under a sound management program if it is determined that the highest and best use of the woodland is to diminish wind erosion of adjacent agricultural land, protect water quality of adjacent agricultural land, or serve as buffers for adjacent livestock or poultry operations.
- (1a) Business entity. A corporation, a general partnership, a limited partnership, or a limited liability company.
- (2) Forestland. Land that is a part of a forest unit that is actively engaged in the commercial growing of trees under a sound management program. Forestland includes wasteland that is a part of the forest unit, but the wasteland included in the unit must be appraised under the use-value schedules as wasteland. A forest unit may consist of more than one tract of forestland, but at least one of the tracts must meet the requirements in G.S. 105-277.3(a)(3), and each tract must be under a sound management program.
- (3) Horticultural land. - Land that is a part of a horticultural unit that is actively engaged in the commercial production or growing of fruits or vegetables or nursery or floral products under a sound management program. Horticultural land includes woodland and wasteland that is a part of the horticultural unit, but the woodland and wasteland included in the unit must be appraised under the use-value schedules as woodland or wasteland. A horticultural unit may consist of more than one tract of horticultural land, but at least one of the tracts must meet the requirements in G.S. 105-277.3(a)(2), and each tract must be under a sound management program. If the horticultural land includes less than 20 acres of woodland, then the woodland portion is not required to be under a sound management program. Also, woodland is not required to be under a sound management program if it is determined that the highest and best use of the woodland is to diminish wind erosion of adjacent horticultural land or protect water quality of adjacent horticultural land. Land used to grow horticultural and agricultural crops on a rotating basis or where the horticultural crop is set out or planted and harvested within one growing season, may be treated as agricultural land as described in subdivision (1) of this section when there is determined to be no significant difference in the cash rental rates for the land.
- (4) Individually owned. Owned by one of the following:
 - a. An individual.
 - b. A business entity that meets all of the following conditions:

- 1. Its principal business is farming agricultural land, horticultural land, or forestland. When determining whether an applicant under G.S. 105-277.4 has as its principal business farming agricultural land, horticultural land, or forestland, the assessor shall presume the applicant's principal business to be farming agricultural land, horticultural land, or forestland if the applicant has been approved by another county for present-use value taxation for a qualifying property located within the other county; provided, however, the presumption afforded the applicant may be rebutted by the assessor and shall have no bearing on the determination of whether the individual parcel of land meets one or more of the classes defined in G.S. 105-277.3(a). If the assessor is able to rebut the presumption, this shall not invalidate the determination that the applicant's principal business is farming agricultural land, horticultural land, or forestland in the other county.
- 2. All of its members are, directly or indirectly, individuals who are actively engaged in farming agricultural land, horticultural land, or forestland or a relative of one of the individuals who is actively engaged. An individual is indirectly a member of a business entity that owns the land if the individual is a member of a business entity or a beneficiary of a trust that is part of the ownership structure of the business entity that owns the land.
- 3. It is not a corporation whose shares are publicly traded, and none of its members are corporations whose shares are publicly traded.
- 4. If it leases the land, all of its members are individuals and are relatives. Under this condition, "principal business" and "actively engaged" include leasing.
- c. A trust that meets all of the following conditions:
 - 1. It was created by an individual who owned the land and transferred the land to the trust.
 - 2. All of its beneficiaries are, directly or indirectly, individuals who are the creator of the trust or a relative of the creator. An individual is indirectly a beneficiary of a trust that owns the land if the individual is a beneficiary of another trust or a member of a business entity that has a beneficial interest in the trust that owns the land.
- d. A testamentary trust that meets all of the following conditions:
 - 1. It was created by an individual who transferred to the trust land that qualified in that individual's hands for classification under G.S. 105-277.3.
 - 2. At the date of the creator's death, the creator had no relatives.
 - 3. The trust income, less reasonable administrative expenses, is used exclusively for educational, scientific, literary, cultural, charitable, or religious purposes as defined in G.S. 105-278.3(d).
- e. Tenants in common, if each tenant would qualify as an owner if the tenant were the sole owner. Tenants in common may elect to treat their individual shares as owned by them individually in accordance with G.S. 105-302(c)(9). The ownership requirements of G.S. 105-277.3(b) apply to each tenant in common

who is an individual, and the ownership requirements of G.S. 105-277.3(b1) apply to each tenant in common who is a business entity or a trust.

- (4a) Member. A shareholder of a corporation, a partner of a general or limited partnership, or a member of a limited liability company.
- (5) Present-use value. The value of land in its current use as agricultural land, horticultural land, or forestland, based solely on its ability to produce income and assuming an average level of management. A rate of nine percent (9%) shall be used to capitalize the expected net income of forestland. The capitalization rate for agricultural land and horticultural land is to be determined by the Use-Value Advisory Board as provided in G.S. 105-277.7.
- (5a) Relative. Any of the following:
 - a. A spouse or the spouse's lineal ancestor or descendant.
 - b. A lineal ancestor or a lineal descendant.
 - c. A brother or sister, or the lineal descendant of a brother or sister. For the purposes of this sub-subdivision, the term brother or sister includes stepbrother or stepsister.
 - d. An aunt or an uncle.
 - e. A spouse of an individual listed in paragraphs a. through d. For the purpose of this subdivision, an adoptive or adopted relative is a relative and the term "spouse" includes a surviving spouse.
- (6) Sound management program. A program of production designed to obtain the greatest net return from the land consistent with its conservation and long-term improvement.
- Unit. One or more tracts of agricultural land, horticultural land, or forestland. Multiple tracts must be under the same ownership and be of the same type of classification. If the multiple tracts are located within different counties, they must be within 50 miles of a tract qualifying under G.S. 105-277.3(a). (1973, c. 709, s. 1; 1975, c. 746, s. 1; 1985, c. 628, s. 1; c. 667, ss. 1, 4; 1987, c. 698, s. 1; 1995, c. 454, s. 1; 1995 (Reg. Sess., 1996), c. 646, s. 17; 1998-98, s. 24; 2002-184, s. 1; 2004-8, s. 1; 2005-313, ss. 1, 2; 2008-146, s. 2.1; 2015-263, s. 12(a).)

§ 105-277.3. Agricultural, horticultural, and forestland - Classifications.

(a) Classes Defined. - The following classes of property are designated special classes of property under authority of Section 2(2) of Article V of the North Carolina Constitution and must be appraised, assessed, and taxed as provided in G.S. 105-277.2 through G.S. 105-277.7.

(1) Agricultural land. - Individually owned agricultural land consisting of one or more tracts, one of which satisfies the requirements of this subdivision. For agricultural land used as a farm for aquatic species, as defined in G.S. 106-758, the tract must meet the income requirement for agricultural land and must consist of at least five acres in actual production or produce at least 20,000 pounds of aquatic species for commercial sale annually, regardless of acreage. For all other agricultural land, the tract must meet the income requirement for agricultural land and must consist of at least 10 acres that are in actual production. Land in actual production includes land under improvements used in the commercial production or growing of crops, plants, or animals.

To meet the income requirement, agricultural land must, for the three years preceding January 1 of the year for which the benefit of this section is claimed, have produced an average gross income of at least one thousand dollars (\$1,000). Gross

income includes income from the sale of the agricultural products produced from the land, grazing fees for livestock, the sale of bees or products derived from beehives other than honey, any payments received under a governmental soil conservation or land retirement program, and the amount paid to the taxpayer during the taxable year pursuant to P.L. 108-357, Title VI, Fair and Equitable Tobacco Reform Act of 2004.

- (2) Horticultural land. Individually owned horticultural land consisting of one or more tracts, one of which consists of at least five acres that are in actual production and that, for the three years preceding January 1 of the year for which the benefit of this section is claimed, have met the applicable minimum gross income requirement. Land in actual production includes land under improvements used in the commercial production or growing of fruits or vegetables or nursery or floral products. Land that has been used to produce evergreens intended for use as Christmas trees must have met the minimum gross income requirements established by the Department of Revenue for the land. All other horticultural land must have produced an average gross income of at least one thousand dollars (\$1,000). Gross income includes income from the sale of the horticultural products produced from the land and any payments received under a governmental soil conservation or land retirement program.
- (3) Forestland. Individually owned forestland consisting of one or more tracts, one of which consists of at least 20 acres that are in actual production and are not included in a farm unit.

(b) Individual Ownership Requirements. - In order to come within a classification described in subsection (a) of this section, land owned by an individual must also satisfy one of the following conditions:

- (1) It is the owner's place of residence.
- (2) It has been owned by the current owner or a relative of the current owner for the four years preceding January 1 of the year for which the benefit of this section is claimed.
- (3) At the time of transfer to the current owner, it qualified for classification in the hands of a business entity or trust that transferred the land to the current owner who was a member of the business entity or a beneficiary of the trust, as appropriate.

(b1) Entity Ownership Requirements. - In order to come within a classification described in subsection (a) of this section, land owned by a business entity must meet the requirements of subdivision (1) of this subsection and land owned by a trust must meet the requirements of subdivision (2) of this subsection.

- (1) Land owned by a business entity must have been owned by one or more of the following for the four years immediately preceding January 1 of the year for which the benefit of this section is claimed:
 - a. The business entity.
 - b. A member of the business entity.
 - c. Another business entity whose members include a member of the business entity that currently owns the land.
- (2) Land owned by a trust must have been owned by the trust or by one or more of its creators for the four years immediately preceding January 1 of the year for which the benefit of this section is claimed.

(b2) Exceptions to Ownership Requirements. - Notwithstanding the provisions of subsections (b) and (b1) of this section, land may qualify for classification in the hands of the new owner if all of the conditions listed in either subdivision of this subsection are met, even if the new owner does not meet all of the ownership requirements of subsections (b) and (b1) of this section with respect to the land.

(1) Continued use. - If the land qualifies for classification in the hands of the new owner under the provisions of this subdivision, then any deferred taxes remain a lien on the

land under G.S. 105-277.4(c), the new owner becomes liable for the deferred taxes, and the deferred taxes become payable if the land fails to meet any other condition or requirement for classification. Land qualifies for classification in the hands of the new owner if all of the following conditions are met:

- a. The land was appraised at its present use value at the time title to the land passed to the new owner.
- b. The new owner acquires the land and continues to use the land for the purpose for which it was classified under subsection (a) of this section while under previous ownership.
- c. The new owner has timely filed an application as required by G.S. 105-277.4(a) and has certified that the new owner accepts liability for any deferred taxes and intends to continue the present use of the land.
- (2) Expansion of existing unit. Land qualifies for classification in the hands of the new owner if, at the time title passed to the new owner, the land was not appraised at its present-use value but was being used for the same purpose and was eligible for appraisal at its present-use value as other land already owned by the new owner and classified under subsection (a) of this section. The new owner must timely file an application as required by G.S. 105-277.4(a).
- (c) Repealed by Session Laws 1995, c. 454, s. 2.

(d) Exception for Conservation Reserve Program. - Land enrolled in the federal Conservation Reserve Program authorized by 16 U.S.C. Chapter 58 is considered to be in actual production, and income derived from participation in the federal Conservation Reserve Program may be used in meeting the minimum gross income requirements of this section either separately or in combination with income from actual production. Land enrolled in the federal Conservation Reserve Program must be assessed as agricultural land if it is planted in vegetation other than trees, or as forestland if it is planted in trees.

(d1) Conservation Exception. - Property that is appraised at its present-use value under G.S. 105-277.4(b) shall continue to qualify for appraisal, assessment, and taxation as provided in G.S. 105-277.2 through G.S. 105-277.7 as long as (i) the property is subject to a qualifying conservation easement that meets the requirements of G.S. 113A-232, without regard to actual production or income requirements of this section; and (ii) the taxpayer received no more than seventy-five percent (75%) of the fair market value of the donated property interest in compensation. Notwithstanding G.S. 105-277.3(b) and (b1), subsequent transfer of the property does not extinguish its present-use value eligibility as long as the property remains subject to a qualifying conservation easement. The exception provided in this subsection applies only to that part of the property that is subject to the easement.

(d2) Wildlife Exception. - When an owner of land classified under this section does not transfer the land and the land becomes eligible for classification under G.S. 105-277.15, no deferred taxes are due. The deferred taxes remain a lien on the land and are payable in accordance with G.S. 105-277.15.

(d3) **(Effective for taxes imposed for taxable years beginning on or after July 1, 2013)** Site Infrastructure Exception. - When an owner of land classified under this section (i) does not transfer the land and the land becomes eligible for classification under G.S. 105-277.15A or (ii) does transfer the land but the land becomes eligible for classification under G.S. 105-277.15A within six months of the transfer, no deferred taxes are due. The deferred taxes remain a lien on the land and are payable in accordance with G.S. 105-277.15A.

(e) Exception for Turkey Disease. - Agricultural land that meets all of the following conditions is considered to be in actual production and to meet the minimum gross income requirements:

(1) The land was in actual production in turkey growing within the preceding two years and qualified for present use value treatment while it was in actual production.

- (2) The land was taken out of actual production in turkey growing solely for health and safety considerations due to the presence of Poult Enteritis Mortality Syndrome among turkeys in the same county or a neighboring county.
- (3) The land is otherwise eligible for present use value treatment.

(f) Sound Management Program for Agricultural Land and Horticultural Land. - If the property owner demonstrates any one of the following factors with respect to agricultural land or horticultural land, then the land is operated under a sound management program:

- (1) Enrollment in and compliance with an agency-administered and approved farm management plan.
- (2) Compliance with a set of best management practices.
- (3) Compliance with a minimum gross income per acre test.
- (4) Evidence of net income from the farm operation.
- (5) Evidence that farming is the farm operator's principal source of income.
- (6) Certification by a recognized agricultural or horticultural agency within the county that the land is operated under a sound management program.

Operation under a sound management program may also be demonstrated by evidence of other similar factors. As long as a farm operator meets the sound management requirements, it is irrelevant whether the property owner received income or rent from the farm operator.

(g) Sound Management Program for Forestland. - If the owner of forestland demonstrates that the forestland complies with a written sound forest management plan for the production and sale of forest products, then the forestland is operated under a sound management program. (1973, c. 709, s. 1; 1975, c. 746, s. 2; 1983, c. 821; c. 826; 1985, c. 667, ss. 2, 3, 6.1; 1987, c. 698, ss. 2-5; 1987 (Reg. Sess., 1988), c. 1044, s. 13.1; 1989, cc. 99, 736, s. 1; 1989 (Reg. Sess., 1990), c. 814, s. 29; 1995, c. 454, s. 2; 1997-272, s. 1; 1998-98, s. 22; 2001-499, s. 1; 2002-184, s. 2; 2005-293, s. 1; 2005-313, s. 3; 2007-484, s. 43.7T(c); 2007-497, s. 3.1; 2008-146, s. 2.2; 2008-171, ss. 4, 5; 2011-9, s. 1; 2013-130, s. 2; 2014-3, s. 14.14(a); 2017-108, s. 3(a).)

§ 105-277.4. Agricultural, horticultural and forestland - Application; appraisal at use value;

appeal; deferred taxes.

(a) Application. - Property coming within one of the classes defined in G.S. 105-277.3 is eligible for taxation on the basis of the value of the property in its present use if a timely and proper application is filed with the assessor of the county in which the property is located. The application must clearly show that the property comes within one of the classes and must also contain any other relevant information required by the assessor to properly appraise the property at its present-use value. An initial application must be filed during the regular listing period of the year for which the benefit of this classification is first claimed, or within 30 days of the date shown on a notice of a change in valuation made pursuant to G.S. 105-286 or G.S. 105-287. A new application is not required to be submitted unless the property is transferred or becomes ineligible for use-value appraisal because of a change in use or acreage. An application required due to transfer of the land may be submitted at any time during the calendar year but must be submitted within 60 days of the date of the property's transfer.

(a1) Late Application. - Upon a showing of good cause by the applicant for failure to make a timely application as required by subsection (a) of this section, an application may be approved by the board of equalization and review or, if that board is not in session, by the board of county commissioners. An untimely application approved under this subsection applies only to property taxes levied by the county or municipality in the calendar year in which the untimely application is filed. Decisions of the county board may be appealed to the Property Tax Commission.

(b) Appraisal at Present-use Value. - Upon receipt of a properly executed application, the assessor must appraise the property at its present-use value as established in the schedule prepared pursuant to G.S. 105-317. In appraising the property at its present-use value, the assessor must appraise the improvements located on qualifying land according to the schedules and standards used in appraising other similar improvements in the county. If all or any part of a qualifying tract of land is located within the limits of an incorporated city or town, or is property annexed subject to G.S. 160A-37(f1) or G.S. 160A-49(f1), the assessor must furnish a copy of the property record showing both the present-use appraisal and the valuation upon which the property would have been taxed in the absence of this classification to the collector of the city or town. The assessor must also notify the tax collector of any changes in the appraisals or in the eligibility of the property for the benefit of this classification. Upon a request for a certification pursuant to G.S. 160A-37(f1) or G.S.160A-49(f1), or any change in the certification, the assessor for the county where the land subject to the annexation is located must, within 30 days, determine if the land meets the requirements of G.S. 160A-37(f1)(2) or G.S. 160A-49(f1)(2) and report the results of its findings to the city.

(b1) Appeal. - Decisions of the assessor regarding the qualification or appraisal of property under this section may be appealed to the county board of equalization and review or, if that board is not in session, to the board of county commissioners. An appeal must be made within 60 days after the decision of the assessor. If an owner submits additional information to the assessor pursuant to G.S. 105-296(j), the appeal must be made within 60 days after the assessor's decision based on the additional information. Decisions of the county board may be appealed to the Property Tax Commission.

(c) Deferred Taxes. - Land meeting the conditions for classification under G.S. 105-277.3 must be taxed on the basis of the value of the land for its present use. The difference between the taxes due on the present-use basis and the taxes that would have been payable in the absence of this classification, together with any interest, penalties, or costs that may accrue thereon, are a lien on the real property of the taxpayer as provided in G.S. 105-355(a). The difference in taxes must be carried forward in the records of the taxing unit or units as deferred taxes. The deferred taxes for the preceding three fiscal years are due and payable in accordance with G.S. 105-277.1F when the property loses its eligibility for deferral as a result of a disqualifying event. A disqualifying event occurs when the land fails to meet any condition or requirement for classification or when an application is not approved.

(d) **(Effective for taxes imposed for taxable years beginning before July 1, 2016)** Exceptions. - Notwithstanding the provisions of subsection (c) of this section, if property loses its eligibility for present use value classification solely due to one of the following reasons, no deferred taxes are due and the lien for the deferred taxes is extinguished:

- (1) There is a change in income caused by enrollment of the property in the federal conservation reserve program established under 16 U.S.C. Chapter 58.
- (2) The property is conveyed by gift to a nonprofit organization and qualifies for exclusion from the tax base pursuant to G.S. 105-275(12) or G.S. 105-275(29).
- (3) The property is conveyed by gift to the State, a political subdivision of the State, or the United States.

(d) **(Effective for taxes imposed for taxable years beginning on or after July 1, 2016)** Set Exception. - Notwithstanding the provisions of subsection (c) of this section, if property loses its eligibility for present use value classification solely due to a change in income caused by enrollment of the property in the federal conservation reserve program established under 16 U.S.C. Chapter 58, then no deferred taxes are due and the lien for the deferred taxes is extinguished.

(d1) **(Effective for taxes imposed for taxable years beginning on or after July 1, 2016)** Variable Exception. - Notwithstanding the provisions of subsection (c) of this section, if property loses its eligibility for present-use value classification because the property is conveyed to a nonprofit organization and

qualifies for exclusion from the tax base pursuant to G.S. 105-275(12) or G.S. 105-275(29) or to the State, a political subdivision of the State, or the United States, then deferred taxes are due as follows:

- (1) If the property is conveyed at or below present-use value, then no deferred taxes are due, and the lien for the deferred taxes is extinguished.
- (2) If the property is conveyed for more than present-use value, then a portion of the deferred taxes for the preceding three fiscal years is due and payable in accordance with G.S. 105-277.1F. The portion due is equal to the lesser of the amount of the deferred taxes or the deferred taxes multiplied by a fraction, the numerator of which is the sale price of the property minus the present-use value of the property and the denominator of which is the true value of the property minus the present-use value of the property.
- (e) Repealed by Session Laws 1997-270, s. 3, effective July 3, 1997.

(f) The Department shall publish a present-use value program guide annually and make the guide available electronically on its Web site. When making decisions regarding the qualifications or appraisal of property under this section, the assessor shall adhere to the Department's present-use value program guide. (1973, c. 709, s. 1; c. 905; c. 906, ss. 1, 2; 1975, c. 62; c. 746, ss. 3-7; 1981, c. 835; 1985, c. 518, s. 1; c. 667, ss. 5, 6; 1987, c. 45, s. 1; c. 295, s. 5; c. 698, s. 6; 1987 (Reg. Sess., 1988), c. 1044, s. 13.2; 1995, c. 443, s. 4; c. 454, s. 3; 1997-270, s. 3; 1998-98, s. 23; 1998-150, s. 1; 2001-499, s. 2; 2002-184, s. 3; 2005-313, s. 4; 2006-30, s. 4; 2008-35, s. 2.3; 2015-263, s. 12(b); 2016-76, s. 1.)

§ 105-277.5. Agricultural, horticultural and forestland - Notice of change in use.

Not later than the close of the listing period following a change which would disqualify all or a part of a tract of land receiving the benefit of this classification, the property owner shall furnish the assessor with complete information regarding such change. Any property owner who fails to notify the assessor of changes as aforesaid regarding land receiving the benefit of this classification shall be subject to a penalty of ten percent (10%) of the total amount of the deferred taxes and interest thereon for each listing period for which the failure to report continues. (1973, c. 709, s. 1; 1975, c. 746, s. 8; 1987, c. 45, s. 1.)

§ 105-277.6. Agricultural, horticultural and forestland - Appraisal; computation of deferred tax.

(a) In determining the amount of the deferred taxes herein provided, the assessor shall use the appraised valuation established in the county's last general revaluation except for any changes made under the provisions of G.S. 105-287.

(b) In revaluation years, as provided in G.S. 105-286, all property entitled to classification under G.S. 105-277.3 shall be reappraised at its true value in money and at its present use value as of the effective date of the revaluation. The two valuations shall continue in effect and shall provide the basis for deferred taxes until a change in one or both of the appraisals is required by law. The present use-value schedule, standards, and rules shall be used by the tax assessor to appraise property receiving the benefit of this classification until the next general revaluation of real property in the county as required by G.S. 105-286.

(c) Repealed by Session Laws 1987, c. 295, s. 2. (1973, c. 709, s. 1; 1975, c. 746, ss. 9, 10; 1987, c. 45, s. 1, c. 295, s. 2.)

§ 105-277.7. Use-Value Advisory Board.

(a) Creation and Membership. - The Use-Value Advisory Board is established under the supervision of the Agricultural Extension Service of North Carolina State University. The Director of the Agricultural Extension Service of North Carolina State University shall serve as the chair of the Board. The Board shall consist of the following additional members, to serve ex officio:

- (1) A representative of the Department of Agriculture and Consumer Services, designated by the Commissioner of Agriculture.
- (2) A representative of the North Carolina Forest Service of the Department of Agriculture and Consumer Services, designated by the Director of that Division.
- (3) A representative of the Agricultural Extension Service at North Carolina Agricultural and Technical State University, designated by the Director of the Extension Service.
- (4) A representative of the North Carolina Farm Bureau Federation, Inc., designated by the President of the Bureau.
- (5) A representative of the North Carolina Association of Assessing Officers, designated by the President of the Association.
- (6) The Director of the Property Tax Division of the North Carolina Department of Revenue or the Director's designee.
- (7) A representative of the North Carolina Association of County Commissioners, designated by the President of the Association.
- (8) A representative of the North Carolina Forestry Association, designated by the President of the Association.

(b) Staff. - The Agricultural Extension Service at North Carolina State University must provide clerical assistance to the Board.

(c) Duties. - The Board must annually submit to the Department of Revenue a recommended usevalue manual. In developing the manual, the Board may consult with federal and State agencies as needed. The manual must contain all of the following:

- (1) The estimated cash rental rates for agricultural lands and horticultural lands for the various classes of soils found in the State. The rental rates must recognize the productivity levels by class of soil or geographic area, and the crop as either agricultural or horticultural. The rental rates must be based on the rental value of the land to be used for agricultural or horticultural purposes when those uses are presumed to be the highest and best use of the land. The recommended rental rates may be established from individual county studies or from contracts with federal or State agencies as needed.
- (2) The recommended net income ranges for forestland furnished to the Board by the Forestry Section of the North Carolina Cooperative Extension Service. These net income ranges may be based on up to six classes of land within each Major Land Resource Area designated by the United States Soil Conservation Service. In developing these ranges, the Forestry Section must consider the soil productivity and indicator tree species or stand type, the average stand establishment and annual management costs, the average rotation length and timber yield, and the average timber stumpage prices.
- (3) The capitalization rates adopted by the Board prior to February 1 for use in capitalizing incomes into values. The capitalization rate for forestland shall be nine percent (9%). The capitalization rate for agricultural land and horticultural land must be no less than six percent (6%) and no more than seven percent (7%). The incomes must be in the form of cash rents for agricultural lands and horticultural lands and net incomes for forestlands.
- (4) The value per acre adopted by the Board for the best agricultural land. The value may not exceed one thousand two hundred dollars (\$1,200).
- (5) Recommendations concerning any changes to the capitalization rate for agricultural land and horticultural land and to the maximum value per acre for the best agricultural land and horticultural land based on a calculation to be determined by the Board. The

Board shall annually report these recommendations to the Revenue Laws Study Committee and to the President Pro Tempore of the Senate and the Speaker of the House of Representatives.

(6) Recommendations concerning requirements for horticultural land used to produce evergreens intended for use as Christmas trees when requested to do so by the Department. (1973, c. 709, s. 1; 1975, c. 746, s. 11; 1985, c. 628, s. 2; 1989, c. 727, s. 218(44); c. 736, s. 2; 1997-261, s. 109; 1997-443, s. 11A.119(a); 2002-184, s. 4; 2005-313, s. 5; 2005-386, s. 1.3; 2011-145, s. 13.25(oo); 2013-155, s. 7.)

§ 105-277.1F. Uniform provisions for payment of deferred taxes.

- (a) Scope. This section applies to the following deferred tax programs:
 - (1) G.S. 105-275(12), real property owned by a nonprofit corporation held as a protected natural area.
 - (1a) G.S. 105-275(29a), historic district property held as future site of historic structure.
 - (2) G.S. 105-277.1B, the property tax homestead circuit breaker.
 - (2a) **(See note for repeal)** G.S. 105-277.1D, the inventory property tax deferral.
 - (3) G.S. 105-277.4(c), present-use value property.
 - (4) G.S. 105-277.14, working waterfront property.
 - (4a) G.S. 105-277.15, wildlife conservation land.
 - (4b) G.S. 105-277.15A, site infrastructure land.
 - (5) G.S. 105-278(b), historic property.
 - (6) G.S. 105-278.6(e), nonprofit property held as future site of low- or moderate-income housing.

(b) Payment. - Taxes deferred on property under a deferral program listed in subsection (a) of this section are due and payable on the day the property loses its eligibility for the deferral program as a result of a disqualifying event. If only a part of property for which taxes are deferred loses its eligibility for deferral, the assessor must determine the amount of deferred taxes that apply to that part and that amount is due and payable. Interest accrues on deferred taxes as if they had been payable on the dates on which they would have originally become due.

The tax for the fiscal year that begins in the calendar year in which the deferred taxes are due and payable is computed as if the property had not been classified for that year. A lien for deferred taxes is extinguished when the taxes are paid.

All or part of the deferred taxes that are not due and payable may be paid to the tax collector at any time without affecting the property's eligibility for deferral. A partial payment is applied first to accrued interest. (2008-35, s. 2.2; 2008-107, s. 28.11(h); 2008-171, s. 2; 2009-308, s. 3; 2011-274, s. 2; 2012-79, s. 1.9; 2013-130, s. 3.)

§ 105-289. Duties of Department of Revenue.

- (a) It is the duty of the Department of Revenue:
 - (1) To discharge the duties prescribed by law and to enforce the provisions of this Subchapter.
 - (2) To exercise general and specific supervision over the valuation and taxation of property by taxing units throughout the State.
 - (3) To appraise the property of public service companies.
 - (4) To keep full and accurate records of the Commission's official proceedings.

- (5) To prepare and distribute annually to each assessor the manual developed by the Use-Value Advisory Board under G.S. 105-277.7 that establishes the cash rental rates for agricultural lands and horticultural lands and the net income ranges for forestland.
- (6) To establish requirements for horticultural land, used to produce evergreens intended for use as Christmas trees, in lieu of a gross income requirement until evergreens are harvested from the land, and to establish a gross income requirement for this type horticultural land, that differs from the income requirement for other horticultural land, when evergreens are harvested from the land.
- (7) To conduct studies of the cash rents for agricultural and horticultural lands on a county or a regional basis, such as the Major Land Resource Area map designated and developed by the U.S. Department of Agriculture. The results of the studies must be furnished to the North Carolina Use-Value Advisory Board. The studies may be conducted on any reasonable basis and timetable that will be reflective of rents and values for each local area based on the productivity of the land.
- (b), (c) Repealed by Session Laws 1973, c. 476, s. 193.

(d) In exercising general and specific supervision over the valuation and taxation of property, the Department shall provide the following:

- (1) A continuing program of education and training for local tax officials in the conduct of their duties;
- (2) A program for testing the qualifications of an assessor and other persons engaged in the appraisal of property for a county or municipality;
- (3) A certification program for an assessor and other persons engaged in the appraisal of property for a county or municipality; and
- (4) Assistance to the county and/or the county attorney in developing the specifications for the proposed contract sent to the Department for review pursuant to G.S. 105-299.

The Department shall promulgate regulations to carry out its duties under this subsection.

- (e) The Department of Revenue may furnish the following information to a local tax official:
 - (1) Information contained in a report to it or to any other State department; and
 - (2) Information the Department has in its possession that may assist a local tax official in securing complete tax listings, appraising or assessing taxable property, collecting taxes, or presenting information in administrative or judicial proceedings involving the listing, appraisal, or assessment of property.

A local tax official may use information obtained from the Department under this subsection only for the purposes stated in subdivision (2). A local tax official may not divulge or make public this information except as required in administrative or judicial proceedings under this Subchapter. A local tax official who makes improper use of or discloses information obtained from the Department under this subsection is punishable as provided in G.S. 153A-148.1 or G.S. 160A-208.1, as appropriate.

The Department may not furnish information to a local tax official pursuant to this subsection unless it has obtained a written certification from the official stating that the official is familiar with the provisions of this subsection and G.S. 153A-148.1 or G.S. 160A-208.1, as appropriate, and that information obtained from the Department under this subsection will be used only for the purposes stated in subdivision (2).

(f) To advise local tax officials of their duties concerning the listing, appraisal, and assessment of property and the levy and collection of property taxes.

(g) To see that proper proceedings are brought to enforce the statutes pertaining to taxation and the collection of penalties and liabilities imposed by law upon public officers, officers of corporations, and individuals who fail, refuse, or neglect to comply with the provisions of this Subchapter and other laws with respect to the taxation of property, and to call upon the Attorney General of this State or any prosecuting

attorney of this State to assist in the execution of the powers conferred by the laws of this State with respect to the taxation of property.

(h) To make annual studies of the ratio of the appraised value of real property to its true value and to establish for each county the median ratio as determined by the studies for each calendar year. The studies for each calendar year shall be completed by April 15 of the following calendar year. The studies shall be conducted in accordance with generally accepted principles and procedures for sales assessment ratio studies.

(i) To maintain a register of appraisal firms, mapping firms and other persons or firms having expertise in one or more of the duties of the assessor; to review the qualifications and work of such persons or firms; and to advise county officials as to the professional and financial capabilities of such persons or firms to assist the assessor in carrying out his duties under this Subchapter. The register shall include a copy of the report filed by the counties pursuant to G.S. 105-322(g)(4). It shall also include the average median sales assessment ratio and the coefficient of dispersion achieved in each county for the first two years following the county's effective date of revaluation. To be registered with the Department of Revenue, such persons or firms shall annually file a report with the Department setting forth the following information:

- (1) A statement of the firm's ownership,
- (2) A statement of the firm's financial condition,
- (3) A list of the firm's principal officers with a statement of their qualifications and experience,
- (4) A list of the firm's employees with a statement of their education, training and experience, and
- (5) A full and complete resume of each employee which the firm proposes to place in a supervisory position in any mapping or revaluation project for a county in this State. (1939, c. 310, s. 202; 1955, c. 1350, s. 10; 1967, c. 1196, s. 3; 1969, c. 7, s. 1; 1971, c. 806, s. 1; 1973, c. 47, s. 2; c. 476, s. 193; 1975, c. 275, s. 9; c. 508, s. 1; 1981, c. 387, ss. 1, 2; 1983, c. 813, s. 1; 1985, c. 601, s. 3; c. 628, s. 3; 1987, c. 45, s. 1; c. 46, s. 1; c. 440, s. 1; c. 830, s. 84(a); 1987 (Reg. Sess., 1988), c. 1052, s. 1; 1989, c. 79, ss. 2, 4; c. 736, s. 3; 1991, c. 110, s. 2; 1993, c. 485, s. 35; 2002-184, s. 5; 2005-313, s. 6.)

§ 105-296. Powers and duties of assessor.

(a) The county assessor shall have general charge of the listing, appraisal, and assessment of all property in the county in accordance with the provisions of law. He shall perform the duties imposed upon him by law, and he shall have and exercise all powers reasonably necessary in the performance of his duties not inconsistent with the Constitution or the laws of this State.

(b) Within budgeted appropriations, he shall employ listers, appraisers, and clerical assistants necessary to carry out the listing, appraisal, assessing, and billing functions required by law. The assessor may allocate responsibility among such employees by territory, by subject matter, or on any other reasonable basis. Each person employed by the assessor as a real property appraiser or personal property appraiser shall during the first year of employment and at least every other year thereafter attend a course of instruction in his area of work. At the end of the first year of their employment, such persons shall also achieve a passing score on a comprehensive examination in property tax administration conducted by the Department of Revenue.

(c) At least 10 days before the date as of which property is to be listed, the assessor shall advertise in a newspaper having general circulation in the county and post in at least five public places in each township in the county a notice containing all of the items listed in this subsection. If the listing period is extended in any county by the board of county commissioners, the assessor shall advertise in the newspaper in which the original notice was published and post in the same places a notice of the extension and of the times during which and the place or places at which lists will be accepted during the extended period. The items that must be included in the notice are:

- (1) The date as of which property is to be listed.
- (2) The date on which listing will begin.
- (3) The date on which listing will end.
- (4) The times between the date mentioned in subdivision (c)(2), above, and the date mentioned in subdivision (c)(3), above, during which lists will be accepted.
- (5) The place or places at which lists will be accepted at the times established under subdivision (c)(4), above.
- (6) A statement that all persons who, on the date as of which property is to be listed, own property subject to taxation must list such property within the period set forth in the notice and that any person who fails to do so will be subject to the penalties prescribed by law.
- (7) If the county has provided for electronic listing of personal property under G.S. 105-310.1, a statement that the county allows electronic listing of personal property and the timetable and procedures for electronic listing.
- (d) through (f) Repealed by Session Laws 1987, c. 43, s. 2.

(g) He shall have power to subpoena any person for examination under oath and to subpoena documents whenever he has reasonable grounds for the belief that such person has knowledge or that such documents contain information that is pertinent to the discovery or valuation of any property subject to taxation in the county or that is necessary for compliance with the requirements as to what the tax list shall contain. The subpoena shall be signed by the chairman of the board of equalization and review if that board is in session; otherwise, it shall be signed by the chairman of the board of county commissioners. It shall be served by an officer qualified to serve subpoenas. Any person who shall willfully fail or refuse to appear, produce subpoenaed documents, or testify concerning the subject of the inquiry shall be guilty of a Class 1 misdemeanor.

(h) Only after the abstract has been carefully reviewed can the assessor require any person operating a business enterprise in the county to submit a detailed inventory, statement of assets and liabilities, or other similar information pertinent to the discovery or appraisal of property taxable in the county. Inventories, statements of assets and liabilities, or other information secured by the assessor under the terms of this subsection, but not expressly required by this Subchapter to be shown on the abstract itself, shall not be open to public inspection but shall be made available, upon request, to representatives of the Department of Revenue or of the Division of Employment Security (DES) of the Department of Commerce. Any assessor or other official or employee disclosing information so obtained, except as may be necessary in listing or appraising property in the performance of official duties, or in the administrative or judicial proceedings relating to listing, appraising, or other official duties, shall be guilty of a Class 3 misdemeanor and punishable only by a fine not exceeding fifty dollars (\$50.00).

(i) Prior to the first meeting of the board of equalization and review, the assessor may, for good cause, change the appraisal of any property subject to assessment for the current year. Written notice of a change in assessment shall be given to the taxpayer at his last known address prior to the first meeting of the board of equalization and review.

(j) The assessor must annually review at least one eighth of the parcels in the county classified for taxation at present-use value to verify that these parcels qualify for the classification. By this method, the assessor must review the eligibility of all parcels classified for taxation at present-use value in an eight-year period. The period of the review process is based on the average of the preceding three years' data. The assessor may request assistance from the Farm Service Agency, the Cooperative Extension Service, the North Carolina Forest Service of the Department of Agriculture and Consumer Services, or other similar organizations.

The assessor may require the owner of classified property to submit any information, including sound management plans for forestland, needed by the assessor to verify that the property continues to qualify for present-use value taxation. The owner has 60 days from the date a written request for the information is made to submit the information to the assessor. If the assessor determines the owner failed to make the information requested available in the time required without good cause, the property loses its present-use value classification and the property's deferred taxes become due and payable as provided in G.S. 105-277.4(c). If the property loses its present-use value classification for failure to provide the requested information, the assessor must reinstate the property's present-use value classification when the owner submits the requested information within 60 days after the disqualification unless the information discloses that the property no longer qualifies for present-use value classification. When a property's present-use value classification is reinstated, it is reinstated retroactive to the date the classification was revoked and any deferred taxes that were paid as a result of the revocation must be refunded to the property owner. The owner may appeal the final decision of the assessor to the county board of equalization and review as provided in G.S. 105-277.4(b1).

In determining whether property is operating under a sound management program, the assessor must consider any weather conditions or other acts of nature that prevent the growing or harvesting of crops or the realization of income from cattle, swine, or poultry operations. The assessor must also allow the property owner to submit additional information before making this determination.

(k) He shall furnish information to the Department of Revenue as required by the Department to conduct studies in accordance with G.S. 105-289(h).

(I) The assessor shall annually review at least one-eighth of the parcels in the county exempted or excluded from taxation to verify that these parcels qualify for the exemption or exclusion. By this method, the assessor shall review the eligibility of all parcels exempted or excluded from taxation in an eight-year period. The assessor may require the owner of exempt or excluded property to make available for inspection any information reasonably needed by the assessor to verify that the property continues to qualify for the exemption or exclusion. The owner has 60 days from the date a written request for the information is made to submit the information to the assessor. If the assessor determines that the owner failed to make the information requested available in the time required without good cause, then the property loses its exemption or exclusion. If the property loses its exemption or exclusion when the owner makes the requested information available within 60 days after the disqualification unless the information discloses that the property is no longer eligible for the exemption or exclusion.

(m) The assessor shall annually review the transportation corridor official maps and amendments to them filed with the register of deeds pursuant to Article 2E of Chapter 136 of the General Statutes. The assessor must indicate on all tax maps maintained by the county or city that portion of the properties embraced within a transportation corridor and must note any variance granted for the property for such period as the designation remains in effect. The assessor must tax the property within a transportation corridor as required under G.S. 105-277.9 and G.S. 105-277.9A. (1939, c. 310, ss. 403, 404; 1953, c. 970, s. 3; 1955, c. 1012, s. 1; 1957, c. 202; 1959, c. 740, s. 3; 1963, c. 302; 1971, c. 806, s. 1; 1973, c. 560; 1983, c. 813, s. 3; 1985, c. 518, s. 2; 1987, c. 43, s. 2; c. 45, ss. 1, 2; c. 830, s. 84(b); 1987 (Reg. Sess., 1988), c. 1044, s. 13; 1991, c. 34, s. 2; c. 77, s. 1; 1993, c. 539, ss. 715, 716; 1994, Ex. Sess., c. 24, s. 14(c); 2001-139, ss. 3; 2002-184, s. 6; 2005-313, s. 7; 2005-386, s. 1.4; 2011-145, s. 13.25(pp); 2011-238, s. 2; 2011-401, s. 5.1; 2013-155, s. 8; 2014-3, s. 14.19.)

§ 40A-6. Reimbursement of owner for taxes paid on condemned property.

(a) An owner whose property is totally taken in fee simple by a condemnor exercising the power of eminent domain, under this Chapter or any other statute, shall be entitled to reimbursement from the

condemnor of the pro rata portion of real property taxes paid by the owner that are allocable to a period subsequent to vesting of title in the condemnor, or the effective date of possession of the real property, whichever is earlier.

(b) An owner who meets the following conditions is entitled to reimbursement from the condemnor for all deferred taxes paid by the owner pursuant to G.S. 105-277.4(c) as a result of the condemnation:

- (1) The owner is a natural person whose property is taken in fee simple by a condemnor exercising the power of eminent domain under this Chapter or any other statute.
- (2) The owner also owns agricultural land, horticultural land, or forestland that is contiguous to the condemned property and that is in active production.

The definitions in G.S. 105-277.2 apply in this subsection. (1975, c. 439, s. 1; 1981, c. 919, s. 1; 1997-270, s. 1.)

§ 136-121.1. Reimbursement of owner for taxes paid on condemned property.

(a) A property owner whose property is totally taken in fee simple by any condemning agency (as defined in G.S. 133-7(1)) exercising the power of eminent domain, under this Chapter or any other statute or charter provision, shall be entitled to reimbursement from the condemning agency of the pro rata portion of real property taxes paid that are allocable to a period subsequent to vesting of title in the agency, or the effective date of possession of the real property, whichever is earlier.

(b) An owner who meets the following conditions is entitled to reimbursement from the condemning agency for all deferred taxes paid by the owner pursuant to G.S. 105-277.4(c) as a result of the condemnation:

- (1) The owner is a natural person whose property is taken in fee simple by a condemning agency exercising the power of eminent domain under this Chapter or any other statute.
- (2) The owner also owns agricultural land, horticultural land, or forestland that is contiguous to the condemned property and that is in active production.

A potential condemning agency that seeks to acquire property by gift or purchase shall give the owner written notice of the provisions of this section. The definitions in G.S. 105-277.2 apply in this subsection. (1975, c. 439, s. 1; 1997-270, s. 2.)

Application Process

All parcels approved for the Present-Use Program must be qualified by the Assessor. The guidelines for this procedure are outlined in Chapter 105, Subchapter II of the North Carolina General Statutes (also known as the "Machinery Act"). The first requirement is the filing of a timely application. Applications for the Present-Use Value Program are accepted only during the regular listing period (January 1 – January 31 of each calendar year) or within thirty (30) days after a notice of change in the market value of the property or within sixty (60) days of a transfer of ownership. Applications are available in the Assessor's office. All sections of the application must be completed entirely and signed by the owner or the application will not be accepted. Applications denied because of incomplete, missing or erroneous information will be returned to the applicant for resubmission. Please note the following:

- All applications must be completed entirely and signed by the owner to be accepted. For forestry, the application must include an acceptable Forestry Management Plan in effect as of January 1 of the year for which the application is made.
- All applications are reviewed for compliance with statutory requirements regarding qualifying ownership, size, use and sound management.

- All applications are subject to field reviews to verify land area types, farm and non-farm improvements and production / operation activity.
- Any application denied for incomplete, missing or disqualifying information will be returned to the applicant giving written notice of the denial and thirty (30) days to submit correct information or to appeal the Assessor's decision.
- A new application is required when any one of the following events occur:
 - The property is transferred to a new owner
 - The property is transferred, resulting in a change in the name of the entity in whose name the property is to be listed pursuant to NCGS 105-302.
 - There is a change in use from one classification to another. For example, from agriculture to horticulture; from horticulture to agriculture; from agriculture to forestland; or from forestland to agriculture or horticulture.
 - The property becomes ineligible due to a change in either qualifying use or size.
 - o The Assessor requests a new application pursuant to NCGS 105-296(j).
- When property is transferred and the buyer desires to continue to use the property for a qualifying use, it becomes the responsibility of the buyer to file an application for the property being conveyed and as such, the property is subject to all the requirements of use, ownership, income, size, sound management and/or the provisions of NCGS 105-277.4(c).
- When the property is transferred, it is the responsibility of the seller to notify the Assessor of the change that has occurred to the property pursuant to NCGS 105-277.5, especially in those cases where the change could affect its continued eligibility and where a portion of the property is retained by the seller and it is the desire of the seller to continue to receive the benefits of the classification.
- If a portion of qualifying property is sold and the remaining property held by the seller is converted from one qualifying use to another qualifying use, the seller must file a new application based on that change in the actual use of the property before the close of the next listing period.
- NOTE: After an application is approved, it is the property owner's responsibility to notify the Assessor's office of any changes, physical or legal, that may occur to the property.

Ownership Requirements

The ownership requirements for qualification into the Present-Use Value Program can be complicated. Owners must meet one of the qualifying forms of ownership and qualifying owners must also meet the additional requirements associated with each form of qualifying ownership.

Qualifying Forms of Ownership:

- 1. An individual (property owned in a person's actual name, including properties owned by husband and wife as tenants by entirety.
- 2. A business entity:
 - a. A corporation (publicly traded corporations do NOT qualify)
 - b. A general partnership
 - c. A limited partnership
 - d. A limited liability company (LLC)
- 3. A trust
- 4. A testamentary trust
- 5. Tenants in common (if each tenant is either a natural person or a business entity)




Chart 1 below provides a graphical representation of the types of ownership entities that may qualify for the Present-Use Program.

Generally speaking, for a property to be eligible for present-use value, it must satisfy at least one of the following additional requirements associated with each form of qualifying ownership (conditions of ownership):

- 1. It is the owner's place of residence (if owned by an individual).
- 2. It has been owned by the current owner or a relative of the current owner for the four years preceding January 1 of the year the benefit is applied for.
- 3. It was appraised at its present-use value or was eligible for appraisal at its present use value at the time title passed to the present owner, and at the time title to the property passed to the present owner, the new owner acquires the land for the purposes of and continues to use the land for the purposes it was classified under NCGS 105-277.3(a) while under the previous ownership.
- 4. If the land qualifies for classification in the hands of the new owner under NCGS 105-277.3(b2), then the new owner assumes the liability of the previous owner's deferred taxes.

Additional ownership requirements for property held by a business entity include:

- 1. The business entity (a closely-held corporation, a general partnership, a limited partnership or a limited liability company) must have a stated principal business and that principal business must be "farming agricultural land, horticultural land or forestland" as required by NCGS 105-277.1(4)(b).
- 2. The principal business requirement is applied to the business entity that owns the land.
- 3. As the term "principal business" is not defined by statute, the determination will be based on an examination and analysis of income sources and amounts, expenditures, the time required to manage the various activities of the business entity, and the actual value of the holdings held and carried by the business entity.
- 4. All members of the business entity must be "directly or indirectly, individuals who are actively engaged in farming agricultural land, horticultural land or forestland or a relative of one of the individuals who is actively engaged."
- 5. The "actively engaged" requirement is directed to the individuals owning the business entity.
- 6. Publicly-traded corporations cannot qualify as a business entity.

7. If a publicly-traded corporation is a member of a business entity, its presence will disqualify the business entity.

Size Requirements

- Land used for agricultural purposes must have at least one parcel with ten (10) acres in actual production.
- Land used for horticultural purposes must have at least one parcel with five (5) acres in actual production.
- Land used for forestland purposes must have at least one parcel with twenty (20) acres in actual production.
- Land used as a homesite cannot be included as part of the minimum acreage in actual production.
- The land under farm buildings can be included as part of the land in actual production when the use of the structure is consistent with the use of the land per the type of classification for which the application is being made.
- A farming enterprise, whether it is agricultural, horticultural or forestry, is considered to be an economic unit. The unit may be comprised of several parcels of land that may or may not be contiguous. Regardless of how many parcels there may be, at least one contiguous parcel must meet the minimum size thresholds as stated above.

Gross Income Requirements

Gross income is the amount of money received from all sources pertaining to the agricultural or horticultural commodities produced from the farm enterprise. Even if the total of all costs necessary to produce the commodity were to exceed the total of all monies received for the commodity within the business enterprise, resulting in a negative cash flow, it would not matter with regard to the Present-Use Value Program.

For those instances where a commercial commodity is produced from the land but is consumed on the farm as part of another commercial product, the value of the commodity consumed may be substituted for actual income. For example, hay and silage consumed by cows in a dairy operation would fall into this category.

An agricultural or horticultural application must be able to show that the land in actual production has produced an average annual gross income of at least \$1,000.

When determining gross income, some examples of invalid sources of income include (but are not limited to) the following:

- Rental income. Income from the leasing of land or equipment cannot be used to meet the income requirement. Although capitalizing land rental income is a valid method to determine the present-use value of the land, the income does not address whether the land is actually in production under sound management for the commercial production of agricultural or horticultural products.
- Income from stud fees and boarding fees
- Training or showing of animals for judging or show
- Leasing of hunting rights
- Sale of firewood, pine cones, pine straw, etc.
- Fees for services such as plowing, mowing, baling, hauling, drying, curing or similar operations

NOTE: For MLRA 130 (the Mountains), an exception to this general rule requires land used to:

- Grow Christmas trees must produce an average of \$2,000 per acre.
- There is also an "in-lieu income requirement" unique within the Present-Use Value Program for Christmas tree land permitting land in production but not yet harvested (seedlings, set, pruned and managed) to be approved into the Program (there is no similar provision for any other horticultural crop).
- Other specific regulations regarding Christmas trees are found in the 2019 Use Value Advisory Board's manual, which has been incorporated into this Schedule of Values.

Sound Management

Sound Management applies to all categories of use (agricultural, horticultural and forestland). Every property considered for present-use value must be under a sound management program. NCGS 105-277.2(6) defines sound management as "a program of production designed to obtain the greatest net return from the land consistent with its conservation and long-term improvement."

Agriculture and Horticulture Properties

NCGS 105-277.3(f) provides that when the property owner demonstrates any one of the following factors, then the land is operated under a sound management program:

- Enrollment in and compliance with an agency-administered and approved farm management plan;
- Compliance with a set of best management practices;
- Compliance with a minimum gross income per acre test;
- Evidence of net income from the farm operation;
- Evidence that farming is the farm operator's principal source of income; or
- Certification by a recognized agricultural or horticultural agency within the county that the land is operated under a sound management program.

Forestland

- 1. NCGS 105-277.3(g) provides that "if the owner of forestland demonstrates that the forestland complies with a written sound forest management plan for the production and sale of forest products, then the forest is operated under a sound management plan."
- 2. At the time of the initial application, forestland applications must be accompanied by a well-written forestry management plan prepared by the property owner, the North Carolina Forest Service, United States Forest Service or an independent consulting, registered forester, and this plan must be followed as to its stated recommendations;

NOTE: Forestry management plans written by the property owner must exhibit the appropriate forestry management and analytical skills to properly prepare the plan in a manner comparable to a plan prepared by a qualified forester.

- 3. A well-written forestry management plan, regardless of who prepares it, must include the following:
 - a. Management and land owner objectives: long-range and short-range objectives of the owner as appropriate.
 - b. Location. The plan should include a map or aerial photograph that locates the property described and which also delineates each stand type referenced in the forest management plan for the property.

- c. Inventory. The plan should include a detailed description of the various stands within the forestry unit. Each stand description should detail the acreage, species, age, size, condition, plus other information describing the soils, water and fertility.
- d. Harvest Dates. For each stand, the plan must establish a timetable for harvest, with periodic review to reflect current stand conditions.
- e. Regeneration. The plan should include an appropriate regeneration plan for each stand when harvested.
- f. Silviculture Practices. The plan should include provisions for thinning, disease control herbicide injections, etc.
- g. Protection and Maintenance. The plans should include provisions for road maintenance, boundary lines, prescribed burning, fire breaks, etc.

The Gross Income per Acre Test

In 1976, the North Carolina Property Tax Commission heard the case of *DuBose vs. Orange County*. At issue was whether the county's denial of the property for present-use value was valid. Although the property met the statutory requirements for ownership, size and income, the county had denied the taxpayer's application on the basis that the property was not under sound management. The Commission, in affirming the county's decision, made the following points:

"While we acknowledge that the property meets the requirements of the statute as to size (10 acres) and income (\$1,000), we believe it is clear that the property is not a commercial enterprise being operated under a sound management program.

The gross income generated on the property during the three-year period was \$8,855 - an average of \$2,948 per year. The per-acre figure would then amount to \$2.56 per year. Even if there were no expenses other than property taxes – which is obviously not the case – these gross income figures do not appear to be sufficient to cover normal property taxes.

Any commercial enterprise, including a farm, has to contemplate sufficient gross income to cover all expenses plus a reasonable return to the operator for his investment in capital and compensation for his time and effort. This may not always be accomplished because of the vagaries of the weather and fluctuations of the market. No business can continue to operate very long, however, if its expenses exceed gross income year after year."

The lesson from *DuBose* is that it is simply not enough to satisfy the minimum statutory requirements for ownership, size and income in order to qualify for present-use value. Indeed, the more difficult issue of sound management must be considered, and one way to accomplish that goal is to look at income on a gross income per-acre basis as follows:

- 1. Divide the gross income by the number of acres available for production to arrive at a gross return per acre, which should be sufficient to cover expenses and provide a profit.
- Specifically, the gross income per acre should be sufficient to cover the cost of acquisition (annualized over a period of time, i.e., 15 – 30 years), the cost of labor required to produce the crop, the cost of machinery (annualized over a period of time, i.e., 2 – 10 years, depending on the type of equipment) and have something left over to provide a profit.
- 3. Consultation with local agencies, i.e., the North Carolina Cooperative Extension Service (formerly the Agricultural Extension Service) and the Farm Service Agency (formerly the A.S.C.S.), will help in determining adequate and reasonable guidelines for minimum gross income and expense levels

that may be expected from the commercial cultivation of various agricultural and horticultural products.

2019 Present-Use Value Schedules

The 2019 Agricultural, Horticultural and Forestland Schedules outlined below:

Agricultural Land

For 2019, the Use-Value Advisory Board increased rents by 10% to more accurately represent the current cash rents and then divided by a capitalization rate of 6.5% to produce the Agricultural Schedule.

Class	Description	Land Rent	Indicated Values (Rent / 6.5% Cap Rate)	Schedule Rates
Agricultural Land				
1	Best Soils	\$ 90.30	\$ 1,389	\$ 1,200
11	Average Soils	\$ 54.30	\$ 835	\$ 835
111	Fair Soils	\$ 35.50	\$ 546	\$ 545
IV	Non-Productive Land (wasteland)	N/A	N/A	\$ 40

Horticultural Land

"All horticultural crops requiring more than one growing season between planting or setting out and harvest, such as Christmas trees, ornamental shrubs and nursery stock, apple and peach orchards, grapes, blueberries, strawberries, sod and other similar horticultural crops should be classified as horticulture regardless of location in the state." For 2019, the Use-Value Advisory Board increased rents by 10% to more accurately represent the current cash rents and then divided by a capitalization rate of 6.5% to produce the Horticultural Schedule. Pursuant to the 2019 Use-Value Advisory Board's Manual, the gross income requirement for acres undergoing Christmas tree harvest in the mountain region of North Carolina (MLRS 130) is \$2,000 per acre. Once Christmas trees are harvested from specific acreage, the requirement for those harvested acres will revert to the in-lieu of income requirement.

Class	Description	Land Rent	Indicated Values (Rent / 6.5% Cap Rate)	Schedule Rates
Horticultural Land				
1	Best Soils	\$ 161.70	\$ 2,488	\$ 2,485
П	Average Soils	\$ 111.10	\$ 1,709	\$ 1,705
111	Fair Soils	\$ 72.90	\$ 1,122	\$ 1,120
IV	Non-Productive Land (wasteland)	N/A	N/A	\$ 40

Forestland

For 2019, the Use-Value Advisory divided by a capitalization rate of 9.0% to produce the Forestland Schedule. All class VI or Non-Productive Land will be appraised at \$40 per acre except for MLRA 130 (the Mountains). For Class VI, MLRA 130 (the Mountains) will use 80% of the lowest-valued productive land.

Class	Description	Land Rent	Indicated Values (Rent / 9.0% Cap Rate)	Schedule Rates
Forestland				
1	Best Soils	\$ 29.99	\$ 333	\$ 330
II	Good Soils	\$ 18.86	\$ 210	\$ 205
111	Average Soils	\$ 6.91	\$ 77	\$ 75
IV	Fair Soils	\$ 4.74	\$ 53	\$ 50
V	Poor Soils	\$ 3.26	\$ 36	\$ 40
VI	Non-Productive Land (wasteland) (For MLRA 130 [Mountains], use 80% of lowest valued productive land)	N/A	N/A	\$ 32

Compliance Reviews

NCGS 105-296(j) requires the Assessor to review all parcels classified for assessment at present-use value once during an eight-year period. Henderson County's goal is to review each parcel once during the four-year reappraisal cycle. The purpose of compliance reviews is to objectively evaluate all relevant and available information and thereby ensure fairness to all property owners that the present-use value program is not being used either to escape taxation or to deny qualifying owners and parcels from participation.

The following are examples of what issues may be reviewed during the compliance process (these examples are not intended to limit the compliance review to other issues or areas):

- Whether an application or account record is properly filed with the Assessor.
- Whether the parcel(s) have sufficient acreage in production to meet the minimum size requirement for the classification sought.
- Whether the income is sufficient for continuation in the program.
- Whether the income information is insufficient to meet the gross income per acre test for sound management.
- Whether the sound management plan for forestry has been received and is sufficient and is being followed.
- Assurance that the property is actively engaged in the commercial production or growing of crops, plants, animals, fruits, vegetables, nursery or floral products, or trees or timber, under a sound management plan in the past several years.
- Whether the parcels brought into the present-use value program under the farm unit concept are of the same ownership and have account files and applications that are commensurate with that ownership.
- Assurance that all parcels in the account still qualify for present-use value; if some parcels never qualified or no longer qualify, they must be removed from the program.

• Assurance that the property has always met and continues to meet all necessary requirements for classification in the present-use value program.

Penalty for Non-Compliance and Notification Failure

NCGS 105-277.5 states:

"Not later than the close of the listing period following a change which could disqualify all or part of a tract of land receiving the benefit of this classification, the property owner shall furnish the assessor with complete information regarding such change. Any property owner who fails to notify the assessor of changes as aforesaid regarding land receiving the benefit of this classification shall be subject to a penalty of ten percent (10%) of the total amount of the deferred taxes and interest thereon for each listing period for which the failure to report continues."

Under North Carolina law, during the January listing period, property owners are required to advise and notify the assessor of any changes having occurred to their real property during the previous calendar year. There is no limit to the number of years the county may apply the 10% failure to give notice as required. For example, the 10% penalty can be added for seven years if a change in the property is found seven years after the event that should have been reported. **The five-year discovery statute (NCGS 105-312) does not apply to failure to report noncompliance**. Changes to the property from one year to another may affect both market and present-use value, appraisal and assessment of the real property. Examples of changes that could affect the value include (but are not limited) to the following:

TYPE OF CHANGE	MARKET VALUE CHANGE?	PRESENT-USE VALUE CHANGE?
A new home is built on what was previously vacant land	Yes	Yes
Additions are made to an existing residence	Yes	No
New farm buildings are constructed on cleared land (previously wooded land)	Yes	Yes
Wooded land is cleared and the number of acres currently farmed is increased	No	Yes
The farmer to whom the land is rented, changes the type of crop being produced from the land	No	Yes
Acreage, previously cultivated or farmed, is no longer in production	No	Yes
Land previously used as a pasture is set out in grapes	No	Yes
An apple orchard established many years ago is abandoned	No	Yes

Deferred Taxes

Deferred taxes are the difference between the taxes due at market value and the taxes due at present-use value on a property enrolled in the present-use value program. The deferred taxes become immediately due and payable when a property loses its eligibility in the present-use value program. When a property loses its eligibility, the current-year taxes are based on the full market value of the property as though the property had not been classified for present-use value on January 1, and tax bills based on the deferred taxes plus interest for the three previous years are created.

The following situations will always result in the loss of eligibility for present-use value and will initiate the deferred taxes to immediately become due:

- 1. Property is sold, transferred or conveyed to anyone (including a relative) and the use of the property changes from agricultural, horticultural or forestry to some other non-conforming use.
- 2. Property is sold, transferred or conveyed to anyone other than a relative and the new owner does not acquire the land for the purposes of or continues to use the land for the purposes it was classified under NCGS 105-277.3(a).
- 3. The acres in actual production drops below the minimum threshold for the classification for which the parcel was approved.
- 4. The property owner is no longer using the land for a permitted use and it is lying idle, whether voluntary or not, for more than one growing season.
- 5. The \$1,000 gross income requirement for agricultural and/or horticultural land is no longer being met.
- 6. The use of the property is converted to a non-qualifying use.
- 7. The property is not managed or has not been managed under a program of sound management.
- 8. The property is split and no longer meets the size requirements.
- 9. A portion of the property is transferred and no longer meets requirements for qualification.
- 10. The property owner does not intend to harvest timber or follow the guidelines required by the forestry management plan.

Appeals

According to North Carolina law, the property owner has the burden of proving the property under appeal is incorrectly valued. North Carolina law presumes the County Assessor acted in good faith and that assessments are correct¹. Appraisals for property tax assessment purposes are made on a mass basis using statistical tools. Mass appraisal allows the Assessor to assess large numbers of individual parcels of real estate in a short period of time at significant cost savings when compared to fee appraisal. No matter how thorough and fair a reappraisal may be, there are still instances when only the property owner has all the information necessary for an accurate appraisal.

North Carolina law provides for an appeal process in the event there is disagreement about the value placed on a parcel. Appeal forms may be obtained by contacting the Assessor's office or by downloading an Appeal form from the Assessor's website at www.hendersoncountync.gov/tax/page/reappraisal-section.

The first step in the appeal process is to file an informal appeal with the County Assessor. The completed appeal form must be returned within the specified timeframe and include information to support the owner's opinion of value or other grounds for appeal. When the appeal is received, it will be reviewed by an appraiser within the Assessor's office and the result of the review will be communicated to the property owner.

If the appeal is not resolved at the informal level, the property owner may file a formal appeal with the County's Board of Equalization & Review pursuant to NCGS 105-244(g)(2) et seq. After submission of a formal appeal to the Board of Equalization & Review, an appraiser will meet with the property owner to discuss the value and verify any information supplied by the property owner. If the appeal cannot be resolved, the appeal will be scheduled for a hearing before the Board of Equalization & Review, during

¹ In re *Bosley*, 29 N.C. App. 468, 224 S.E.2d 686, cert. denied, 290 N.C. 551, 226 S.E.2d 509 (1976).

which both the property owner and the Assessor will present at a public hearing. Notice of the decision of the Board of Equalization & Review will be mailed to the property owner within thirty days of the hearing.

If the taxpayer does not agree with the decision of the County's Board of Equalization & Review, the taxpayer may, within thirty days of the date on the notice from the Board of Equalization & Review, file an appeal with the North Carolina Property Tax Commission pursuant to NCGS 105-290. Decisions of the North Carolina Property Tax Commission may be appealed to the North Carolina Court of Appeals and then to the North Carolina Supreme Court.

Upon filing an Appeal with the Assessor, it is important to bring all evidence considered relevant and supportive of the taxpayer's opinion of the value of the property as of January 1, 2019 (the effective date of the Reappraisal) or other grounds for appeal.

Wildlife Conservation Land Program

The Wildlife Conservation Land Program became effective for the 2010 tax year. While the Wildlife Conservation Land Program draws on several concepts associated with the Present-Use Value Program, it is a separate program and will be evaluated as such.

The main points of the program include:

- 1. The Land must be managed under a written Wildlife Habitat Conservation Agreement. Property owners must contact the North Carolina Resources Commission for assistance with an agreement. The Assessor's office does not write or furnish information regarding the agreements. The completed and approved agreement must be submitted to the Assessor's office during the listing period (January 1 through January 31). The agreement must be in effect as of January 1 of the year for which application is made.
- 2. The land specified in the agreement must have been classified under the Present-Use Value Program per NCGS 105-277.3 when the wildlife agreement is signed, or "the owner must demonstrate to both the Wildlife Resources Commission and the Assessor that the owner used the land for a purpose specified in the signed wildlife habitat conservation agreement for three years preceding the January 1 of the year for which the benefit of this section is claimed".
- 3. Qualifying land is assessed as though it were agricultural land under the Present-Use Value Program regardless of whether the actual land is open or wooded.
- 4. The land must consist of at least 20 contiguous acres. This program restricts that no more than 800 acres of an owner's land in a county may be classified in this program².
- 5. The land must be owned by an individual, a family business entity, or a family trust as set forth in NCGS 105-277.2.
- 6. The land must have been owned by the qualifying owner for the previous five (5) years unless one of the following applies:
 - a. Family business entity: the land was owned by one or more of the members for the previous five years;
 - b. Family Trust: the land was owned by one or more of the beneficiaries of the trust for the previous five years;
 - c. New Owner: a new owner acquires land that was classified as wildlife conservation land and at the time it was acquired, the owner continues to use the land as set out in the

² House Bill 320 which was ratified in June of 2018 (SL 2018-95) amended the maximum acreage that can be classified as Wildlife Conservation from 100 acres to 800 acres. At the time this Manual was prepared, House Bill 320 is effective beginning July 1, 2019.

agreement, the length of ownership requirement is met if the new owner files an application with the Assessor's office, and submits a signed wildlife conservation agreement in effect for the property within sixty (60) days of acquiring the property.

7. This program allows for favorable tax benefits which place a deferred tax lien on the land. The difference between the taxes that are due on land classified under this program and taxes that would be due based on market value are deferred taxes. The deferred taxes for the previous three (3) years are carried forward, becoming immediately due and payable with all applicable interest the year in which the property is disqualified, and the current year tax bill will be based on market value as though the property had never qualified for the Wildlife Land Conservation Program.

2019 Wildlife Conservation Land Schedules

The 2019 Wildlife Conservation Land Schedules outlined below are replicated from the schedules prepared for agricultural land valued at its present-use value. This conforms to the statutory direction set out in NCGS 105-277.15(b), which reads as follows:

"Classification. – Wildlife conservation land is designated a special class of property under Article V, Section 2(2) of the North Carolina Constitution and must be appraised, assessed and taxed in accordance with this section. Wildlife Conservation land classified under this section must be appraised and assessed as if it were classified under NCGS 105-273.3 as agricultural land."

Class	Description	Land Code	Schedule Rates	
Wildlife Conservation Land				
1	Best Soils	W-1	\$ 1,200	
П	Average Soils	W-2	\$ 835	
	Fair Soils	W-3	\$ 545	
IV	Non-Productive Land (wasteland)	W-4	\$ 40	

Statutory Authority: Wildlife Conservation Land

§ 105-277.15. Taxation of wildlife conservation land.

- (a) Definitions. The following definitions apply in this section:
 - (1) Business entity. Defined in G.S. 105-277.2.
 - (2) Family business entity. A business entity whose members are, directly or indirectly, individuals and are relatives. An individual is indirectly a member of a business entity if the individual is a member of a business entity or a beneficiary of a trust that is part of the ownership structure of the business entity.
 - (3) Family trust. A trust that was created by an individual and whose beneficiaries are, directly or indirectly, individuals who are the creator of the trust or a relative of the creator. An individual is indirectly a beneficiary of a trust if the individual is a beneficiary of another trust or a member of a business entity that has a beneficial interest in the trust.
 - (4) Member. Defined in G.S. 105-277.2.
 - (5) Relative. Defined in G.S. 105-277.2.

(b) Classification. - Wildlife conservation land is designated a special class of property under Article V, Section 2(2) of the North Carolina Constitution and must be appraised, assessed, and taxed in accordance

with this section. Wildlife conservation land classified under this section must be appraised and assessed as if it were classified under G.S. 105-277.3 as agricultural land.

(c) Requirements. - Land qualifies as wildlife conservation land if it meets the following size, ownership, and use requirements:

- (1) Size. The land must consist of at least 20 contiguous acres.
- (2) Ownership. The land must be owned by an individual, a family business entity, or a family trust and must have been owned by the same owner for the previous five years, except as follows:
 - a. If the land is owned by a family business entity, the land meets the ownership requirement if the land was owned by one or more members of the family business entity for the required time.
 - b. If the land is owned by a family trust, the land meets the ownership requirement if the land was owned by one or more beneficiaries of the family trust for the required time.
 - c. If an owner acquires land that was classified as wildlife conservation land under this section when it was acquired, and the owner continues to use the land as wildlife conservation land, then the land meets the ownership requirement if the new owner files an application and signs the wildlife habitat conservation agreement in effect for the property within 60 days after acquiring the property.
- (3) Use. The land must meet all of the following requirements:
 - a. The land must be managed under a written wildlife habitat conservation agreement with the North Carolina Wildlife Resources Commission that is in effect as of January 1 of the year for which the benefit of this section is claimed and that requires the owner to do one or more of the following:
 - 1. Protect an animal species that lives on the land and, as of January 1 of the year for which the benefit of this section is claimed, is on a North Carolina protected animal list published by the Commission under G.S. 113-333.
 - 2. Conserve any of the following priority animal wildlife habitats: longleaf pine forest, early successional habitat, small wetland community, stream and riparian zone, rock outcrop, or bat cave.
 - b. It must have been classified under G.S. 105-277.3 when the wildlife habitat conservation agreement was signed or the owner must demonstrate to both the Wildlife Resources Commission and the assessor that the owner used the land for a purpose specified in the signed wildlife habitat conservation agreement for three years preceding the January 1 of the year for which the benefit of this section is claimed.
- (d) Restrictions. The following restrictions apply to the classification allowed under this section:
 - (1) No more than 100 acres of an owner's land in a county may be classified under this section.
 - (2) Land owned by a business entity is not eligible for classification under this section if the business entity is a corporation whose shares are publicly traded or one of its members is a corporation whose shares are publicly traded.

(e) Deferred Taxes. - The difference between the taxes that are due on wildlife conservation land classified under this section and that would be due if the land were taxed on the basis of its true value is a lien on the property. The difference in taxes must be carried forward in the records of each taxing unit as deferred taxes. The deferred taxes for the preceding three fiscal years are due and payable in accordance

with G.S. 105-277.1F when the land loses its eligibility for deferral as a result of a disqualifying event. A disqualifying event occurs when the property no longer qualifies as wildlife conservation land.

(f) Exceptions to Payment. - No deferred taxes are due in the following circumstances and the deferred taxes remain a lien on the land:

- (1) When the owner of wildlife conservation land that was previously classified under G.S. 105-277.3 before the wildlife habitat conservation agreement was signed does not transfer the land and the land again becomes eligible for classification under G.S. 105-277.3. In this circumstance, the deferred taxes are payable in accordance with G.S. 105-277.3.
- (2) When land that is classified under this section is transferred to an owner who signed the wildlife habitat conservation agreement in effect for the land at the time of the transfer and the land remains classified under this section. In this circumstance, the deferred taxes are payable in accordance with this section.

(g) Exceptions to Payment and Lien. - Notwithstanding subsection (e) of this section, if land loses its eligibility for deferral solely due to one of the following reasons, no deferred taxes are due and the lien for the deferred taxes is extinguished:

- (1) The property is conveyed by gift to a nonprofit organization and qualifies for exclusion from the tax base under G.S. 105-275(12) or G.S. 105-275(29).
- (2) The property is conveyed by gift to the State, a political subdivision of the State, or the United States.

(h) Administration. - An owner who applies for the classification allowed under this section must attach a copy of the owner's written wildlife habitat agreement required under subsection (c) of this section. An owner who fails to notify the county assessor when land classified under this section loses its eligibility for classification is subject to a penalty in the amount set in G.S. 105-277.5. (2008-171, s. 1.)

§ 105-277.1F. Uniform provisions for payment of deferred taxes.

- (a) Scope. This section applies to the following deferred tax programs:
 - (1) G.S. 105-275(12), real property owned by a nonprofit corporation held as a protected natural area.
 - (1a) G.S. 105-275(29a), historic district property held as future site of historic structure.
 - (2) G.S. 105-277.1B, the property tax homestead circuit breaker.
 - (2a) (See note for repeal) G.S. 105-277.1D, the inventory property tax deferral.
 - (3) G.S. 105-277.4(c), present-use value property.
 - (4) G.S. 105-277.14, working waterfront property.
 - (4a) G.S. 105-277.15, wildlife conservation land.
 - (4b) G.S. 105-277.15A, site infrastructure land.
 - (5) G.S. 105-278(b), historic property.
 - (6) G.S. 105-278.6(e), nonprofit property held as future site of low- or moderate-income housing.

(b) Payment. - Taxes deferred on property under a deferral program listed in subsection (a) of this section are due and payable on the day the property loses its eligibility for the deferral program as a result of a disqualifying event. If only a part of property for which taxes are deferred loses its eligibility for deferral, the assessor must determine the amount of deferred taxes that apply to that part and that amount is due and payable. Interest accrues on deferred taxes as if they had been payable on the dates on which they would have originally become due.

The tax for the fiscal year that begins in the calendar year in which the deferred taxes are due and payable is computed as if the property had not been classified for that year. A lien for deferred taxes is extinguished when the taxes are paid.

All or part of the deferred taxes that are not due and payable may be paid to the tax collector at any time without affecting the property's eligibility for deferral. A partial payment is applied first to accrued interest. (2008-35, s. 2.2; 2008-107, s. 28.11(h); 2008-171, s. 2; 2009-308, s. 3; 2011-274, s. 2; 2012-79, s. 1.9; 2013-130, s. 3.)

Appendix

Appendix Item 1: 2019 Use Value Advisory Board Manual $2019 \ USE-VALUE \ MANUAL$

FOR AGRICULTURAL, HORTICULTURAL

AND

FOREST LAND



May 2018

North Carolina Use-Value Advisory Board North Carolina Department of Revenue Raleigh, North Carolina

Table of Contents

Foreword1
Use-Value Advisory Board Members
Use-Value Advisory Board Subcommittee Members4
Use-Value Advisory Board Manual5
North Carolina Major Land Resource Areas (MLRA Map)9
Agricultural Schedule10
Horticultural Schedule11
Forestry Schedule
Cash Rents Survey13
Christmas Tree Guidelines
Procedure for Forestry Schedules
Forestry Net Present Values Table
MLRA 130 Soil Survey
MLRA 133A Soil Survey40
MLRA 136 Soil Survey45
MLRA 137 Soil Survey64
MLRA 153A Soil Survey
MLRA 153B Soil Survey70

Foreword

When originally enacted in 1973, the objective of the present-use value program was to keep "the family farm in the hands of the farming family." By the early 1970's, North Carolina had become a prime site for industrial and commercial companies to relocate because of its plentiful and reliable work force. With this growth came other improvements to the State's infrastructure to accommodate this growth, such as new and larger road systems, more residential subdivisions, and new industrial and commercial developments. The land on which to build these improvements came primarily from one source: farmland. As the demand for this land skyrocketed, so did its price as well as its assessed value, as counties changed from a fractional assessment to a market value system. Farmers who owned land near these sites soon could not afford the increase in property values and sought relief from the General Assembly.

In response, the General Assembly passed legislation known as the Present-Use Value program. As originally enacted, the basic tenets of this program were that only individuals who lived on the land for which they were applying could immediately qualify and that the land had to have a highest and best use as agriculture, horticulture or forest land. Land might also have qualified if the farmer owned it for seven years. Passage of this law eased the financial burden of most farmers and eliminated to some degree the "sticker shock" of the new property tax values. From that time until the mid-1980's, the present-use value schedules were based on farmer-to-farmer sales, and quite often the market value schedules were very similar to the present use schedules, especially in the more rural areas.

Virtually every session of the General Assembly has seen new changes to the law, causing a constant rethinking as to how the law is to be administered. The mid-1980's saw several court cases that aided in this transformation. Among the legislative changes that resulted from these cases were the use of soil productivity to determine value, the use of a 9% capitalization rate, and the utilization of the "unit concept" to bring smaller tracts under the present use value guidelines.

Through the years the General Assembly has expanded the present-use value program to include new types of ownership such as business entities, tenants in common, trusts, and testamentary trusts. Legislation also expanded the definition of a relative. More recent legislation has established cash rents as the basis for determining present-use value for agricultural and horticultural land, while retaining the net income basis for determining present-use value for forestland.

This Use-Value Advisory Board Manual is published yearly to communicate the UVAB recommended present-use value rates and to explain the methodology used in establishing the recommended rates.

NORTH CAROLINA USE-VALUE ADVISORY BOARD

<u>Chairman</u> Dr. A. Richard Bonanno Associate Dean & Director North Carolina Cooperative Extension Service North Carolina State University NCSU Box 7602 Raleigh, NC 27695-7602 919.515.2811 (T) 919.515.3135 (F)

rich-bonanno@ncsu.edu (Representing the NC Cooperative Extension Service at NCSU)

Members

Mr. Sean M. **Brogan**, Director Forest Management & Forest Development NC Forest Service Archdale Building-10th Fl Raleigh, NC 27699-1616 Telephone: 919.857.4818 Fax: 919.857.4805 Email: <u>Sean.Brogan@ncagr.gov</u> (Representing NC Forest Service, NC Department of Agricultural and Consumer Services)

Ms. Tina Hlabse

General CounselNC Dept. of Agriculture & Consumer ServicesMail Service Center 1001Raleigh, NC 27699Telephone: 919.707.3013Fax: 919.716.0090Email: tina.hlabse@ncagr.gov(Representing Dept of Agriculture & Consumer Services)

Mr. Sam Croom

Pitt County Assessor PO Box 87 Trenton, NC 28585 Telephone: 252.448.2546 Fax: 252.448.1357 Email: <u>scroom@pittcountync.gov</u> (Representing NC Assn. Of Assessing Officers)

Mr. Dan A. Hunsucker

Catawba County Commissioner 3216 John Daniel Drive Conover, NC 28613 Telephone: 828.312-0102 Fax: 828.465.8392 Email: dhunsucker@catawbacountync.gov (Representing NC Assn. Of County Commissioners) Dr. Rosalind **Dale** Interim Administrator NC Cooperative Extension Program NC A&T State University PO Box 21928 Greensboro, NC 27420-1928 Telephone: 336.285.4671 Email: <u>rdale@ncat.edu</u> (Representing the NC Cooperative Extension Program at NC A&T State University

Mr. Julian Philpott

Secretary and General Counsel North Carolina Farm Bureau PO Box 27766 Raleigh, NC 27611 Telephone: 919.783.3572 Fax: 919.783.3593 Email: julian.philpott@ncfb.org (Representing NC Farm Bureau Federation, Inc.)

Mr. Tony Simpson

Director, Local Government Division NC Department of Revenue PO Box 871 Raleigh, NC 27602 Telephone: 919.814.1129 Fax: 919.715.3107 Email: john.simpson@dornc.com (Representing NC Dept of Revenue)

Mr. Frank Rackley Executive VP, NC Forestry Association 1600 Glenwood Avenue Raleigh, NC 27608 Telephone: 919.834.3943 (press 5) Fax: 919.832.6188 Email: pgibson@ncforestry.org (Representing NC Forestry Association)

USE-VALUE ADVISORY BOARD SUBCOMMITTEES

Administration and Implementation

Tony Simpson, NCDOR Doug Huffman, NCDOR Steve Woodson, Farm Bureau Dee Webb, NCDA&CS David Baker, NCACC Sam Croom, Wayne County Daniel J. Whittle, Environmental Defense Robert Horton, NRCS

Soils

Rafeal Vega, NRCS Milton Cortes', NRCS Doug Huffman, DOR Chris Green, Cleveland County Godfrey Gayle, N.C. A&T State University Joseph Kleiss, Soil Science, NCSU

Cash Rents

Arnie Oltmans, ARE, NCSU Guido van der Hoeven, ARE, NCSU Doug Huffman, DOR Tony Simpson, DOR Sam Croom, Wayne County Julian Philpott, Farm Bureau Jim Dunphy, Crop Science, NCSU

Forestry

Mark Megalos, Forestry, NCSU Tony Simpson, NCDOR Doug Huffman, NCDOR Kelvin Byrd, Rowan County Steve Whitfield, NC Forest Landowners Assn. Mike Huggins, Private Landowner Representative Clay Altizer, Utilization Forester, NCFS

USE-VALUE ADVISORY BOARD MANUAL

Following are explanations of the major components of this manual.

I. Cash Rents

Beginning in 1985, the basis for determining present-use value for agricultural land was based on the soil productivity for growing corn and soybeans. At that time, corn and soybeans were considered the predominant crops in the state. Over time, fewer and fewer acres went into the production of corn and soybeans and the land used for these crops tended to be lower quality. As a result, both the productivity and value of these crops plummeted, thus resulting in lower presentuse values. A viable alternative was sought to replace corn and soybeans as the basis for presentuse value. Following a 1998 study by North Carolina State University, cash rents for agricultural and horticultural land were determined to be the preferred alternative. Cash rents are a very good indicator of net income, which can be converted into a value using an appropriate capitalization rate.

The General Assembly passed legislation that established cash rents as the required method for determining the recommended present-use values for agricultural and horticultural land. The cash rents data from the NCSU study served as the basis for determining present-use value for the 2004-2007 UVAB manuals. However, starting in 2006, funding became available for the North Carolina Department of Agriculture to perform an extensive statewide cash rents survey on a yearly basis. The 2006 survey became the basis for the 2008 UVAB recommended values, and this process will

continue forward until changes dictate otherwise (i.e. the 2007 survey is used to establish the 2009 UVAB values, etc).

Forestland does not lend itself well to cash rents analysis and continues to be valued using the net income from actual production.

II. Soil Types and Soil Classification

The 1985 legislation divided the state using the six Major Land Resource Areas (MLRAs). Five different classes of productive soils and one non-productive soil class for each MLRA were determined. Each class was identified by its net income according to type: agriculture, horticulture and forestry. The net income was then divided by a 9% capitalization rate to determine the present-use value. For 2004 and forward, the following change has taken place. For agricultural and horticultural classifications, the five different soil classes have been reduced to three soil classes and one non-productive soil class. Forestland present-use value has kept the five soil classes and one non-productive soil class. The use of the six MLRAs has been retained.

The six MLRAs are as follows:

MLRA 130	Mountains
MLRA 133A	Upper Coastal Plain
MLRA 136	Piedmont
MLRA 137	Sandhills
MLRA 153A	Lower Coastal Plains
MLRA 153B	Tidewater

The soils are listed in this manual according to the MLRA in which they occur. They are then further broken down into their productivity for each of the three types of use: agriculture, horticulture and forestry. Every soil listed in each of the MLRAs is ranked by its productivity into four classes (with the exception of forestry which retained its previous six classes). The classes for agricultural and horticultural land are as follows:

CLASS I	Best Soils
CLASS II	Average Soils
CLASS III	Fair Soils
CLASS IV	Non-Productive Soils

It should be noted that, in some soil types, all the various slopes of that soil have the same productivity class for each of the usages, and therefore for the sake of brevity, the word "ALL" is listed to combine these soils. Each of the classes set up by the UVAB soils subcommittee corresponds to a cash rent income established by the most recent cash rents survey conducted by the North Carolina Department of Agriculture. This rent income is then capitalized by a rate established each year by the UVAB (see below). The criteria for establishing present-use value for forestry have remained basically unchanged from previous years due to the quantity and quality of information already available.

III. Capitalization Rate


The capitalization rate mandated by the 1985 legislation for all types of present-use value land was 9%. The 1998 study by NCSU strongly indicated that a lower capitalization rate for agricultural and horticultural land was more in line with current sales and rental information. The 2002 legislation mandated a rate between 6%-7% for agricultural and horticultural land.

For the year 2004 and the subsequent years, the UVAB has set the capitalization rate at 6.5% for agricultural and horticultural land.

The capitalization rate for forestland continues to be fixed at 9% as mandated by the statutes.

IV. Other Issues

The value for the best agricultural land can be no higher than \$1,200 an acre for any MLRA.



PRESENT-USE VALUE SCHEDULES

AGRICULTURAL RENTS

MLRA	BEST	AVERAGE	FAIR
130	90.30	54.30	35.50
133A	82.15	58.30	43.65
136	61.80	42.10	27.35
137	67.50	47.30	32.20
153A	77.10	56.10	42.20
153B	103.95	70.70	53.00

AGRICULTURAL SCHEDULE

MLRA	CLASS I	CLASS II	CLASS III
130	\$1,200*	\$835	\$545
133A	\$1,200*	\$895	\$670
136	\$950	\$645	\$420
137	\$1,035	\$725	\$495
153A	\$1,185	\$860	\$645
153B	\$1,200*	\$1,085	\$815

--NOTE: All Class 4 or Non-Productive Land will be appraised at \$40.00 per acre. --For 2019, rents were increased 10% to more accurately represent the current cash rents and then divided by a capitalization rate of 6.5% to produce the Agricultural Schedule.

* As required by statute, agricultural values cannot exceed \$1,200.

HORTICULTURAL SCHEDULE

All horticultural crops requiring more than one growing season between planting or setting out and harvest, such as Christmas trees, ornamental shrubs and nursery stock, apple and peach orchards, grapes, blueberries, strawberries, sod and other similar horticultural crops should be classified as horticulture regardless of location in the state.

HORTICULTURAL RENTS

MLRA	BEST	AVERAGE	FAIR
130	161.70	111.10	72.90
133A	99.10	68.40	52.25
136	89.20	58.05	40.15
137	84.35	56.85	37.70
153A	93.80	58.15	44.40
153B	122.40	92.80	84.35

HORTICULTURAL SCHEDULE

MLRA	CLASS I	CLASS II	CLASS III
130	\$2,485	\$1,705	\$1,120
133A	\$1,520	\$1,050	\$803
136	\$1,370	\$890	\$615
137	\$1,295	\$870	\$580
153A	\$1,440	\$890	\$680
153B	\$1,880	\$1,425	\$1,295

--NOTE: All Class 4 or Non-Productive Land will be appraised at \$40.00 per acre.

--For 2019 rents were increased 10% to more accurately represent the current cash rents and then divided by a capitalization rate of 6.5% to produce the Horticultural Schedule.

FORESTLAND NET PRESENT VALUES

MLRA	Class I	Class II	Class III	Class IV	Class V
130	\$29.99	\$18.86	\$6.91	\$4.74	\$3.26
133A	\$27.99	\$21.13	\$18.14	\$7.08	\$4.79
136	\$32.51	\$23.29	\$22.57	\$14.53	\$10.42
137	\$34.35	\$22.72	\$22.57	\$7.68	\$2.95
153A	\$27.99	\$21.13	\$18.14	\$7.08	\$4.79
153B	\$22.56	\$18.14	\$17.18	\$7.08	\$4.79

FORESTLAND SCHEDULE

MLRA	Class I	Class II	Class III	Class IV	Class V
130	\$330	\$205	\$75	\$50	\$40
133A	\$310	\$230	\$200	\$75	\$50
136	\$360	\$255	\$250	\$160	\$115
137	\$380	\$250	\$250	\$85	\$40
153A	\$310	\$230	\$200	\$75	\$50
153B	\$250	\$200	\$190	\$75	\$50

--NOTE: All Class VI or Non-Productive Land will be appraised at \$40.00/Acre. Exception: For MLRA 130 use 80 % of the lowest valued productive land.

--Net Present Values were divided by a capitalization rate of 9.00% to produce the Forestland Schedule.

2009 Cash Rent Study

INTRODUCTION

The National Agricultural Statistics Service in cooperation with the North Carolina Department of Agricultural and Consumer Services collected cash rents data on the 2009 County Estimates Survey. North Carolina farmers were surveyed to obtain cash rent values per acre for three land types: Agricultural, horticultural, and Christmas tree land. Supporting funds for this project were provided by the North Carolina Legislature. Appreciation is expressed to all survey participants who provided the data on which this report is based.

THE SURVEY

The survey was conducted by mail with telephone follow-up during September through February. Values relate to the data collection time period when the respondent completed the survey.

THE DATA

This report includes the most current number of responses and average rental rate per acre. Producers were asked to provide their best estimate of cash rent values in their county by land quality. The data published here are simple averages of the best estimate of the cash rent value per acre. These averages are not official estimates of actual sales.

Reported data that did not represent agricultural usage were removed in order to give a more accurate reflection of agricultural rents and values. To ensure respondent confidentiality and provide more statistical reliability, counties and districts with fewer than 10 reports are not published individually, but are included in aggregate totals. Published values in this report should never be used as the only factor to establish rental arrangements.

Data were collected for three land types: Agricultural, horticultural, and Christmas tree land. Agricultural land includes land used to produce row crops such as soybeans, corn, peanuts, and small grains, pasture land, and hay. Agricultural land also includes any land on which livestock are grown. Horticultural land includes commercial production or growing of fruits or vegetables or nursery or floral products such as apple orchards, blueberries, cucumbers, tomatoes, potted plants, flowers, shrubs, sod, and turfgrass. Christmas tree land includes any land to produce Christmas trees, including cut and balled Christmas trees.

Mountains
30
<u>.</u>
Area = 130
source
Sec
for F
Rents
Cash
2009 Average Cash Rents for Resource Ar
2009 /

	Agricultural	ıltural	Agricultural	ultural	Agricultural	ltural	Horticultural	tural	Horticultural	tural	Horticultural	ltural	Christmas Trees	s Trees	Christmas Trees	s Trees	Christmas Trees	s Trees
	Ĩ	High	Med	Medium	Ľ	Low	High	gh	Medium	m	Lo	Low	Ť	High	Medium	ium	Low	Ņ
	Productivity	ctivity	Productivity	stivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	stivity	Productivity	tivity
	No. of		No. of		No. of report		No. of		No. of		No. of		No. of		No. of		No. of report	
County	reports	Aver	reports	Aver	s	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	s	Average
ALLEGHANY	22	89.80	21	55.50	21	33.30												
ASHE	17	76.50	15	43.50	15	28.30							12	162.50				
AVERY																		
BUNCOMBE	37	100.70	31	53.90	27	33.80												
BURKE	25	55.20	22	33.20	19	26.60												
CALDWELL	13	35.40	11	23.20	10	16.70												
CHEROKEE	16	88.10	11	48.60	10	29.50												
CLAY	15	68.70	14	39.10	13	25.20												
GRAHAM																		
HAYWOOD	41	117.90	28	73.80	29	43.50												
HENDERSON	24	83.50	18	57.60	18	36.90												
JACKSON																		
MACDOWELL																		
MACON	11	73.20	12	43.30														
MADISON	26	116.50	22	63.20	23	40.50												
MITCHELL																		
POLK																		
SWAIN																		
TRANSYLVANIA	14	93.60											11	181.36				
WATAUGA	27	79.10	18	49.70	14	32.50												
WILKES	79	57.30	71	39.30	59	27.00												
YANCEY	17	117.90	13	72.30	13	48.85												
AREA TOTAL	422	82.10	349	49.40	317	32.30	78	147.00	47	101.10	41	66.30	69	153.60	47	93.60	38	61.30

l Plain
Coasta
e Area = 133A Upper Coastal F
133A
Area =
Average Cash Rents for Resource Area :
s for
Rent
Cash
Average Cash Ren
2009 Ave

	Agricultural	iltural	Agricultural	ltural	Agricultural	ltural	Horticultural	tural	Horticultural	tural	Horticultural	itural	Christmas Trees	Is Trees	Christmas Trees	s Trees	Christmas Trees	s Trees
	Ĩ	High	Medium	ium	Ľ	Low	High	ň	Medium	E,	Ľ	Low	Ĩ	High	Medium	Ę	Low	Ň
	Productivity	ctivity	Productivity	stivity	Productivity	stivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	ctivity	Productivity	tivity	Productivity	tivity
					No. of												No. of	
County	No. of reports	Averade	No. of reports	Averade	report s	Averade	No. of reports	Averade	No. of reports	Averade	report s	Averade						
BLADEN	36			49.20								0				0	1	2
COLUMBUS	77	60.80	58	45.80	51	34.60												
CUMBERLAND	36	66.40	29	44.70	25	30.40												
DUPLIN	142	69.30	113	50.80	06	39.70												
EDGECOMBE	36	77.10	29	57.20	22	43.60												
GREENE	61	79.70	40	55.00	36	41.30												
HALIFAX	28	83.30	18	64.20	14	42.10												
HARNETT	58	74.50	52	51.70	39	36.40												
JOHNSTON	103	71.90	84	49.90	63	33.40	13	93.90	10	53.00								
LENOIR	60	81.60	45	58.70	33	42.10												
NASH	51	77.80	39	52.70	31	43.10												
NORTHAMPTON	23	102.60	17	73.80	13	57.30												
ROBESON	53	49.60	52	38.90	28	32.40												
SAMPSON	128	81.60	1 09	56.40	87	41.80	10	95.00										
SCOTLAND	10	44.50																
WAYNE	96	89.70	64	62.30	65	47.00												
MILSON	40	82.80	30	61.50	27	48.20												
AREA TOTAL	1038	74.70	819	53.00	655	39.70	61	90.10	46	62.20	35	47.50						

Ļ
non
136 Piedmor
136 F
÷
١rea
ce A
sour
Re
for
ents
hR
Cas
age
009 Average Cash Rents for Resource Area = 1
/ 60
2009

	Agricultural	ltural	Agricultural	tural	Agricultural	tural	Horticultural	tural	Horticultural	ural	Horticultural	Itural	Christmas Trees	s Trees	Christmas Trees		Christmas Trees	s Trees
	Î	High	Medium	E S	Low	Ŵ	High	Ē	Medium	Ę	Ľ	Low	Î	High	Medium	Ē	2	Low
	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	ivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity
County	No. of reports	Averade	No. of reports	Average	No. of report s	Averade	No. of reports	Average	No. of reports	Average	No. of reports	Averade	No. of reports	Average	No. of reports	Average	No. of report s	Averade
ALAMANCE	63		51	32.90	50	0												0
ALEXANDER	35	49.10		33.40	29	20.00												
ANSON	35			41.30	25	28.40												
BURKE	25		22	33.20	19	26.60												
CABARRUS	20			37.80	13	23.90												
CALDWELL	13			23.50	10	16.70												
CASWELL	54	49.90		30.90	44	19.20												
CATAWBA	32	39.20		28.60	31	19.20												
CHATHAM	47			34.70	37	23.10												
CLEVELAND	44		39	29.20	34	21.20												
DAVIDSON	50			32.90	40	21.40												
DAVIE	38			39.30	24	21.30												
DURHAM	15			27.50	13	21.50												
FORSYTH	26	63.60	16	48.80	18	23.30												
FRANKLIN	41	59.20	38	37.10	35	21.90												
GASTON	21	33.50		27.30	15	18.80												
GRANVILLE	58			31.60	43	17.80												
GUILFORD	46		39	27.00	34	17.60												
HALIFAX	28	83.30	18	64.20	14	42.10												
IREDELL	52			43.40	43	27.90												
JOHNSTON	103			49.90	63	33.40	13	93.90	10	53.00								
LEE	25		20	45.40	16	33.10												
LINCOLN	16	35.60	14	21.80	12	15.60												
MECKLENBURG	11	61.40																
MONTGOMERY	16	41.60		39.10	14	20.00												
MOORE	37	56.50	33	37.30	25	23.90												
NASH	51	77.80		52.70	31	43.10												
ORANGE	31	37.60		31.80	25	19.40												
PERSON	38	60.70		40.60	22	23.30												
POLK	1				ľ													
RANDOLPH	96			33.80	73	21.90					Ī							
RICHMOND	21			23.30	9	19.30												
ROCKINGHAM	55		41	30.30	40	16.60					Ī							
ROWAN	47			34.70	33	23.50												
RUTHERFORD	21	37.40		27.60	14	19.30					Ī							
STANLY	34			40.30	29	27.90												
STOKES	54	74.20	39	47.10	34	28.10												
SURRY	73			53.90	53	35.30												
UNION	55			47.80	40	40.30												
VANCE	32		22	29.30	23	17.20												
WAKE	55	61.20		36.20	39	26.20												
WARREN	24			25.30	20	17.80												
WILKES	79	57.30	71	39.30	59	27.00												
YADKIN	62	ľ		47.80	58	31.50					1		:		:		:	
AREA TOTAL	1798	56.20	1468	38.30	1324	24.90	125	81.10	101	52.80	89	36.50	46	77.90	43	52.90	41	35.00

andhills
a = 137 Sandhi
Resourc
ents for I
Cash Re
2009 Average Cash Rents for Resource Are
2009 A

	Agricultural	ltural	Agricultural	ltural	Agricultural	Itural	Horticultural	ltural	Horticultural	tural	Horticultural	ltural	Christmas Trees	Trees	Christmas Trees		Christmas Trees	Trees
	Î	High	Medium	m	Ľ	Low	Ĩ	High	Medium	Ę	٢	Low	High	Ę	Medium	m	Low	2
	Productivity	stivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	ivity
					No. of												No. of	
	No. of		No. of		report		No. of		No. of		No. of		No. of		No. of		report	
County	reports	Average	reports	Average	s	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	s	Average
HARNETT	58	74.50	52	51.70	39	36.40												
HOKE	17	56.50	11	45.00	1	29.10												
LEE	25	72.40	20	45.40	16	33.10												
MOORE	37	56.50	33	37.30	25	23.90												
RICHMOND	21	32.60	15	23.30	18	19.30												
SCOTLAND	10	44.50																
AREA TOTAL	168	61.40	139	43.00	115	29.30	*	76.70	*	51.70	*	34.30						
· · · · · · · · · · · · · · · · · · ·	hodeld	danced a concell	o to a cuo de o	- 40 40														

An * indicates the data is published even though there are less than 10 reports.

Plain
ower Coastal P
Lower
153A
Area =
source
for Res
Rents
Cash
2009 Average Cash Rents for Resource Area = 15
2009

	Agricultural	ltural	Agricultural	ltural	Agricultural	ltural	Horticultural	ltural	Horticultural	tural	Horticultural	itural	Christmas Trees	s Trees	Christmas Trees		Christmas Trees	s Trees
	Ξ	High	Medium	ium	Ľ	Low	Ξ	High	Medium	m	2	Low	Ξ	High	Medium	m	Low	Ņ
	Productivity	stivity	Productivity	tivity	Productivity	ctivity	Productivity	ctivity	Productivity	tivity	Productivity	stivity	Productivity	tivity	Productivity	tivity	Productivity	tivity
					No. of												No. of	
	No. of		No. of		report		No. of		No. of		No. of		No. of		No. of		ť	
		Average		Average	S 21	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	s	Average
BERTIE	41		23															
BLADEN	36																	
BRUNSWICK	23	44.40																
CARTERET																		
CHOWAN	20	87.00	13	58.90	12	51.70												
COLUMBUS	77	60.80	58	45.80	51	34.60												
CRAVEN	32	60.60	29	47.80	21	35.20												
DUPLIN	142	69.30	113	50.80	06	39.70												
EDGECOMBE	36	77.10	29	57.20	22	43.60												
GATES	13	81.20	11	62.30														
HERTFORD	15	73.00	11	49.60														
JONES	25	64.40	22	49.80	20	41.30												
MARTIN	46	80.70	33	53.20	29	40.50												
NEW HANOVER																		
MOTSNO	34	55.40	24	42.80	23	34.80												
PAMLICO	13	70.40	13	51.20	13	36.50												
PENDER	24	67.10	21	45.50	19	33.70												
РПТ	45	73.70	39	56.20	33	40.50												
WASHINGTON	12	128.80	10	61.00														
AREA TOTAL	672	70.10	525	51.00	442	38.40	30	85.30	19	52.90	13	40.40						

	Agricultural	ultural	Agricultural	ltural	Agricultural	ltural	Horticultural	tural	Horticultural	Itural	Horticultural	iltural	Christmas Trees	s Trees	Christmas Trees	s Trees	Christmas Trees	s Trees
	Ĩ	High	Medium	ium	ĭ	Low	High	÷	Medium	ium	ĭ	Low	Ī	High	Medium	ium	2	Low
	Productivity	ctivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	tivity	Productivity	stivity	Productivity	stivity	Productivity	stivity	Productivity	stivity
	No. of		No. of		No. of report		No. of		No. of		No. of		No. of		No. of		No. of report	
County	reports	Average	reports	Average	s.	Average	reports	Average	reports	Average	reports	Average	reports	Average	reports	Average	°.	Average
BEAUFORT	30	83.70		52.00	21	37.10												
CAMDEN																		
CARTERET																		
CHOWAN	20	87.00	13	58.40	12	51.70												
CURRITUCK	10	88.00																
DARE																		
HYDE																		
PAMLICO	13	70.40	13	51.20	13	36.50												
PASQUOTANK	19	105.30	11	73.20	10	60.00												
PERQUIMANS	24	101.90	0 21	78.10	18	58.90												
TYRRELL	10	109.50																
WASHINGTON	12	128.80	10	61.00														
AREA TOTAL	163	94.50	117	64.30	111	48.20	12	111.30	*	84.40	*	76.70						

2009 Average Cash Rents for Resource Area = 153B Tidewater

		2009	Avera	2009 Average Cash Rents - State Total	ash R	ents	- State	e Tota										
	Agricultural	ıltural	Agricultural	ıltural	Agricultural	ltural	Horticultural	ltural	Horticultural	iltural	Horticultural	ultural	Christmas	Christmas Trees	Christmas Trees		Christmas Trees	trees
	т	High	Mec	Medium	Ľ	Low	Ĩ	High	Med	Medium	Ľ	Low	Ĩ	High	Medium	m	Low	*
	Productivity	ctivity	Productivity	stivity	Productivity	tivity	Productivity	stivity	Productivity	ctivity	Productivity	ctivity	Productivity	tivity	Productivity	tivity	Productivity	tivity
					No. of												No. of	
	No. of		No. of	_	report	_	No. of		No. of		No. of		No. of		No. of		report	
County	reports	Average	reports	Average	s	Average	reports	Average	reports	Average	reports		Average reports Average	Average	reports	Average	s	Average
STATE TOTAL	3431	66.90	2743	45.60	2414	31.50	254	103.20	184	67.70	155	46.90		114 121.50	93	75.30	80	49.40

Christmas Tree Guidelines

This information replaces a previous memorandum issued by our office dated December 12, 1989. The 1989 General Assembly enacted an "<u>in-lieu of income</u>" provision allowing land previously qualified as horticulture to continue to receive benefits of the present-use value program when the crop being produced changed from any horticultural product to Christmas trees. It also directed the Department of Revenue to establish a separate <u>gross income</u> requirement different from the \$1,000 gross income requirement for horticultural land, when the crop being grown was evergreens intended for use as Christmas trees. N.C.G.S. 105-289(a)(6) directs the Department of Revenue:

"To establish requirements for horticultural land, used to produce evergreens intended for use as Christmas trees, in lieu of a gross income requirement until evergreens are harvested from the land, and to establish a gross income requirement for this type of horticultural land, that differs from the income requirement for other horticultural land, when evergreens are harvested from the land."

It should be noted that horticultural land used to produce evergreens intended for use as Christmas trees is the only use allowed benefit of the present-use value program without first having met a gross income requirement. The trade-off for this exception is a different gross income requirement in recognition of the potential for greater income than would normally be associated with other horticultural or agricultural commodities.

While the majority of Christmas tree production occurs in the western mountain counties (MLRA 130), surveys as far back as 1996 indicate that there are approximately 135 Christmas tree operations in non-mountain counties (MLRAs 136, 137, 133A, 153A & 153B). They include such counties in the piedmont and coastal plain as Craven, Halifax, Robeson, Wake, and Warren. For this reason we have prepared separate <u>in-lieu of income requirements</u> and gross income requirements for these two areas of the State. The different requirements recognize the difference in species, growing practices, markets, and resulting gross income potential.

After consulting with cooperative extension agents, the regional Christmas tree/horticultural specialist at the Western North Carolina Experimental Research Station, and various landowners/growers, we have determined the standards in the following attachments to be reasonable guidelines for compliance with G.S. 105-289(a)(6). Please note these requirements are subject to the whims of weather and other conditions that can have a significant impact. The combined effect of recent hurricanes, spring freezes, and ice storms across some parts of the State should be taken into consideration when appropriate within each county. As with other aspects of the present-use value program, owners of Christmas tree land should not be held accountable for conditions such as adverse weather or disease outbreak beyond their control.

We encourage every county to contact their local Cooperative Extension Service Office to obtain the appropriate local data and expertise to support particular situations in each county.

I. Gross Income Requirement for Christmas Trees

For MLRA 130, the gross income requirement for horticultural land used to grow evergreens intended for use as Christmas trees is \$2,000 per acre.

For all other MLRAs, the gross income requirement for horticultural land used to grow evergreens intended for use as Christmas trees is \$1,500 per acre.

II. In-Lieu of Income Requirement

MLRA 130 – Mountains

The <u>in-lieu of income requirement</u> is for acreage in production but not yet undergoing harvest, and will be determined by sound management practices, best evidenced by the following:

- 1. Sites prepared by controlling problem weeds and saplings, taking soil samples, and applying fertilizer and/or lime as appropriate.
- 2. Generally, a 5' x 5' spacing producing approximately 1,750 potential trees per acre. Spacing must allow for adequate air movement around the trees. (There is very little 4' x 4' or 4.5' x 4.5' spacing. Some experimentation has occurred with 5' x 6' spacing, primarily aimed at producing a 6' tree in 5 years. All of the preceding examples should be acceptable.)
- 3. A program for insect and weed control.
- 4. Generally, an eight-to-ten year setting to harvest cycle. (Most leases are for 10 years, which allows for a replanting of non-established or dying seedlings up through the second year.)

The <u>gross income requirement</u> for acres undergoing Christmas tree harvest in the mountain region of North Carolina (MLRA 130) is \$2,000 per acre. Once Christmas trees are harvested from specific acreage, the requirement for those harvested acres will revert to the in-lieu of income requirement.

As an example, if the total amount of acres devoted to Christmas tree production is six acres, three of which are undergoing harvest and three of which have yet to reach maturity, the gross income requirement would be \$6,000.

MLRA 136 – Piedmont, MLRA 137 – Sandhills, MLRA 133A – Upper Coastal Plain, MLRA 153A – Lower Coastal Plain, and MLRA 153B – Tidewater.

The <u>in-lieu of income requirement</u> is for acreage in production but not yet undergoing harvest, and will be determined by sound management practices, best evidenced by the following:

- 1. Sites prepared by controlling problem weeds and saplings, taking soil samples, and applying fertilizer and/or lime as appropriate.
- 2. Generally, a 7' x 7' spacing producing approximately 900 potential trees per acre. Spacing must allow for adequate air movement around the trees. (There may be variations in the spacing dependent on the species being grown, most likely Virginia Pine, White Pine, Eastern Red Cedar, and Leyland Cypress. All reasonable spacing practices should be acceptable.)
- 3. A program for insect and weed control.
- 4. Generally a five-to-six year setting to harvest cycle. (Due to the species being grown, soil conditions and growing practices, most operations are capable of producing trees for market in the five-to-six year range. However, the combined effect of adverse weather and disease outbreak may force greater replanting of damaged trees thereby lengthening the current cycle beyond that considered typical.)

The gross income requirement for acres undergoing Christmas tree harvest in the non-mountain regions of North Carolina (MLRAs 136, 137, 133A, 153A, and 153B) is \$1,500 per acre. Once Christmas trees are harvested from specific acreage, the requirement for those harvested acres will revert to the in-lieu of income requirement.

As an example, if the total amount of acres devoted to Christmas tree production is six acres, three of which are undergoing harvest and three of which have yet to reach maturity, the gross income requirement would be \$4,500.

Procedure for Forestry Schedules

The charge to the Forestry Group is to develop five net income per-acre ranges for each MLRA based on the ability of the soils to produce timber income. The task is confounded by variable species and stand type; management level, costs and opportunities; markets and stumpage prices; topographies; and landowner objectives across North Carolina.

In an attempt to develop realistic net income per acre in each MLRA, the Forestry Group considered the following items by area:

- 1. soil productivity and indicator tree species (or stand type);
- 2. average stand establishment and annual management costs;
- 3. average rotation length and timber yield; and
- 4. average timber stumpage prices.

Having selected the appropriate combinations above, the harvest value (gross income) from a managed rotation on a given soil productivity level can be calculated, netted of costs and amortized to arrive at the net income per acre per year soil expectation value. The ensuing discussion introduces users of this manual to the procedure, literature and software citations and decisions leading to the five forest land classes for each MLRA. Column numbers beside sub-headings refer to columns in the Forestry Net Present Values Table.

<u>Soil Productivity/Indicator Species Selection (Col. 1).</u> Soil productivity in forestry is measured by site index (SI). Site index is the height to which trees of a given species will grow on a given soil/site over a designed period of time (usually 50 or 25 years, depending on species, site or age of site table). The Forestry Group identified key indicator species (or stand types) for each MLRA and then assigned site index ranges for the indicator species that captured the management opportunities for that region. The site index ranges became the productivity class basis for further calculations of timber yield and generally can be correlated to Natural Resource Conservation Service (NRCS) cubic foot per acre productivity classes for most stand types. By MLRA, the following site index ranges and species/stand types cover the overwhelming majority of soils/sites and management opportunities.

MLRA 153A, 153B, 137, 136, 133A:

Species/Stand Type	<u>SI Range</u> (50 yr. basis)
Loblolly pine	86-104
Loblolly pine	66-85
Loblolly pine	60-65
Mixed hardwoods	Mixed species and site indices on coves, river
	bottoms, bottomlands
Pond and/or longleaf pine	50-55
Upland hardwoods (MLRA 136)	40-68 (Upland oak)

MLRA 130:

Species/Stand Type	SI Range (50 yr. basis)
White pine	70-89
White pine	55-69
Shortleaf/mixed hardwoods	Mixed species/sites (SI 42-58 shortleaf)
Bottomland/cove hardwoods	Mixed species/site indices on coves and bottoms
Upland oak ridges	40-68

The site index ranges above, in most cases, can be correlated to individual soil series (and series' phases) according to NRCS cubic foot per acre productivity classes. An exception will be the cove, bottomland, riverbottom, and other hardwood sites where topographic position must also be

considered. The Soils Group is responsible for assigning soil series to the appropriate class for agriculture, horticulture and forestry.

<u>Stand Establishment and Annual Management Costs (Columns 2 and 3)</u>. Stand establishment costs include site preparation and tree planting costs. Costs vary from \$0 to over \$200 per acre depending on soils, species, and management objectives. No cost would be incurred for natural regeneration (as practiced for hardwoods) with costs increasing as pine plantations are intensively managed on highly productive sites. The second column in the Forestry Net Present Values Table contains average establishment costs for the past ten years as reported by the N.C. Forest Service for site classes in each MLRA.

Annual management may include costs of pine release, timber stand improvement activities, prescribed burning, boundary line maintenance, consultant fees and other contractual services. Cost may vary from \$0 on typical floodplain or bottomland stands to as high as \$6 per acre per year on intensively managed pine plantations. Annual management costs in Forestry Net Present Values Table are the best estimates under average stand management regimes by site class.

<u>Rotation Length and Timber Yields (Columns 4, 5, 6)</u>. Sawtimber rotations are recommended on all sites in North Carolina. This decision is based on the market situation throughout the state, particularly the scarce markets for low quality and small-diameter pine and hardwood, which normally would be used for pulpwood. Timber thinnings are not available to most woodlot managers and, therefore, rotations are assumed to proceed unthinned until the optimum economic product mix is achieved. Timber yields are based on the most current yield models developed at the N.C. State University School of Forest Resources for loblolly pine. (Hafley, Smith, and Buford, 1982) and natural hardwood stands (Gardner et al. 1982). White pine yields, mountain mixed stand yields, and upland oak yields are derived from U.S. Forest Service yield models developed by Vimmerstedt (1962) and McClure and Knight. Longleaf and pond pine yields are from Schumacher and Coile (1960).

<u>Timber Stumpage Prices (Columns 7 and 8</u>). Cost of forestry operations are derived from the past five year regional data (provided by the NC DFR). For timber, stumpage prices (prices paid for standing timber to landowners) are derived over the same 5-year period from regional Forest2Market reports, a timber price reporting system.

<u>Harvest Values (Column 9</u>). Multiplication of timber yields (columns 5 and 6) times the respective timber stumpage prices (columns 7 and 8) gives the gross harvest value of one rotation.

<u>Annualized Net Present Value (NPV) (Column 10</u>). Harvest values (column 9) are discounted to present value at a 4 percent discount rate, which is consistent with rates used and documented by the U.S. Forest Service, forestry industry and forestry economists. This rate approximates the long-term measures of the opportunity cost of capital in the private sector of the U.S. economy (Row et al. 1981; Gunter and Haney, 1984). The respective establishment costs and the present value of annual management costs are subtracted from the present value of the income to obtain the net

present value of the timber stand. This is then amortized over the life of the rotation to arrive at the annualized net present value (or annual net income) figure.

Indicator Species or Stand Types, Lengths of Rotation, Costs, Yields, Price and Annualized Net Present Value per Acre of Land by Site Index Ranges in Each Major Land Resource Are, North Carolina	(8) (9) (10) Price Harvest Annualized /cd Value NPV	(\$) (\$) (\$)	¢11 57 ¢3 776 38 ¢21 13	\$2.918.88	\$1,956.36	\$1,377.14	\$1,162.90	\$30.20 \$904.00 \$3.94		\$14 52 \$2 623 24 \$17 18	\$2.918.88	\$1,956.36	\$1,377.14	\$30.20 \$1,162.90 \$4.79		\$14.50 \$3,468,14 \$22,72	\$2.955.12	\$1,835.18	\$1,701.80	\$904 00
and Types, Lengths of Rotation, Costs, Yields, Price and Annualized Net Pre Land by Site Index Ranges in Each Major Land Resource Are, North Carolina	(7) (8) Price Pric /mbf /cd	(\$)	\$ \$ \$ \$				\$207.00	\$207.00 \$		\$735 30 ¢			\$207.00	\$207.00		\$235,39				
Price and Ar Resource Ar	(6) Yield	(cds)	× ×	14.4	16.8	12.7	20	ω		44	14.4	16.8	12.7	20		46	15.6	16.9	7	8
osts, Yields, h Major Land	(5) Yield	(MBF)	ר די	12	2	4.8	2.7	3.2		8 43	12	7	4.8	2.7		11.9	12	6.4	7.2	3.2
rt Rotation, C anges in Eac	(4) Rot. Lgth.	(yrs)	C Y	800	30	40	50	50		50	8 08	8	40	50		50	800	30	50	50
es, Lengths c Site Index R	(3) Mgmt. Cost	(\$)		\$3.00	\$2.00	\$1.00	\$0.50	\$0.50		00.02	\$3.00	\$2.00	\$1.00	\$0.50		\$0,00	\$3.00	\$2.00	\$1.00	\$0.50
or Stand Typ Land by	(2) Est. Cost	(\$)		\$364.00	\$255.00	\$127.00	\$50.00	\$50.00		\$0 00	\$458.00	\$255.00	\$127.00	\$50.00		\$0,00	\$265.20	\$141.00	\$53.00	\$53.00
Indicator Species	(1) Species/Stand Type	UP LCP	MLRAS 153A and 133A LOWER & UPPER CP	Lobioliv pine (86-104)	Loblolly pine (66-85)	Loblolly pine (60-65)	Pond pine (50-55)	Longleaf pine	MLRA 153B	Mixed hardwoods	Loblolly pine (86-104)	Loblolly pine (66-85)	Loblolly pine (60-65)	Pond pine	MLRA 137	SANDHILLS Mixed hardwoods	Loblolly pine (86-104)	Loblolly pine (66-85)	Loblolly pine (60-65)	Longleaf pine (50-55)

Forestry Net Present Values

Indicator Species or Stand Types, Lengths of Rotation, Costs, Yields, Price and Annualized Net Present Value per Acre of

Indicator Species or Stand Types, Lengths of Rotation, Costs, Yields, Price and Annualized Net Present Value per Acre of Land by Site Index Ranges in Each Major Land Resource Are, North Carolina	(4) (5) (6) (7) (8) (9) (10) Rot. Yield Price Price Harvest Annualized Lgth. /mbf /cd Value NPV	(yrs) (MBF) (cds) (\$) (\$) (\$) (\$)		00 50 11.9 46 \$235.39 \$16.40 \$3,555.54 \$23.29	30	00 30 6.4 16.9 \$207.00 \$30.20 \$1,835.18 \$22.57	40	00 50 6.05 32 \$207.00 \$30.20 \$2,218.75 \$14.53			00 50 10.95 0 \$263.00 \$18.50 \$2,879.85 \$18.86		35 8.5	00 60 6 0 \$188.00 \$18.50 \$1,128.00 \$4.74	70 5.32 0 \$223.00 \$18.50 \$1,186.36
	(7) Price /mbf	(\$)									0 \$265				
s, Price an Id Resourci	(6) Yield	(cds)		4	15.	16.	~	с С							
Costs, Yield ch Major Lar	(5) Yield	(MBF)		11.9	11.5	6.4	4.1	6.05			10.95	17.8	8.5	9	5.32
f Rotation, C anges in Eac	(4) Rot. Lgth.	(yrs)		50	30	30	40	50			50	30	35	60	20
or Stand Types, Lengths o Land by Site Index Re	(3) Mgmt. Cost	(\$)		\$0.00	\$3.00	\$2.00	\$0.50	\$0.00			\$0.00	\$2.00	\$1.00	\$0.00	\$0.00
	(2) Est. Cost	(\$)		\$0.00	\$265.20	\$141.00	\$55.00	\$0.00			\$0.00	\$270.00	\$175.40	\$0.00	\$0.00
Indicator Species	(1) Species/Stand Type	UP LCP	MLRA 136 PIEDMONT	Mixed hardwoods	Loblolly pine (86-104)	Loblolly pine (66-85)	Loblolly pine (60-65)	Upland hardwoods	MLRA 130	WESTERN	Mixed hardwoods	White pine (70-89)	White pine (55-69)	Shortleaf/mixed hwd.	Upland oak ridge (40-68)

Forestry Net Present Values

Map Unit Name	Agri	For	Hort
Alluvial land, wet	IV	II	IV
Arents, loamy	IV	II	IV
Arkaqua loam, 0 to 2 percent slopes, frequently flooded	IV	II	IV
Arkaqua loam, 0 to 2 percent slopes, occasionally flooded	II	III	II
Arkaqua loam, 0 to 2 percent slopes, rarely flooded	II	III	II
Ashe and Edneyville soils, 6 to 15 percent slopes	IV	Ι	III
Ashe and Edneyville soils, 15 to 25 percent slopes	IV	I	III
Ashe and Edneyville soils, 25 to 45 percent slopes	IV	I	IV
Ashe fine sandy loam, 6 to 15 percent slopes	IV	III	III
Ashe fine sandy loam, 10 to 25 percent slopes	IV	III	III
Ashe fine sandy loam, 15 to 25 percent slopes	IV	III	III
Ashe fine sandy loam, 25 to 45 percent slopes	IV	III	IV
Ashe gravelly fine sandy loam, 25 to 65 percent slopes	IV	III	IV
Ashe stony fine sandy loam, ALL	IV	III	IV
Ashe stony sandy loam, ALL	IV	III	IV
Ashe-Chestnut-Buladean complex, very stony, ALL	IV	III	IV
Ashe-Cleveland complex, stony, ALL	IV	IV	IV
Ashe-Cleveland complex, stony, ALL Ashe-Cleveland-Rock outcrop complex, ALL	IV	IV	IV
Ashe-Rock outcrop complex, 15 to 70 percent slopes	IV	VI	IV
Augusta fine sandy loam, cool variant, 1 to 4 percent slopes (Delanco)	II	I	IV
Balsam, ALL	IV	VI	IV
	IV	VI VI	IV
Balsam-Rubble land complex, windswept, ALL	IV	VI	IV
Balsam-Tanasee complex, extremely bouldery, ALL			
Bandana sandy loam, 0 to 3 percent slopes, occasionally flooded	II	II	II
Bandana-Ostin complex, 0 to 3 percent slopes, occasionally flooded	III	II	III IV
Biltmore, ALL	IV	II	III
Braddock and Hayesville clay loams, eroded, ALL	III II	I	
Braddock clay loam, 2 to 6 percent slopes, eroded		I	III
Braddock clay loam, 2 to 8 percent slopes, eroded	II	I	III
Braddock clay loam, 6 to 15 percent slopes, eroded	II II	I	III
Braddock clay loam, 8 to 15 percent slopes, eroded		I	III
Braddock clay loam, eroded, ALL OTHER	IV	I	III
Braddock clay loam, 15 to 30 percent slopes, eroded, stony	IV	I	IV
Braddock fine sandy loam, 15 to 30 percent slopes	III	I	III
Braddock gravelly loam, 2 to 8 percent slopes	I II	I	I
Braddock gravelly loam, 8 to 15 percent slopes		l	I
Braddock loam, 2 to 8 percent slopes	I	I	I
Braddock loam, 8 to 15 percent slopes	II	I	I
Braddock-Urban land complex, ALL	IV	I	IV
Bradson gravelly loam, ALL	II	I	I
Brandywine stony soils, ALL	IV	IV	IV
Brasstown-Junaluska complex, 8 to 15 percent slopes		IV	III
Brasstown-Junaluska complex, 15 to 30 percent slopes	IV	IV	III
Brasstown-Junaluska complex, ALL OTHER	IV	IV	IV
Brevard fine sandy loam, 1 to 6 percent slopes, rarely flooded	I	I	I
Brevard loam, 2 to 6 percent slopes	I	I	I
Brevard loam, 6 to 10 percent slopes	II	I	I
Brevard loam, 7 to 15 percent slopes	II	I	I
Brevard loam, 10 to 25 percent slopes	IV	I	I
Brevard loam, 15 to 25 percent slopes	IV	I	I
Brevard loam, 25 to 45 percent slopes	IV	I	II
Brevard sandy loam, 8 to 15 percent slopes	II	Ι	Ι

Map Unit Name	Agri	For	Hort
Brevard-Greenlee complex, extremely bouldery, ALL	IV	I	IV
Buladean-Chestnut complex, 15 to 30 percent slopes, stony	IV	I	III
Buladean-Chestnut complex, stony, ALL OTHER	IV	I	IV
Burton stony loam, ALL	IV	V	IV
Burton-Craggey complex, windswept, ALL	IV	VI	IV
Burton-Craggey-Rock outcrop complex, windswept, ALL	IV	VI	IV
Burton-Wayah complex, windswept, ALL	IV	VI	IV
Cashiers fine sandy loam, 2 to 8 percent slopes	II	I	I
Cashiers fine sandy loam, 8 to 15 percent slopes	II	I	II
Cashiers fine sandy loam, 15 to 30 percent slopes, stony	IV	I	II
Cashiers fine sandy loam, 30 to 50 percent slopes, stony	IV	I	III
Cashiers fine sandy loam, 50 to 95 percent slopes, stony	IV	I	IV
Cashiers gravelly fine sandy loam, 8 to 15 percent slopes	II	I	II
Cashiers gravely fine sandy loam, 15 to 30 percent slopes	IV	I	II
Cashiers gravely fine sandy loam, 30 to 50 percent slopes	IV	I	III
Cashiers gravely fine sandy loam, 50 to 50 percent slopes	IV	I	IV
Cashiers sandy loam, 8 to 15 percent slopes, stony	II	I	IV
Cashiers sandy loam, 15 to 30 percent slopes, stony	IV	I	II
Cashiers sandy loam, 15 to 50 percent slopes, stony	IV	I	III
Cashiers sandy loam, 50 to 95 percent slopes, stony	IV	I	III IV
Cataska-Rock outcrop complex, 30 to 95 percent slopes	IV	VI	IV
Cataska-Kock outcrop complex, 50 to 95 percent slopes	IV	VI VI	IV
	IV	I	IV
Chandler and Fannin soils, 25 to 45 percent slopes	IV	III	
Chandler gravelly fine sandy loam, 8 to 15 percent slopes	IV	III	II II
Chandler gravelly fine sandy loam, 15 to 30 percent slopes			
Chandler gravelly fine sandy loam, 30 to 50 percent slopes	IV	III	III
Chandler gravelly fine sandy loam, ALL OTHER	IV	III	IV
Chandler gravelly fine sandy loam, windswept, ALL	IV	VI	IV
Chandler loam, 2 to 8 percent slopes	III	III	II
Chandler loam, 8 to 15 percent slopes	IV	III	II
Chandler loam, 15 to 25 percent slopes	IV	III	III
Chandler loam, 25 to 65 percent slopes	IV	III	IV
Chandler silt loam, 10 to 25 percent slopes	IV	III	II
Chandler silt loam, 25 to 45 percent slopes	IV	III	III
Chandler stony loam, 45 to 70 percent slopes	IV	III	IV
Chandler stony silt loam, ALL	IV	III	IV
Chandler-Micaville complex, 8 to 15 percent slopes	IV	III	II
Chandler-Micaville complex, 15 to 30 percent slopes, stony	IV	III	II
Chandler-Micaville complex, 30 to 50 percent slopes, stony	IV	III	III
Chandler-Micaville complex, 50 to 95 percent slopes, stony	IV	III	IV
Cheoah channery loam, ALL	IV	I	IV
Cheoah channery loam, stony, ALL	IV	I	IV
Cheoah channery loam, windswept, stony	IV	VI	IV
Chester clay loam, 15 to 45 percent slopes, eroded (Evard)	IV	I	III
Chester fine sandy loam, 6 to 15 percent slopes (Evard)	II	I	I
Chester fine sandy loam, 15 to 25 percent slopes (Evard)	II	I	III
Chester fine sandy loam, 25 to 45 percent slopes (Evard)	IV	I	III
Chester loam, 2 to 6 percent slopes	II	I	I
Chester loam, 6 to 10 percent slopes	III	I	I
Chester loam, 10 to 25 percent slopes	IV	I	II
Chester loam, 25 to 45 percent slopes	IV	I	III
Chester stony loam, 10 to 15 percent slopes (Evard)	III	Ι	III

Map Unit Name	Agri	For	Hort
Chester stony loam, (Evard), ALL OTHER	IV	I	IV
Chestnut and Edneyville soils, 15 to 25 percent slopes	IV	I	II
Chestnut and Edneyville soils, 25 to 50 percent slopes	IV	I	III
Chestnut gravelly loam, 50 to 80 percent slopes	IV	III	IV
Chestnut-Ashe complex, ALL	IV	III	IV
Chestnut-Buladean complex, 8 to 15 percent slopes, rocky	III	III	III
Chestnut-Buladean complex, stony, ALL	IV	III	IV
Chestnut-Cleveland-Rock outcrop complex, windswept, ALL	IV	VI	IV
Chestnut-Edneyville complex, 8 to 25 percent slopes, stony	IV	III	III
Chestnut-Edneyville complex, 25 to 60 percent slopes, stony	IV	III	IV
Chestnut-Edneyville complex, windswept, stony, ALL	IV	VI	IV
Chestoa-Ditney-Rock outcrop complex, 30 to 95 percent slopes, very	IV	VI	IV
bouldery			
Cleveland-Chestnut-Rock outcrop complex, windswept, ALL	IV	VI	IV
Cleveland-Rock outcrop complex, 8 to 90 percent slopes	IV	VI	IV
Cliffield-Cowee complex, 15 to 30 percent slopes, very stony	IV	V	IV
Cliffield-Fairview complex, 15 to 25 percent slopes	IV	V	IV
Cliffield-Pigeonroost complex, very stony, ALL	IV	V	IV
Cliffield-Rhodhiss complex, 25 to 60 percent slopes, very stony	IV	V	IV
Cliffield-Rock outcrop complex, 50 to 95 percent slopes	IV	VI	IV
Cliffield-Woolwine complex, 8 to 15 percent slopes	IV	V	IV
Clifton (Evard) stony loam, ALL	IV	Ι	IV
Clifton clay loam, 8 to 15 percent slopes, eroded	III	Ι	III
Clifton clay loam, 15 to 30 percent slopes, eroded	IV	Ι	III
Clifton clay loam, 30 to 50 percent slopes, eroded	IV	Ι	IIII
Clifton loam, 2 to 8 percent slopes	II	Ι	Ι
Clifton loam, 6 to 10 percent slopes	II	Ι	Ι
Clifton loam, 8 to 15 percent slopes	II	Ι	II
Clifton loam, 10 to 25 percent slopes	IV	Ι	II
Clifton loam, 15 to 25 percent slopes	IV	I	II
Clifton loam, 25 to 45 percent slopes	IV	Ι	III
Clifton stony loam, 15 to 45 percent slopes	IV	Ι	IV
Clingman-Craggey-Rock outcrop complex, windswept, 15 to 95 percent	IV	VI	IV
slopes, extremely bouldery			
Codorus, ALL	II	II	III
Colvard, ALL	I	II	III
Comus, ALL	I	II	III
Cowee gravelly loam, stony, ALL	IV	V	IV
Cowee-Evard-Urban land complex, 15 to 30 percent slopes	IV	III	IV
Cowee-Saluda complex, stony, ALL	IV	V	IV
Craggey-Rock outcrop complex, 40 to 90 percent slopes	IV	VI	IV
Craggey-Rock outcrop-Clingman complex, windswept, rubbly, ALL	IV	VI	IV
Crossnore-Jeffrey complex, very stony, ALL	IV	I	IV
Cullasaja cobbly fine sandy loam, 8 to 30 percent slopes, very bouldery	IV	II	IV
Cullasaja cobbly loam, extremely bouldery, ALL	IV IV	II	IV IV
Cullasaja very cobbly fine sandy loam, extremely bouldery, ALL	IV IV	II	IV IV
Cullasaja very cobbly loam, extremely bouldery, ALL Cullasaja very cobbly sandy loam, extremely bouldery, ALL	IV IV	II II	IV IV
	IV	II	IV
Cullasaja-Tuckasegee complex, 8 to 15 percent slopes, stony Cullasaja-Tuckasegee complex, 15 to 30 percent slopes, stony	IV	II	II
	IV	II	II
Cullasaja-Tuckasegee complex, 30 to 50 percent slopes, stony Cullasaja-Tuckasegee complex, 50 to 90 percent slopes, stony	IV	II	III IV
Cullasaja-Tuckasegee complex, 50 to 90 percent slopes, stony Cullasaja-Tuckasegee complex, 50 to 95 percent slopes, stony	IV	II	IV IV
Cunasaja-1 uckasegee complex, 50 to 95 percent slopes, stony	1 V	11	1 V

Map Unit Name	Agri	For	Hort
Cullasaja-Tusquitee complex, 10 to 45 percent slopes	IV	II	III
Cullowhee fine sandy loam, 0 to 2 percent slopes, occasionally flooded	II	II	II
Cullowhee, frequently flooded, ALL	IV	II	IV
Cullowhee-Nikwasi complex, 0 to 2 percent slopes, frequently flooded	IV	II	IV
Delanco (Dillard) loam, ALL	I	I	I
Delanco fine sandy loam, 2 to 6 percent slopes	II	I	I
Delwood gravelly fine sandy loam, 0 to 5 percent slopes, frequently flooded	IV	II	IV
Deliwood, occasionally flooded, ALL	III	II	III
Dellwood-Reddies complex, 0 to 3 percent slopes, occasionally flooded	III	II	III
Dellwood-Urban land complex, 0 to 3 percent slopes, occasionally flooded	IV	II	IV
Dillard, ALL	I	I	I
Dillsboro clay loam, 2 to 8 percent slopes	I	I	I
Dillsboro clay loam, 8 to 15 percent slopes, rarely flooded	I	I	I
Dillsboro clay loam, 8 to 15 percent slopes, story	III	I	II
Dillsboro clay loam, 15 to 30 percent slopes, stony	IV	I	II
Dillsboro loam, 2 to 8 percent slopes	I	I	I
Dillsboro loam, 8 to 15 percent slopes	I	I	I
· · · · · · · · · · · · · · · · · · ·	II IV		II IV
Dillsboro-Urban land complex, 2 to 15 percent slopes		I VI	
Ditney-Unicoi complex, very stony, ALL	IV		IV
Ditney-Unicoi complex, 50 to 95 percent slopes, very rocky	IV	VI	IV
Ditney-Unicoi-Rock outcrop complex, ALL	IV	VI	IV
Edneytown gravelly sandy loam, 8 to 25 percent slopes	IV	I	III
Edneytown-Chestnut complex, 30 to 50 percent slopes, stony	IV	I	III
Edneytown-Chestnut complex, 50 to 80 percent slopes, stony	IV	I	IV
Edneytown-Pigeonroost complex, 8 to 15 percent slopes, stony	III	I	III
Edneytown-Pigeonroost complex, 15 to 30 percent slopes, stony	IV	I	III
Edneytown-Pigeonroost complex, 30 to 50 percent slopes, stony	IV	I	IV
Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes	III	I	III
Edneyville (Edneytown) fine sandy loam, 15 to 25 percent slopes	IV	I	IV
Edneyville (Edneytown) fine sandy loam, 25 to 45 percent slopes	IV	I	IV
Edneyville loam, 15 to 25 percent slopes	IV	I	II
Edneyville loam, 25 to 45 percent slopes	IV	I	III
Edneyville stony loam, 45 to 70 percent slopes	IV	I	IV
Edneyville-Chestnut complex, 2 to 8 percent slopes, stony	III	I	III
Edneyville-Chestnut complex, 8 to 15 percent slopes, stony	IV	I	III
Edneyville-Chestnut complex, 10 to 25 percent slopes, stony	IV	I	III
Edneyville-Chestnut complex, 15 to 30 percent slopes, stony	IV	I	III
Edneyville-Chestnut complex, ALL OTHER	IV	I	IV
Edneyville-Chestnut-Urban land complex, ALL	IV	Ι	IV
Ellijay silty clay loam, 2 to 8 percent slopes, eroded	III	Ι	I
Ellijay silty clay loam, 8 to 15 percent slopes, eroded	IV	Ι	I
Ellijay silty clay loam, eroded, ALL OTHER	IV	Ι	II
Elsinboro loam, ALL	I	I	I
Eutrochrepts, mined, 30 to 50 percent slopes, very stony	IV	VI	IV
Evard and Saluda fine sandy loams, 25 to 60 percent slopes	IV	Ι	IV
Evard fine sandy loam, 7 to 15 percent slopes	III	Ι	II
Evard fine sandy loam, 15 to 25 percent slopes	IV	Ι	II
Evard fine sandy loam, 25 to 50 percent slopes	IV	Ι	III
Evard gravelly sandy loam, 6 to 15 percent slopes	III	Ι	II
Evard gravelly sandy loam, 15 to 25 percent slopes	IV	Ι	III
Evard loam, ALL	IV	Ι	IV
Evard soils, 15 to 25 percent slopes	IV	Ι	III

Map Unit Name	Agri	For	Hort
Evard soils, ALL OTHER	IV	Ι	IV
Evard stony loam, 25 to 60 percent slopes	IV	Ι	IV
Evard-Cowee complex, 2 to 8 percent slopes	III	Ι	II
Evard-Cowee complex, 8 to 15 percent slopes	III	Ι	II
Evard-Cowee complex, 8 to 15 percent slopes, eroded	III	Ι	II
Evard-Cowee complex, 8 to 25 percent slopes, stony	IV	Ι	III
Evard-Cowee complex, ALL OTHER	IV	Ι	IV
Evard-Cowee-Urban land complex, ALL	IV	Ι	IV
Fannin fine sandy loam, 8 to 15 percent slopes	III	Ι	Ι
Fannin fine sandy loam, 15 to 30 percent slopes	IV	I	II
Fannin fine sandy loam, 15 to 30 percent slopes, stony	IV	Ι	II
Fannin fine sandy loam, 30 to 50 percent slopes	IV	I	II
Fannin fine sandy loam, 30 to 50 percent slopes, stony	IV	I	III
Fannin fine sandy loam, 50 to 95 percent slopes	IV	I	III
Fannin loam, 8 to 15 percent slopes	III	I	II
Fannin loam, 15 to 25 percent slopes	IV	I	III
Fannin Ioam, 25 to 45 percent slopes	IV	I	III
Fannin Ioam, 30 to 50 percent slopes, eroded	IV	I	III
Fannin Ioam, 45 to 70 percent slopes	IV	I	IV
Fannin sandy clay loam, 8 to 15 percent slopes, eroded	III	I	II
Fannin sandy clay loam, eroded, ALL OTHER	IV	I	III
Fannin silt loam, 6 to 10 percent slopes, eroded	III	I	II
Fannin silt loam, 7 to 15 percent slopes	III	I	II
Famin silt loam, 7 to 15 percent slopes	IV	I	III
Famin silt loam, 15 to 25 percent slopes	IV	I	III
	IV	I	III
Fannin silt loam, 25 to 45 percent slopes	IV	I	III IV
Fannin silty clay loam, 15 to 45 percent slopes, eroded		I	
Fannin-Chestnut complex, 50 to 85 percent slopes, rocky	IV		IV
Fannin-Cowee complex, 15 to 30 percent slopes, stony	IV	I	III
Fannin-Cowee complex, stony, ALL OTHER	IV	I	IV
Fannin-Urban land complex, 2 to 15 percent slopes	IV	I I	IV
Fletcher and Fannin soils, 6 to 15 percent slopes			II
Fletcher and Fannin soils, 15 to 25 percent slopes	IV	I	II
Fluvaquents-Udifluvents complex, occasionally flooded, ALL		II	IV
Fontaflora-Ostin complex	IV	II	IV
French fine sandy loam, 0 to 3 percent slopes, frequently flooded	IV	II	IV
Greenlee ALL	IV	I	IV
Greenlee-Ostin complex, 3 to 40 percent slopes, very stony	IV	I	IV
Greenlee-Tate complex, ALL	IV	I	IV
Greenlee-Tate-Ostin complex, 1 to 15 percent slopes, extremely stony	IV	I	IV
Gullied land	IV	VI	IV
Harmiller-Shinbone complex, 15 to 30 percent slopes, stony	IV	III	III
Harmiller-Shinbone complex, 30 to 50 percent slopes, stony	IV	III	III
Hatboro loam	IV	II	IV
Hayesville channery fine sandy loam, 8 to 15 percent slopes, very stony	IV	I	II
Hayesville channery fine sandy loam, 15 to 25 percent slopes, very stony	IV	I	III
Hayesville channery fine sandy loam, 25 to 60 percent slopes, very stony	IV	I	IV
Hayesville clay loam, 2 to 8 percent slopes, eroded	III	I	II
Hayesville clay loam, 6 to 15 percent slopes, eroded	IV	I	II
Hayesville clay loam, 8 to 15 percent slopes, eroded	IV	I	II
Hayesville clay loam, 10 to 25 percent slopes, severely eroded	IV	I	III
Hayesville clay loam, 15 to 30 percent slopes, eroded	IV	Ι	III

Hayesville fine sandy loam, 6 to 15 percent slopes III I I Hayesville fine sandy loam, 15 to 25 percent slopes III I II Hayesville fine sandy loam, 15 to 25 percent slopes III I III Hayesville fine sandy loam, 15 to 30 percent slopes III I III Hayesville fine sandy loam, 25 to 50 percent slopes III I III Hayesville loam, 2 to 8 percent slopes III I I Hayesville loam, 6 to 10 percent slopes III I I Hayesville loam, 7 to 15 percent slopes III I I Hayesville loam, 7 to 15 percent slopes III I I Hayesville loam, 16 to 25 percent slopes III I III Hayesville loam, 15 to 30 percent slopes IIII III III Hayesville sandy clay loam, 15 to 30 percent slopes IIII III III Hayesville sandy clay loam, 15 to 30 percent slopes IIII III III Hayesville sandy clay loam, 15 to 25 percent slopes III III III Hayesvill	Map Unit Name	Agri	For	Hort
Hayesville fine sandy loam, 3 to 15 percent slopesIIIIHayesville fine sandy loam, 15 to 25 percent slopesIIIIHayesville fine sandy loam, 25 to 50 percent slopesIIIIHayesville fine sandy loam, 25 to 50 percent slopesIIIIHayesville ham, 2 to 7 percent slopesIIIIHayesville ham, 2 to 7 percent slopesIIIIHayesville ham, 2 to 8 percent slopesIIIIHayesville ham, 6 to 10 percent slopesIIIIHayesville ham, 8 to 15 percent slopesIIIIHayesville ham, 15 to 25 percent slopesIIIIHayesville ham, 15 to 30 percent slopes, crodedIVIHayesville ham, 15 to 25 percent slopesIIIIHayesville sandy clay loam, 15 to 25 percent slopesIIIIHayesville-Surad-Urban land complex, 15 to 25 percent slopesIIIIHayesville-Suratown complex, 2 to 8 percent slopesIIIIHayesville-Suratown complex, 15 to 25 percent slopesIII <t< td=""><td>*</td><td></td><td>_</td><td>Ι</td></t<>	*		_	Ι
Hayesville fine sandy loam, 15 to 25 percent slopesIIIIIIIHayesville fine sandy loam, 25 to 50 percent slopesIVIIIIHayesville loam, 2 to 7 percent slopesIIIIHayesville loam, 2 to 8 percent slopesIIIIHayesville loam, 6 to 15 percent slopesIIIIIHayesville loam, 10 to 25 percent slopesIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville-kard-Urban land complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 15 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 15 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 10 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 2 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 2 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 2 to 00 percent slopesIVIIIIHa		III	Ι	Ι
Hayesville fine sandy loam, 15 to 30 percent slopesIIIIIIIHayesville loam, 2 to 7 percent slopesIIIIIHayesville loam, 2 to 8 percent slopesIIIIHayesville loam, 6 to 10 percent slopesIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 8 to 15 percent slopesIIIIIHayesville loam, 8 to 15 percent slopesIIIIIHayesville loam, 15 to 25 percent slopesIIIIIIIHayesville sandy clay loam, 15 to 30 percent slopes, erodedIVIIIIIIHayesville-sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIVHayesville-Sauratown complex, 25 to 60 percent slopesIVIIVHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 21 to 75 percent slopesIVIIVHayesville-Sauratown complex, 21 to 75 percent slopesIVIIVHayesville-Sauratown complex, 21 to 70 percent slopesIVI		III	Ι	II
Hayesville fine sandy loam, 25 to 50 percent slopesIVIIIIIHayesville loam, 2 to 7 percent slopesIIIIHayesville loam, 6 to 15 percent slopesIIIIIHayesville loam, 6 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 8 to 15 percent slopesIIIIIHayesville loam, 10 to 25 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIIIIIIIIIIHayesville-slopesIVIIIIIIIHayesville-slopesIVIIIIIIIHayesville-slopesIVIIIIIII<		III	Ι	II
Hayesville loam, 2 to 7 percent slopesIII1Hayesville loam, 6 to 10 percent slopesIIIIHayesville loam, 6 to 10 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 15 to 25 percent slopesIIIIIHayesville loam, 15 to 25 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville-svard-trban land complex, 15 to 25 percent slopesIIIIIIIHayesville-svard-trban land complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIVIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIVIIIIHayesville-Sauratown complex, 21 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 21 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 21 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 15 to 30 percent slopesIVI<		IV	Ι	III
Hayesville loam, 2 to 8 percent slopesIIIIHayesville loam, 6 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 8 to 15 percent slopesIIIIIHayesville loam, 15 to 25 percent slopesIIIIIHayesville loam, 15 to 30 percent slopes, erodedIVIIIIHayesville loam, 5 to 15 opercent slopes, erodedIVIIIIHayesville sandy clay loam, 15 to 25 percent slopesIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 15 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 5 percent slopesIVIIVHayesville-Sauratown complex, 2 to 50 percent slopesIVIIVHayesville-Sauratown complex, 2 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 2 to 50 percent slopesIVIIVHayesville-Sauratown complex, 2 to 50 percent slopesIVIIVHayesville-Sauratown complex, 5 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 5 to 50 percent slopesIVIIVHumadae slay loam, 3 to 30 percent slopes, stonyIVI				
Hayesville loam, 6 to 10 percent slopesIIIIHayesville loam, 7 to 15 percent slopesIIIIHayesville loam, 10 to 25 percent slopesIIIIHayesville loam, 15 to 30 percent slopesIIIIHayesville loam, 15 to 30 percent slopes, erodedIIIIHayesville loam, 15 to 30 percent slopes, erodedIVIHayesville loam, 15 to 30 percent slopes, erodedIVIHayesville sandy clay loam, eroded, ALL OTHERIIIIIHayesville-sauratown complex, 15 to 25 percent slopesIIIIHayesville-sauratown complex, 2 to 8 percent slopesIIIIHayesville-sauratown complex, 2 to 8 percent slopesIIIIHayesville-sauratown complex, 2 to 50 percent slopesIIIIHayesville-sauratown complex, 2 to 50 percent slopesIIIIHayesville-sauratown complex, 2 to 60 percent slopesIVIHayesville-sauratown complex, 2 to 60 percent slopesIVIHayesville-sauratown complex, 2 to 60 percent slopesIVIHayesville-sauratown complex, 3 to 50 percent slopesIVIHayesville-sauratown complex, 3 to 50 percent slopesIVIHayesville-sauratown complex, 3 to 50 percent slopesIVIHayesville-sauratown complex, 4 to 10 percent slopes, stonyIVIHayesville-sauratown complex, 5 to 60 percent slopesIVIHayesville-sauratown complex, 5 to 30 percent slopes, stonyIVIHundale clay loam, 3 to 30 percent slopes, stonyIV <td></td> <td></td> <td></td> <td>Ι</td>				Ι
Hayesville loam, 6 to 15 percent slopesIIIIIHayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 8 to 15 percent slopesIIIIIHayesville loam, 15 to 25 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIIHayesville slopes, erodedIVIIIIHayesville slopes, erodedIVIIIIHayesville-slopes, erodedIVIIIIHayesville-slopes, erodedIVIIIIHayesville-slopes, erodedIVIIIIHayesville-slopes, erodedIVIIIIHayesville-slopes, 2 to 8 percent slopesIIIIIIIHayesville-slopes, 15 to 25 percent slopesIIIIIIIHayesville-slopes, 15 to 25 percent slopesIIIIIIIHayesville-slopes, 15 to 25 percent slopesIVIIIIHayesville-slopes, 15 to 25 percent slopesIVIIIIHayesville-slopes, 15 to 25 percent slopesIVIIIIHayewoille-sloped, ALLIVIIVIIIHayewoille-sloped, ALLIVIIIIVIIIHayewoille-sloped, ALLIVIIIIVIIIHayewoille-sloped, StonyIVIIIIIIIHayewoille-slope, stonyIVIIIIIIIHumadae clay loam, 30 to 50 percent slopes,				
Hayesville loam, 7 to 15 percent slopesIIIIIHayesville loam, 10 to 25 percent slopesIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIHayesville sandy clay loam, 15 to 30 percent slopes, erodedIIVIIIIHayesville sandy clay loam, eroded, ALL OTHERIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Evard-Urban land complex, 15 to 25 percent slopesIIIIIIHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIIHayesville-Sauratown complex, 3 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 3 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 3 to 25 percent slopesIVIIVHayesville-Sauratown complex, 3 to 25 percent slopesIVIIVHayesville-Sauratown complex, 3 to 0 percent slopesIVIIIIHayesville-Gauratown complex, 3 to 0 percent slopesIVIIVHayesville-Sauratown complex, 5 to 10 percent slopesIVIIVHayesville-Gauratown complex, 15 to 25 percent slopesIVIIIIHayesville-Gauratown complex, 15 to 25 percent slopesIVIIIIHayesville-Gauratown complex, 15 to 30 percent slopesIVIIIIHayesville-Gauratown complex, 16 to 30 percent slopesIVIIIIHuntad				
Hayesville loam, 8 to 15 percent slopesIIIIIHayesville loam, 15 to 25 percent slopesIIIIIIHayesville loam, 15 to 30 percent slopes, erodedIV1IIIHayesville standy clay loam, roded, ALL OTHERIIIIIIIIHayesville standy clay loam, eroded, ALL OTHERIIIIIIIIHayesville standy clay loam, eroded, ALL OTHERIIIIIIIIHayesville standy clay loam, eroded, ALL OTHERIIIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIIHayesville-Sauratown complex, 5 to 60 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 3 to 75 percent slopesIVIIIIHayesville-Sauratown complex, 2 to 60 percent slopesIVIIVHayesville-Sauratown complex, 6 to 9 percent slopesIVIIVHayesville-Sauratown complex, 6 to 9 percent slopesIVIIIIHayesville-Saurato				
Hayesville loam, 10 to 25 percent slopesIIIIIIHayesville loam, 15 to 30 percent slopesIIIIIIHayesville sandy clay loam, 15 to 30 percent slopes, erodedIVIIIIHayesville sandy clay loam, eroded, ALL OTHERIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIHayesville-Sauratown complex, 2 to 5 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 60 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIVHayesville-Sauratown complex, 25 to 50 percent slopesIVIIVHayesville-Sauratown complex, 25 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 32 to 50 percent slopesIVIIVHayesville-Jauratown complex, 32 to 50 percent slopesIVIIVHayesville-Jauratown complex, 32 to 50 percent slopesIVIIVHayesville-Jauratown complex, 32 to 50 percent slopesIVIIIIHayesville-Jauratown complex, 30 to 50 percent slopes, stonyIVIIVHundale clay loam, 30 to 50 percent slopes, stonyIVIIIIHundale clay loam, 30 to 50 percent slopes, stonyIVIIIIHundale slity clay loam, 30 to 50 percent slopes, very stonyIVIIII </td <td></td> <td>III</td> <td></td> <td></td>		III		
Hayesville loam, 15 to 25 percent slopesIIIIIIHayesville sandy clay loam, 15 to 30 percent slopes, erodedIVIIIIHayesville sandy clay loam, eroded, ALL OTHERIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Evard-Orban land complex, 15 to 25 percent slopesIVIIVHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 5 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 50 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 50 percent slopesIVIIIIHaywood stony loam, 15 to 35 percent slopesIVIIIIHaywood stony loam, 25 to 50 percent slopes, stonyIVIIVHumaquept, Joamy, 21 to 25 percent slopes, stonyIVIIIIHuntdale clay loam, 8 to 15 percent slopes, stonyIVIIIIHuntdale slity clay loam, 50 to 50 percent slopes, stonyIVIIIIHuntdale slity clay loam, 50 to 50 percent slopes, stonyIVIIIIHuntdale slity clay loam, 50 to 50 percent slopes, very stonyIVIIIIHuntdale slity clay loam, 50 to 50 percent slopesIVIIIIJunaluska-Brastown complex, 51 to 30 percent slopesIVIV <td< td=""><td></td><td>III</td><td>Ι</td><td>II</td></td<>		III	Ι	II
Hayesville loam, 15 to 30 percent slopesIIIIIIHayesville sandy clay loam, 15 to 30 percent slopes, erodedIVIIIIHayesville sandy clay loam, eroded, ALL OTHERIIIIIIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratow nomplex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratow nomplex, 2 to 8 percent slopesIIIIIIIHayesville-Sauratow nomplex, 2 to 25 percent slopesIIIIIIIIHayesville-Sauratow nomplex, 2 to 25 percent slopesIIIIIIIIIHayesville-Sauratow nomplex, 2 to 25 percent slopesIVIIIIHayesville-Sauratown complex, 2 to 50 percent slopesIVIIIVHayesville-Urban land complex, ALLIVIIVIIIHayevood stony loam, 25 to 50 percent slopesIVIIIIHayevood stony loam, 25 to 50 percent slopes, stonyIVIIIIHuntade clay loam, 3 to 30 percent slopes, stonyIVIIIIIHuntade clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntade sity clay loam, 50 to 30 percent slopes, very stonyIVIIIIHuntade sity clay loam, 50 to 30 percent slopes, very stonyIVIIIIHuntade sity clay loam, 50 to 30 percent slopes, very stonyIVIIIIHuntade sity clay loam, 50 to 30 percent slopesIVIVIIIHuntade sity clay loam, 50 to 30 percent slopesIVIVIII<				
Hayesville sandy clay loam, 15 to 30 percent slopes, erodedIVIIIIHayesville-Evard complex, 15 to 25 percent slopesIIIIIHayesville-Evard complex, 15 to 25 percent slopesIVIIVHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIIHayesville-Sauratown complex, 2 to 60 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Urban land complex, ALLIVIIVHaywood stony loam, 15 to 25 percent slopesIVIIIIHaywood stony loam, 15 to 25 percent slopesIVIIIIHaywood stony loam, 15 to 25 percent slopes, stonyIVIIVHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIIVHumaquepts, loamy, 2 to 30 percent slopes, stonyIVIIIIIIHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIIIIIIIIIIIIIIIIIIIJunaluska-Brasstown complex, 3 to 30 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 3 to 30 percent slopesIVIVIIIJunaluska-Brasstown				
Hayesville sandy clay loam, eroded, ALL OTHERIIIIIHayesville-Evard-Urban land complex, 15 to 25 percent slopesIVIIVHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIHayesville-Sauratown complex, 8 to 15 percent slopesIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 50 percent slopesIVIIIIHayesville-Urban land complex, ALLIVIIVHaywood stony loam, 25 to 50 percent slopesIVIIIIHundaucy loan, 25 to 50 percent slopes, stonyIVIIIVHundaucy loan, 30 to 50 percent slopes, stonyIIIIIIIIHuntdale clay loam, 8 to 15 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 51 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 51 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIII <t< td=""><td></td><td></td><td></td><td></td></t<>				
Hayesville-Evard complex, 15 to 25 percent slopesIIIIIIHayesville-Evard-Urban land complex, 2 to 8 percent slopesIVIIVHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Urban land complex, ALLIVIIIIHayesville-Urban land complex, ALLIVIIIIHayesville-Urban land complex, ALLIVIIVHayesville-Urban land complex, ALLIVIIVHumaquepts, loam, 25 to 50 percent slopesIVIIVHumaquepts, loam, 25 to 50 percent slopesIVIIVHumaquepts, loam, 2 to 8 percent slopes, stonyIVIIIVHumaduepts, loam, 2 to 8 percent slopes, stonyIVIIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIIJunaluska-Brasstown complex, 5 to 30 percent slopes <td< td=""><td></td><td></td><td></td><td></td></td<>				
Hayesville-Evard-Urban land complex, 15 to 25 percent slopesIVIIVHayesville-Sauratown complex, 2 to 8 percent slopesIIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, ALLIVIIVHaywood stony loam, 25 to 50 percent slopesIVIIIIHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIVHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 51 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIV				
Hayesville-Sauratown complex, 2 to 8 percent slopesIIIIIHayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Sauratown complex, ALLIVIIIIHayesville-Sauratown complex, ALLIVIIIIHayesville-Sauratown complex, ALLIVIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayeood stony loam, 25 to 50 percent slopesIVIIVHumdauets, loany, 2 to 8 percent slopes, stonyIVIIIVHundale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVVIJunaluska-Brasstown complex, 5 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 5 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 5 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex				
Hayesville-Sauratown complex, 8 to 15 percent slopesIIIIIIHayesville-Sauratown complex, 25 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Urban land complex, ALLIVIIVIHayesville-Urban land complex, ALLIVIIVIIHaywood stony loam, 25 to 50 percent slopesIVIIIIHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVHumdale clay loam, 8 to 15 percent slopes, stonyIVIIIIIHuntdale clay loam, 3 to 50 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopesIVIVIIIunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIV <td></td> <td></td> <td></td> <td></td>				
Hayesville-Sauratown complex, 15 to 25 percent slopesIIIIIIIHayesville-Sauratown complex, 25 to 60 percent slopesIVIVIHayesville-Suratown complex, ALLIVIVIHaywood stony loam, 15 to 25 percent slopesIVIIIIHaywood stony loam, 25 to 50 percent slopesIVIIIIHumdaucetaIVIIVIVHemphill, rarely flooded, ALLIVIIIVHumdale clay loam, 8 to 15 percent slopes, stonyIIIIIIHuntdale clay loam, 8 to 15 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 0 to 2 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 16 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 per				
Hayesville-Sauratown complex, 25 to 60 percent slopesIVIIIIHayesville-Urban land complex, ALLIVIVIIVHaywood stony loam, 15 to 25 percent slopesIVIIIIHaywood stony loam, 25 to 50 percent slopesIVIIVHemphill, rarely flooded, ALLIVIIIVHumdale clay loam, 2 to 8 percent slopes, stonyIVIIIVHuntdale clay loam, 5 to 30 percent slopes, stonyIVIIIHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale slity clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale slity clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale slity clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale slity clay loam, 50 to 95 percent slopesIVIVIIIunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunalus				
Hayesville-Urban land complex, ALLIVIIVHaywood stony loam, 15 to 25 percent slopesIVIIIIHaywood stony loam, 25 to 50 percent slopesIVIIVHemphill, rarely flooded, ALLIVIIIVHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale clay loam, 3 to 50 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 0 to 2 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brass				
Haywood stony loam, 15 to 25 percent slopesIVIIIIHaywood stony loam, 25 to 50 percent slopesIVIIVHemphill, rarely flooded, ALLIVIVIIIVHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVIVHuntdale clay loam, 8 to 15 percent slopes, stonyIVIIIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIIIIHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 0 to 2 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slo				
Haywood stony loam, 25 to 50 percent slopesIVIIVHemphill, rarely flooded, ALLIVIVIIIVHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIVIunaluska-Brastown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brastown complex, 51 to 30 percent slopesIVIVIIIJunaluska-Brastown complex, 52 to 60 percent slopesIVIVIIIJunaluska-Brastown complex, 51 to 30 percent slopesIVIVIIIJunaluska-Brastown complex, 51 to 30 percent slopesIVIVIVJunaluska-Brastown complex, 51 to 30 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brastown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brastown complex, 51 to 30 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopesIVIIII <td></td> <td></td> <td></td> <td></td>				
Hemphill, rarely flooded, ALLIVIIIVHumaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVHuntdale clay loam, 8 to 15 percent slopes, stonyIIIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 51 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopes, very stonyIVIIIIJunaluska-Brastown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopesIVIIIILonon loam, 2 to 8 percent slopesI				
Humaquepts, loamy, 2 to 8 percent slopes, stonyIVIIIVHuntdale clay loam, 8 to 15 percent slopes, stonyIIIIIIHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 0 to 2 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 15 to 30 percent slopes				
Huntdale clay loam, 8 to 15 percent slopes, stonyIIIIIIHuntdale clay loam, 15 to 30 percent slopes, stonyIVIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 15 to 30 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIVIIIIIIIIIIIIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIVIotla sandy loam, 0 to 2 percent slopes, occasionally floodedIIIIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopes, very stonyIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopes, very stonyIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 30 to 50 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 15 to 30 percent slopes, very stonyIVIIIILoono loa				
Huntdale clay loam, 15 to 30 percent slopes, stonyIVIIIHuntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIVIVIIIIIIIIIIHuntdale silty clay loam, 6 to 25 percent slopesIVIVIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopes, very stonyIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 15 to 30 percent slopes, very stonyIVIIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIIIILonon loam, 2 to 8 percent slopesIIIIILonon loam, 15 to 30 percent slopesIVIIII <td></td> <td></td> <td></td> <td></td>				
Huntdale clay loam, 30 to 50 percent slopes, stonyIVIIIIHuntdale silty clay loam, 15 to 30 percent slopes, stonyIVIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, occasionally floodedIIIIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIVJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brastown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKinkora loamIVIIIIIIILonon loam, 2 to 8 percent slopesIIIILonon loam, 8 to 15 percent slopesIVIIIIIIILonon loam, 15 to 30 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIMaymead-Greenelee-Potomac complex, 3 to 25 percent slopesIVIIIIMaymead-Greenelee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIV </td <td></td> <td></td> <td></td> <td></td>				
Huntdale silty clay loam, 15 to 30 percent slopes, stonyIVIIIHuntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIVIotla sandy loam, 0 to 2 percent slopes, occasionally floodedIIIIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIIIIIIKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKinkora loamIVIVIIIIIIILoono loam, 2 to 8 percent slopesIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIVIVIV				
Huntdale silty clay loam, 30 to 50 percent slopes, very stonyIVIIIIHuntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIVIotla sandy loam, 0 to 2 percent slopes, occasionally floodedIIIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIIIKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIILoono loam, 2 to 8 percent slopesIIIIILonon loam, 15 to 30 percent slopesIVIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIIMaymead fine sandy loam, ALLIVIIIIIVNikwasi, ALLIVIIVIIVNorthcove very cobbly loam, ALLIVIIVIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Huntdale silty clay loam, 50 to 95 percent slopes, very stonyIVIIVIotla sandy loam, 0 to 2 percent slopes, occasionally floodedIIIIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIVJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIVJunaluska-Tsali complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIIKinkora loamIVIIIIIIILoono loam, 2 to 8 percent slopesIIIILonon loam, 8 to 15 percent slopesIVIIIIIIIMaymead fine sandy loam, ALLIVIIIIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIIINikwasi, ALLIVIIVIIVNorthcove very cobbly loam, ALLIVIIVIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Iotla sandy loam, 0 to 2 percent slopes, occasionally floodedIIIIIIIJunaluska-Brasstown complex, 6 to 25 percent slopesIVIVIVJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIVJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIILonon loam, 2 to 8 percent slopesIIIIILonon loam, 15 to 30 percent slopesIVIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIMaymead fine sandy loam, ALLIVIIIIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIVIVIVNorthcove very cobbly loam, ALLIVIIVIVNorthcove-Maymead complex, extremely stony, ALLIVIIVIV				
Junaluska-Brasstown complex, 6 to 25 percent slopesIVIVIIJunaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Brasstown complex, ALLIVIVIVJunaluska-Tsali complex, ALLIVIVIVJunaluska-Tsali complex, ALLIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIILonon loam, 2 to 8 percent slopesIIIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIIMaymead fine sandy loam, ALLIVIIIIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVIVNikwasi, ALLIVIIVIVIVNorthcove very cobbly loam, ALLIVIIVIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Junaluska-Brasstown complex, 15 to 30 percent slopesIVIVIIIJunaluska-Brasstown complex, 25 to 60 percent slopesIVIVIVJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIIKener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIIKonkora loamIVIIIIIIILoon loam, 2 to 8 percent slopesIIIILonon loam, 3 to 15 percent slopesIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIIIMaymead fine sandy loam, ALLIVIIIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIIVIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Junaluska-Brasstown complex, 25 to 60 percent slopesIVIVIIIJunaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIIIKinkora loamIVIIIIIIILonon loam, 2 to 8 percent slopesIIIILonon loam, 8 to 15 percent slopesIIIIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIVNikwasi, ALLIVIIVIVIVNorthcove very cobbly loam, ALLIVIIVIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Junaluska-Brasstown complex, 30 to 50 percent slopesIVIVIVJunaluska-Tsali complex, ALLIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIVKinkora loamIVIIIIIVLonon loam, 2 to 8 percent slopesIIIILonon loam, 8 to 15 percent slopesIIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIIVNikwasi, ALLIVIIVIVNorthcove-Maymead complex, extremely stony, ALLIVIIVIVIIVIVIV		IV	IV	
Junaluska-Tsali complex, ALLIVIVIVKeener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIVKinkora loamIVIIIIIIILonon loam, 2 to 8 percent slopesIIIILonon loam, 8 to 15 percent slopesIIIIIILonon loam, 15 to 30 percent slopesIVIIIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIVNikwasi, ALLIVIIVIIVNorthcove very cobbly loam, ALLIVIIVINorthcove-Maymead complex, extremely stony, ALLIVIIVIV				
Keener-Lostcove complex, 15 to 30 percent slopes, very stonyIVIIIIKeener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIVKinkora loamIVIIIILonon loam, 2 to 8 percent slopesIIILonon loam, 8 to 15 percent slopesIIIILonon loam, 15 to 30 percent slopesIVIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIVIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV		IV	IV	IV
Keener-Lostcove complex, 30 to 50 percent slopes, very stonyIVIIVKinkora loamIVIIIILonon loam, 2 to 8 percent slopesIIILonon loam, 8 to 15 percent slopesIIIILonon loam, 15 to 30 percent slopesIVIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV			_	
Kinkora loamIVIIIILonon loam, 2 to 8 percent slopesIIIILonon loam, 8 to 15 percent slopesIIIIILonon loam, 15 to 30 percent slopesIVIIIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIVIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Lonon loam, 2 to 8 percent slopesIIILonon loam, 8 to 15 percent slopesIIIILonon loam, 15 to 30 percent slopesIVIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Lonon loam, 8 to 15 percent slopesIIIILonon loam, 15 to 30 percent slopesIVIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV	Lonon loam, 2 to 8 percent slopes	Ι	Ι	
Lonon loam, 15 to 30 percent slopesIVIIILonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV		II	Ι	Ι
Lonon-Northcove complex, 6 to 15 percent slopesIVIIIIMaymead fine sandy loam, ALLIVIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Maymead fine sandy loam, ALLIVIIIMaymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV		IV	Ι	
Maymead-Greenlee-Potomac complex, 3 to 25 percent slopesIVIIVNikwasi, ALLIVIIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Nikwasi, ALLIVIIIVNorthcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIIV				
Northcove very cobbly loam, ALLIVIIVNorthcove-Maymead complex, extremely stony, ALLIVIVIV				
Northcove-Maymead complex, extremely stony, ALL IV I IV				
	Oconaluftee channery loam, ALL			

MLRA 130 – Mountains

Map Unit Name	Agri	For	Hort
Oconaluftee channery loam, windswept, ALL	IV	VI	IV
Ostin, occasionally flooded, ALL	IV	II	IV
Pigeonroost-Edneytown complex, stony, ALL	IV	I	III
Pineola gravelly loam, 2 to 8 percent slopes	IV	I	II
Pineola gravelly loam, 8 to 15 percent slopes, stony	IV	I	II
Pineola gravelly loam, 15 to 30 percent slopes, stony	IV	I	III
Pits, ALL	IV	VI	IV
Plott fine sandy loam, 8 to 15 percent slopes, stony	III	I	II
Plott fine sandy loam, 15 to 30 percent slopes, stony	IV	I	II
Plott fine sandy loam, 30 to 50 percent slopes, stony	IV	I	III
Plott fine sandy loam, 50 to 95 percent slopes, stony	IV	I	IV
Plott loam, 15 to 30 percent slopes, stony	IV	I	II
Plott loam, 30 to 50 percent slopes, stony	IV	I	III
Plott loam, 50 to 95 percent slopes, stony	IV	I	IV
Ponzer muck, cool variant	IV	VI	IV
Porters gravelly loam, 8 to 15 percent slopes, stony	III	I	II
Porters gravelly loam, 15 to 30 percent slopes, stony	IV	I	II
Porters gravelly loam, 30 to 50 percent slopes, story	IV	I	III
Porters gravelly loam, 50 to 80 percent slopes, stony	IV	I	IV
Porters loam, 25 to 45 percent slopes	IV	I	III
Porters loam, 25 to 80 percent slopes, stony	IV	I	IV
Porters loam, 30 to 50 percent slopes, stony	IV	I	IV
Porters loam, ALL OTHER	IV	Ι	II
Porters stony loam, 10 to 25 percent slopes	IV	Ι	II
Porters stony loam, 15 to 25 percent slopes	IV	Ι	II
Porters stony loam, 15 to 45 percent slopes	IV	Ι	II
Porters stony loam, 25 to 45 percent slopes	IV	Ι	III
Porters stony loam, ALL OTHER	IV	Ι	IV
Porters-Unaka complex, 8 to 15 percent slopes, stony	IV	Ι	Π
Porters-Unaka complex, 15 to 30 percent slopes, stony	IV	Ι	Π
Porters-Unaka complex, 30 to 50 percent slopes, stony	IV	Ι	III
Porters-Unaka complex, 50 to 95 percent slopes, rocky	IV	Ι	IV
Potomac, frequently flooded, ALL	IV	II	IV
Potomac-Iotla complex, 0 to 3 percent slopes, mounded, frequently flooded	IV	II	IV
Rabun loam, 6 to 25 percent slopes	IV	Ι	II
Rabun loam, 25 to 50 percent slopes	IV	Ι	III
Reddies, occasionally flooded	II	Π	II
Reddies, frequently flooded, ALL	IV	Π	IV
Rock outcrop	IV	VI	IV
Rock outcrop-Ashe complex, ALL	IV	VI	IV
Rock outcrop-Ashe-Cleveland complex, ALL	IV	VI	IV
Rock outcrop-Cataska complex, ALL	IV	VI	IV
Rock outcrop-Cleveland complex, ALL	IV	VI	IV
Rock outcrop-Cleveland complex, windswept, ALL	IV	VI	IV
Rock outcrop-Craggey complex, windswept, ALL	IV	VI	IV
Rosman, frequently flooded, ALL	IV	II	IV
Rosman, ALL OTHER	Ι	II	Ι
Rosman-Reddies complex, 0 to 3 percent slopes, occasionally flooded	Ι	II	I
Saunook gravelly loam, 2 to 8 percent slopes	Ι	Ι	Ι
Saunook gravelly loam, 8 to 15 percent slopes	Ι	Ι	Ι
Saunook gravelly loam, 8 to 15 percent slopes, stony	II	Ι	II
Saunook gravelly loam, 15 to 30 percent slopes	IV	Ι	II

Map Unit Name	Agri	For	Hort
Saunook gravelly loam, 15 to 30 percent slopes, stony	IV	I	II
Saunook gravelly loam, 30 to 50 percent slopes, stony	IV	Ι	III
Saunook loam, 2 to 8 percent slopes	I	I	I
Saunook loam, 8 to 15 percent slopes	Ι	Ι	Ι
Saunook loam, 8 to 15 percent slopes, stony	II	I	II
Saunook loam, 15 to 30 percent slopes, stony	IV	I	II
Saunook loam, 15 to 30 percent slopes, very stony	IV	Ι	III
Saunook loam, 30 to 50 percent slopes, very stony	IV	Ι	IV
Saunook sandy loam, 2 to 8 percent slopes	Ι	Ι	Ι
Saunook sandy loam, 8 to 15 percent slopes, stony	II	Ι	II
Saunook silt loam, 2 to 8 percent slopes	Ι	Ι	Ι
Saunook silt loam, 8 to 15 percent slopes, stony	II	Ι	II
Saunook-Nikwasi complex, 2 to 15 percent slopes	IV	Ι	III
Saunook-Thunder complex, ALL	IV	Ι	III
Saunook-Urban land complex, 2 to 15 percent slopes	IV	Ι	IV
Sauratown channery fine sandy loam, 8 to 15 percent slopes	IV	V	III
Sauratown channery fine sandy loam, 8 to 15 percent slopes, very stony	IV	V	III
Sauratown channery fine sandy loam, ALL OTHER	IV	V	IV
Soco-Cataska-Rock outcrop complex, 50 to 95 percent slopes	IV	VI	IV
Soco-Ditney complex, 6 to 25 percent slopes, stony	IV	III	III
Soco-Ditney complex, 8 to 15 percent slopes, very stony	IV	III	III
Soco-Ditney complex, 15 to 30 percent slopes, very stony	IV	III	III
Soco-Ditney complex, ALL OTHER	IV	III	IV
Soco-Stecoah complex, 8 to 15 percent slopes, stony	IV	III	II
Soco-Stecoah complex, 15 to 30 percent slopes	IV	III	III
Soco-Stecoah complex, 15 to 30 percent slopes, stony	IV	III	III
Soco-Stecoah complex, ALL OTHER	IV	III	IV
Soco-Stecoah complex, windswept, 30 to 50 percent slopes	IV	VI	IV
Spivey cobbly loam, extremely bouldery, ALL	IV	Ι	IV
Spivey stony loam, 10 to 40 percent slopes	IV	Ι	IV
Spivey-Santeetlah complex, 8 to 15 percent slopes, stony	IV	Ι	III
Spivey-Santeetlah complex, 15 to 30 percent slopes, stony	IV	Ι	III
Spivey-Santeetlah complex, stony, ALL OTHER	IV	Ι	IV
Spivey-Whiteoak complex, ALL	IV	Ι	IV
Statler, rarely flooded, ALL	Ι	Ι	Ι
Stecoah-Soco complex, 15 to 30 percent slopes, stony	IV	Ι	III
Stecoah-Soco complex, 30 to 50 percent slopes, stony	IV	Ι	III
Stecoah-Soco complex, 50 to 80 percent slopes, stony	IV	Ι	IV
Stony colluvial land	IV	II	IV
Stony land	IV	VI	IV
Stony steep land	IV	VI	IV
Suncook loamy sand, ALL	IV	II	II
Sylco-Cataska complex, ALL	IV	IV	IV
Sylco-Rock outcrop complex, 50 to 95 percent slopes	IV	IV	IV
Sylco-Soco complex, 10 to 30 percent slopes, stony	IV	IV	IV
Sylva-Whiteside complex, ALL	IV	Ι	II
Talladega, ALL	IV	IV	IV
Tanasee-Balsam complex, ALL	IV	VI	IV
Tate fine sandy loam, 2 to 6 percent slopes	Ι	Ι	Ι
Tate fine sandy loam, 2 to 7 percent slopes	Ι	Ι	Ι
Tate fine sandy loam, 2 to 8 percent slopes	Ι	Ι	Ι
Tate fine sandy loam, 2 to 8 percent slopes, very stony	IV	Ι	II

The fine sandy loam, 6 to 15 percent slopesIIIITate fine sandy loam, 7 to 15 percent slopesIIIITate fine sandy loam, 8 to 25 percent slopesIIIITate fine sandy loam, 8 to 15 percent slopesIIIITate fine sandy loam, 8 to 15 percent slopesIIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIITate loam, 2 to 6 percent slopesIIIITate loam, 6 to 10 percent slopesIIIIITate loam, 6 to 15 percent slopesIIIIITate loam, 15 to 25 percent slopesIVIIIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-Garnek ecomplex, ALLIVIVIVIVTate-Garnek ecomplex, ALLIVIIIITate-Garnek ecomplex, ALLIVIIIIITate-Garnek ecomplex, ALLIVIIIIITate-Garnek ecomplex, ALLIVIIIIIITate-Garnek ecomplex, ALLI	Map Unit Name	Agri	For	Hort
Tate fine sandy loam, 7 to 15 percent slopes II I I Tate fine sandy loam, 8 to 15 percent slopes IV I II Tate fine sandy loam, 8 to 25 percent slopes IV I II Tate fine sandy loam, 8 to 15 percent slopes IV I II Tate gravelly loam, 8 to 15 percent slopes, stony II I I Tate gravelly loam, 8 to 15 percent slopes, stony II I II Tate parkelly loam, 8 to 15 percent slopes, stony IV I II Tate loam, 6 to 16 percent slopes I I I I Tate loam, 6 to 15 percent slopes II I I I Tate loam, 6 to 15 percent slopes II I I I Tate loam, 15 to 30 percent slopes IV I II II II Tate loam, 15 to 30 percent slopes IV I II II II Tate loam, 15 to 30 percent slopes IV I II III III Tate-fronch complex, 2.4 I D percent slopes				
Tate fine sandy loam, 8 to 15 percent slopesIIIIITate fine sandy loam, 15 to 25 percent slopesIVIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIITate gravelly loam, 5 to 30 percent slopes, stonyIIIIITate loam, 2 to 6 percent slopesIIITate loam, 6 to 10 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 5 to 30 percent slopesIVIIITate loam, 5 to 30 percent slopesIVIIITate loam, 5 to 30 percent slopesIVIIITate-Canche complex, 2 to 10 percent slopesIIIITate-Canche complex, 4LLIVIIVTate-Green complex, 4LLIVIIITate-Green complex, ALLIVIIIITransylvania silt loamIIIIITuckasegee-Cullasigia complex, 10 50 percent slopes, stonyIVIITuckasegee-Cullasigia complex, 8 to 15 percent slopes, stonyIVIITuckasegee-Cullasigia complex, 10 to 30 percent slopesIIIITate-Green Cullasija complex, 8 to 15 percent slopesIIIIITuckasegee-Cullas				
Trace fine sandy loam, 8 to 25 percent slopesIVIIITate fine sandy loam, 15 to 25 percent slopesIVIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIITate gravelly loam, 5 to 30 percent slopes, stonyIIIIIITate gravelly loam, 5 to 30 percent slopes, stonyIVIIITate gravelly loam, 5 to 30 percent slopesIIITate store, 10 percent slopesIIITate loam, 6 to 16 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 5 to 25 percent slopesIVIIITate loam, 5 to 25 percent slopesIVIIITate-French complex, 0 to 25 percent slopesIVIIITate-Greenlee complex, 0 to 25 percent slopesIVIIITate-Greenlee complex, ALLIVIVIIToccare-Tusquitee complex, ALLIVIIIVTockasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIITuckasegee-Cullasaja complex, 8 to 15 percent slopesIIIITuckasegee-Cullasaja complex, 8 to 15 percent slopesIIIITuckasegee-Cullasaja complex, 8 to 15				
Tute line sandy loam, 15 to 25 percent slopesIVIIITate gravelly loam, 8 to 15 percent slopes, stonyIIIIITate gravelly loam, 15 to 30 percent slopes, stonyIIIIIITate loam, 2 to 8 percent slopes, stonyIVIIIITate loam, 2 to 6 percent slopesIIIIITate loam, 6 to 15 percent slopesIVIIIIITate loam, 15 to 25 percent slopesIVIIIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIIIITate-Cullowhee complex, 2 to 10 percent slopesIVIIIIITate-Greene complex, ALLIVIVIVIVIVTotae-Greene complex, ALLIVIIIVIVTransylvania silt toamIIIIIIITrackoreguely loam, ALLIVIIIVIVTuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIVTuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIVTuckasegee-Cullasaja complex, 8 to 15 percent slopesIIIIIITuckasegee-Cullasaja complex, 8 to 15 percent slopesIIIIIITuck	· · · ·			
Tate gravelly loam, 8 to 15 percent slopes, stony II I I Tate gravelly loam, 15 to 30 percent slopes, stony IV I II Tate gravelly loam, 5 to 30 percent slopes, stony IV I II Tate loam, 2 to 6 percent slopes I I I Tate loam, 6 to 10 percent slopes II I I Tate loam, 6 to 15 percent slopes II I I Tate loam, 6 to 15 percent slopes II I I Tate loam, 10 to 15 percent slopes III I I Tate loam, 15 to 30 percent slopes IV I II Tate-French complex, 2 to 10 percent slopes IV I II Tate-French complex, 3 to 10 percent slopes IV I II Tate-Franch complex, 4 LL IV I IV III Tate-Franch complex, 4 LL IV I IV III Trans-Vranch complex, 4 LL IV II IV III Transvprain sit loam I III III III	· · · · ·			
Tate gravelly loam, 8 to 15 percent slopes, stony II I II Tate gravelly loam, 15 to 30 percent slopes, stony IV I II Tate loam, 2 to 6 percent slopes I I I Tate loam, 6 to 10 percent slopes II I I Tate loam, 6 to 15 percent slopes II I I Tate loam, 6 to 15 percent slopes II I I Tate loam, 10 to 15 percent slopes II I I Tate loam, 5 to 25 percent slopes IV I II Tate loam, 5 to 30 percent slopes IV I II Tate-Greenlee complex, 0 to 25 percent slopes IV I II Tate-Greenlee complex, ALL IV I IV Tate-Greenlee complex, ALL IV I IV Transorgarely loam, AL IV II IV Trainor gravely loam, AL IV II IV Transorgarely loam, AL IV II IV Trainor gravely loam, AL IV II IV	· · · ·			
Tate gravelly loam, 15 to 30 percent slopes, stony IV I II Tate loam, 2 to 6 percent slopes I I I I Tate loam, 2 to 8 percent slopes I I I I Tate loam, 6 to 15 percent slopes II I I I Tate loam, 8 to 15 percent slopes II I I I Tate loam, 10 to 15 percent slopes II I I I Tate loam, 15 to 25 percent slopes IV I II II Tate-French complex, 2 to 10 percent slopes II I IV II Tate-French complex, ALL IV I IV II IV Transtytania sit loam I II IV IV IV IV Transytania sit loam I II III III IV IV Transytania sit loam I II III IV IV IV IV IV Transytania sit loam I II III IV <td></td> <td></td> <td></td> <td></td>				
Tate loam, 2 to 6 percent slopesIIITate loam, 6 to 10 percent slopesIIIITate loam, 6 to 10 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 10 to 15 percent slopesIIIITate loam, 10 to 15 percent slopesIIIITate loam, 15 to 25 percent slopesIVIIITate loam, 15 to 30 percent slopesIVIIITate-Cancel complex, 0 to 25 percent slopesIVIIITate-Green complex, ALLIVIIVTate-Green complex, ALLIVIIIToxaway, ALIVIIIITrans-Green complex, ALLIVIIIITransguitee complex, ALLIVIIIITransguitee complex, ALLIVIIIITransguitee complex, ALLIVIIIITransguitea complex, 15 to 30 percent slopes, stornyIVIITuckasegee-Cullasaja complex, 15 to 30 percent slopes, extremely stornyIVIITuckasegee-Cullasaja complex, 2 to 8 percent slopesIIITuckasegee-Cullasaja complex, 2 to 8 percent slopesIIITuckasegee-Cullasaja complex, 3 to 50 percent slopesIIIITuckasegee-Cullasaja complex, 4 to 15 percent slopesIIIITuckasegee-Cullasaja complex, 5 to 80 percent slopesIIIITuckasegee-Cullasaja complex, 5 to 50 percent slopesIIIITuckasegee-Cullas				
Tate loam, 2 to 8 percent slopesIIITate loam, 6 to 15 percent slopesIIIITate loam, 6 to 15 percent slopesIIIITate loam, 8 to 15 percent slopesIIIITate loam, 15 to 35 percent slopesIVIIITate loam, 15 to 35 percent slopesIVIIITate loam, 15 to 35 percent slopesIVIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-Greenlee complex, ALLIVIIVIVTomote-Susquice complex, ALLIVIIIVToxaway, ALI.IVIIIVIVTransylvania silt loamIIIIIIITuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIVTuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 8 to 15 percent slopesIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIIIITusquitee loam, 7 to 15 percent slopesIIIIIIITusquitee loam, 6 to 15 percent slopesIIIIIITusquitee loam, 6 to 15 percent slopesIIIIIITusquitee loam, 7 to 15 percent slopesIIIIIIITusquitee loam,				
Tate loam, 6 to 10 percent slopes II I I Tate loam, 8 to 15 percent slopes II I I Tate loam, 10 to 15 percent slopes II I I Tate loam, 10 to 15 percent slopes IV I II Tate loam, 15 to 30 percent slopes IV I II Tate loam, 5 to 30 percent slopes IV I II Tate-Callowhee complex, 0 to 25 percent slopes IV I II Tate-Greenlee complex, ALL IV I IV IV Thunder-Saunook complex, ALL IV I IV IV Toecane-Tusquitee complex, ALL IV I IV IV Tramsuplyania silt loam I II II II Trimont gravelly loam, ALL IV I IV IV Tuckasegee-Cullasaja complex, 8 to 15 percent slopes, stony IV II IV Tuckasegee-Cullasaja complex, 30 to 5 percent slopes I II I Tuckasegee-Cullasaja complex, 30 to 5 percent slopes I II I Tuscastee and Spivey stony soils, ALL IV				
Tate loam, 6 to 15 percent slopesIIIITate loam, 10 to 15 percent slopesIIIITate loam, 10 to 15 percent slopesIVIIITate loam, 15 to 30 percent slopesIVIIITate-Callwhee complex, 0 to 25 percent slopesIVIIITate-Callwhee complex, 0 to 25 percent slopesIVIIITate-Callwhee complex, ALLIVIIITate-Greenlee complex, ALLIVIIITransylvania silt loamIIIIITransylvania silt loamIIIIITransylvania silt loamIIIIITrackasegee-Cullasaja complex, 3 to 30 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 3 to 30 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 3 to 50 percent slopes, very stonyIVIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIITusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 7 to 15 percent slopesIIITusquitee loam, 10 to 15 percent slopesIVITusquitee loam, 10 to 15 percent slo	* *			
Tate loam, 8 to 15 percent slopesIIIITate loam, 10 to 15 percent slopesIIIITate loam, 15 to 32 percent slopesIVIIITate loam, 15 to 30 percent slopesIVIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-French complex, 2 to 10 percent slopesIIIIITate-French complex, ALLIVIVIIVThunder-Saunook complex, ALLIVIVIIIVToecane-Tusquitee complex, ALLIVIIIIIITransylvania silt loamIIIIIIIIITransylvania silt loamIIIIIIIIITuckasegee-Cullasaja complex, 3 to 15 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 30 to 50 percent slopes, very stonyIVIIIVTuckasegee-Whiteside complex, 2 to 8 percent slopesIIIIIITusquitee loam, 6 to 15 percent slopesIIIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee stony loam, 25 to 45 percent slopesIIIITusquitee stony loam, 25 to 45 percent slopesIVIIVUdorth				
Tate loam, 10 to 15 percent slopesIIIITate loam, 15 to 32 percent slopesIVIIITate loam, 15 to 30 percent slopesIVIIITate-Createl complex, 2 to 10 percent slopesIVIIITate-Greenel complex, ALLIVIIITate-Greenel complex, ALLIVIIVThunder-Saunook complex, ALLIVIIVToxaway, ALIVIIIITransylvania silt loamIIIIITransylvania silt loamIIIIITuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 8 to 15 percent slopesIIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIITusquite and Spivey stony soils, ALLIVITusquite loam, 6 to 15 percent slopesIITusquite loam, 7 to 15 percent slopesIIITusquite loam, 7 to 15 percent slopesIIITusquite loam, 10 to 15 percent slopesIVITusquite loam, 10 to 15 percent slopesIVITusquite l	* *			
Tate loam, 15 to 25 percent slopesIVIIITate-Culowhee complex, 0 to 25 percent slopesIVIIITate-Culowhee complex, ALLIVIIITate-Greenlee complex, ALLIVIIITate-Greenlee complex, ALLIVIIIThunder-Saunook complex, ALLIVIIIVThunder-Saunook complex, ALLIVIIIIToecane-Tusquitee complex, ALLIVIIIITransylvania silt loamIIIIITransylvania silt loamIIIIITruckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIVTuckasegee-Cullasaja complex, 3 to 50 percent slopes, extremely stonyIVIITuckasegee-Whiteside complex, 3 to 50 percent slopesIIITusquitee and Spivey stony soils, ALLIVIIVTusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIVII				
Tate loam, 15 to 30 percent slopesIVIIITate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-French complex, ALLIVIIVTate-Greenlee complex, ALLIVIIVTrate-Greenlee complex, ALLIVIIIVToecane-Tusquitee complex, ALLIVIIIIITocana-Tusquite complex, ALLIVIIIVTransylvania silt loamIIIIIITrimont gravelly loam, ALLIVIVIITuckasegee-Cullasaja complex, 3 to 15 percent slopes, stonyIVIITuckasegee-Cullasaja complex, 3 to 50 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 3 to 50 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 3 to 50 percent slopes, extremely stonyIVIITusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIIIITusquitee loam, 15 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIVIIVTusquitee loam, 15 to 25 percent slopesIVIIITusquitee loam, 1	* *			
Tate-Cullowhee complex, 0 to 25 percent slopesIVIIITate-French complex, ALLIVIIITate-Greenelee complex, ALLIVIIVThunder-Saunook complex, ALLIVIIIVTocacane-Tusquitee complex, ALLIVIIIIToxaway, ALLIVIIIITransylvania silt loamIIIIITransylvania silt loamIIIIITransylvania silt loamIIIIITuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIITuckasegee-Whiteside complex, 15 to 50 percent slopesIIIITuckasegee-Whiteside complex, 15 to 50 percent slopesIIIITuckasegee-Whiteside complex, 15 to 50 percent slopesIIIITuckasegee-Whiteside complex, 16 to 15 percent slopesIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIVITusquitee loam, 15 to 25 percent slopesIVITusquitee loam, 15 to 25 percent slopes, occasionallyIVIVUdifluxents, loamy, ALLIVVIVUdifluxents, loa	* *			
Tate-French complex, 2 to 10 percent slopesIIIIIITate-Greenlee complex, ALLIVIVIIVThunder-Saunook complex, ALLIVIVIIIVThunder-Saunook complex, ALLIVIIIVIIToecane-Tusquitee complex, ALLIVIIIIIITransylvania silt loamIIIIIIITransylvania silt loamIIIIIIITransylvania silt loamIIIIIIITrackasegee-Cullasaja complex, 8 to 15 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIIIVTuckasegee-Whiteside complex, 2 to 8 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIIIIIVTusquitee loam, 6 to 10 percent slopesIIIIIITusquitee loam, 7 to 15 percent slopesIIIIITusquitee loam, 10 to 15 percent slopesIIIIITusquitee loam, 15 to 25 percent slopesIIIIITusquitee stony loam, ALL OTHERIVIIVIVUdorthents, Ioamy, ALLIVIIVIVUdorthents-Pits complex, ALLIVIIIVIVUdorthents-Pits complex, ALLIVIIVIVUdorthents-Pits complex, ALLIVIIVIVUdorthents-Pits complex, 30 to 95 percent slopes, occas				
Tate-Greenlee complex, ALLIVIIVThunder-Saunook complex, ALLIVIIIVToecane-Tusquitee complex, ALLIVIIIIITocane-Tusquitee complex, ALLIVIIIIITransylvania silt loamIIIIITrimont gravelly loam, ALLIVIIVTuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIITuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIITuckasegee-Whiteside complex, 2 to 8 percent slopes, extremely stonyIVIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIVIIVUdorthents, Ioamy, ALLIVIIVUdorthents, Ioamy, ALLIVIIVUdorthents, Ioamy, ALLIVIVIVUdorthents, Ioamy, ALLIVVIVUdorthents-Pits complex, NuLLIVVIVUdorthents, Ioamy, ALLIVVIVUdorthents, Ioamy, ALLIVVIVUdorthents, Ioamy, ALLIVVIVUdorthents, Ioamy, ALL <t< td=""><td></td><td></td><td></td><td></td></t<>				
Thunder-Saunook complex, ALLIVIIIVToecane-Tusquitee complex, ALLIVIIIIITransylvania silt loamIIIIITransylvania silt loamIIIIITrimont gravelly loam, ALLIVIIVTuckasegee-Cullasaja complex, 15 to 30 percent slopes, stonyIVIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIITuckasegee-Cullasaja complex, 20 to 8 percent slopesIIITuckasegee-Cullasaja complex, 15 to 30 percent slopesIIITuckasegee-Whiteside complex, 20 to 8 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIITusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 7 to 15 percent slopesIIITusquitee loam, 8 to 15 percent slopesIIITusquitee loam, 15 to 25 percent slopesIIITusquitee loam, 15 to 45 percent slopesIVITusquitee stony loam, ALL OTHERIVIUdorthents-Pits complex, nounded, 0 to 2 percent slopes, occasionallyIVVIVVIVUdorthents-Pits complex, 30 to 95 percent slopes, occasionallyIVVIVVIVVIVUdorthents-Pits complex, 15 to 45 percent slopes, occasionallyIVVIVVVIVVUdorthents-Pits complex, 01 to 95 percent slopes, occasionallyIVVVIVUnicon f	* * *			
Toecane-Tusquitee complex, ALLIVIIIIITransylvania silt loamIVIIIITransylvania silt loamIIIIITrimont gravelly loam, ALLIVIIVTuckasegee-Cullasaja complex, 15 to 30 percent slopes, stonyIVIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIITusquitee loam, 7 to 15 percent slopesIIITusquitee loam, 7 to 15 percent slopesIIITusquitee loam, 8 to 15 percent slopesIIITusquitee loam, 15 to 25 percent slopesIVITusquite loam, 15 to 25 percent slopesIVITusquite loam, 15 to 25 percent slopesIVITusquite stony loam, ALLIVIUdorthents, frequently flooded, ALLIVIUdorthents, Intervent slopes, 0IVIIIIVVVorthents, Potter complex, 30 to 95 percent slopes, 0IVIIVIVUdorthents, Frequently flooded, ALLIVUdorthents, Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVVIVUnaka-Porters complex, 30 to 95 percent slopes, extremely boulderyIVUnison fine sandy loam, 2 to 8 percent slopes, 0 </td <td></td> <td></td> <td></td> <td></td>				
Toxaway, ALLIVIIIVTransylvania silt loamIIIITrimont gravelly loam, ALLIVIIVTuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, very stonyIVIIIIITuckasegee-Whiteside complex, 30 to 50 percent slopes, extremely stonyIVIIIVTuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIITusquitee and Spivey stony soils, ALLIVIIVTusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee stony loam, ALLIVIIITusquitee stony loam, ALLIVIIIUdorthents, Ioamy, ALLIVIIIUdorthents, Ioamy, ALLIVIIIUdorthents, Ioamy, ALLIVVIVUdorthents-Pits complex, nounded, 0 to 2 percent slopes, occasionallyIVVUdorthents-Pits complex, Xery rocky, ALLIVVIVUnian fine sandy loam, 2 to 8 percent slopes, very boulderyIVVUnian fine sandy loam, 3 to 15 percent slopesIIIUnison fine sandy loam, 3 to 15 percent slopesIIIUnison fine sandy loam, 3 to 15 percent slopesIVVUnison fine sand	· · · ·			
Transylvania silt loamIIIIITrimont gravelly loam, ALLIVIVIVTuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIIITuckasegee-Cullasaja complex, 30 to 50 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIIIVTuckasegee-Whiteside complex, 2 to 8 percent slopesIIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIITusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIVIIIUdorthents, frequently flooded, ALLIVIIIIUdorthents, frequently flooded, ALLIVIIIIUdorthents-Pits complex, 80 to 95 percent slopes, occasionallyIVVIVUdorthents-Pits complex, 80 to 95 percent slopes, very boulderyIVVIVUdorthents-Pits complex, 30 to 95 percent slopes, very boulderyIVVIVUdorthents-Pits complex, 30 to 95 percent slopes, very boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, very boulderyIVV	· · ·			
Trimont gravelly loam, ALLIVIIVTuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIIITuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 2 to 8 percent slopesIIIITuckasegee-Whiteside complex, 2 to 8 percent slopesIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIITusquitee and Spivey stony soils, ALLIVIIVTusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 10 to 5 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIITusquitee stony loam, ALL OTHERIVIIIIUdorthents, frequently flooded, ALLIVIIIIUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Urban land complex, ALLIVVIVVUnaka-Rock outcrop complex, 30 to 95 percent slopesIIIUnicoi-Rock outcrop complex, 30 to 95 percent slopes, occasionallyIVVIVUnaka-Rock outcrop complex, 30 to 95 percent slopesIIIUnicoi-Rock outcrop complex, 30 to 95 percent slopesIIIUnicoi-Rock o				
Tuckasegee-Cullasaja complex, 8 to 15 percent slopes, stonyIVIIIIITuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIIIVTuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIITusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIIITusquitee loam, 6 to 15 percent slopesIIIIITusquitee loam, 7 to 25 percent slopesIVIIVIVTusquitee loam, 7 to 25 percent slopesIVIIIIVTusquitee stony loam, ALL OTHERIVIIIIIVUdorthents, frequently flooded, ALLIVIVIVVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Virban land complex, ALLIVVIVVUnaka-Rock outcrop complex, 30 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIIUnison fine sandy loam, 8 to 15 percent slopesIII	· · · · · · · · · · · · · · · · · · ·			
Tuckasegee-Cullasaja complex, 15 to 30 percent slopes, very stonyIVIIIVTuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIIIVTuckasegee-Whiteside complex, 2 to 8 percent slopesIIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIITusquitee and Spivey stony soils, ALLIVIIVTusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 10 to 5 percent slopesIIIITusquitee loam, 10 to 5 percent slopesIVIIVTusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALLIVIIVIVUdorthents, loamy, ALLIVIIVIVUdorthents, loamy, ALLVVIVIVUdorthents-Urban land complex, ALLIVVIVIVUnaka-Porters complex, so to 95 percent slopes, extremely boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, very boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopesIIII <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
Tuckasegee-Cullasaja complex, 30 to 50 percent slopes, extremely stonyIVIIIVTuckasegee-Whiteside complex, 2 to 8 percent slopesIIIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIIIITusquitee and Spivey stony soils, ALLIVIVIIVTusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIIITusquitee loam, 7 to 15 percent slopesIIIIITusquitee loam, 8 to 15 percent slopesIIIIITusquitee loam, 15 to 25 percent slopesIVIIIIITusquitee stony loam, ALL OTHERIVIIIIIIIUdorthents, loamy, ALLIVIIIIIVUdorthents-Pits complex, Mudd, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Pits complex, ALLIVVIVIVUncoi-Rock outcrop complex, 30 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 3 to 15 percent slopesIIIIIUdorthents-Urban land complex, ALLIVVIVIVUnison fine sandy loam, 2 to 8 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 15 to 25 percent slopesIIIIUni				
Tuckasegee-Whiteside complex, 2 to 8 percent slopesIIIIITuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIIITusquitee and Spivey stony soils, ALLIVIIVTusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 10 to 5 percent slopesIIIITusquitee loam, 10 to 5 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIIIUdifluvents, frequently flooded, ALLIVIIIIUdorthents, loamy, ALLIVIIIIUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Urban land complex, ALLIVVIVIVUnaka-Porters complex, 50 to 95 percent slopes, very boulderyIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 2 to 8 percent slopesIIIIIUnison loam, 2 to 8 percent slopesIIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 8 to 15 percent slopes <td< td=""><td></td><td></td><td></td><td></td></td<>				
Tuckasegee-Whiteside complex, 8 to 15 percent slopesIIIIIIITusquitee and Spivey stony soils, ALLIVIVIVTusquitee loam, 6 to 10 percent slopesIIITusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIIIITusquitee stony loam, 25 to 45 percent slopesIVIIITusquitee stony loam, ALL OTHERIVIIIIUdorthents, frequently flooded, ALLIVIIIIUdorthents, frequently flooded, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Urban land complex, ALLIVVIVVUnicoi-Rock outcrop complex, 50 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIIUnison fine sandy loam, 15 to 35 percent slopesIIIIIUnison loam, 8 to 15 percent slopesIIIIIIUnison loam, 8 to 15 percent slopesIIIII <td></td> <td></td> <td></td> <td></td>				
Tusquite and Spivey story soils, ALLIVIIVTusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIIITusquitee loam, 7 to 15 percent slopesIIIIITusquitee loam, 8 to 15 percent slopesIIIIITusquitee loam, 10 to 15 percent slopesIIIIITusquitee loam, 10 to 15 percent slopesIVIIIIITusquitee loam, 15 to 25 percent slopesIVIIIIIITusquitee story loam, 25 to 45 percent slopesIVIIIIUdifluvents, frequently flooded, ALLIVIIIIUdorthents, loamy, ALLIVIIIIUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Urban land complex, ALLIVVIVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 8 to 15 percent slopesIIIIUnison				
Tusquitee loam, 6 to 10 percent slopesIIIITusquitee loam, 6 to 15 percent slopesIIIIITusquitee loam, 7 to 15 percent slopesIIIIITusquitee loam, 8 to 15 percent slopesIIIIITusquitee loam, 10 to 15 percent slopesIIIIITusquitee loam, 15 to 25 percent slopesIVIIIIITusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALL OTHERIVIIIIUdifluvents, frequently flooded, ALLIVIVIVUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVUdorthents-Urban land complex, ALLIVVIVUnkaa-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison loam, 3 to 15 percent slopesIIIIUnison loam, 3 to 15 percent slopesIIIIUnison loam, 3 to 15 percent slopesIIIIUnison loam, 4 to 5 perce				
Tusquitee loam, 6 to 15 percent slopesIIIITusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALL OTHERIVIIIIUdorthents, frequently flooded, ALLIVIVIVUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVVIVVIVUdorthents-Urban land complex, ALLIVVIVUnicoi-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 3 to 15 percent slopesIIIIIUnison loam, 2 to 8 percent slopesIVIIIIIUnison loam, 8 to 15 percent slopesIIIIUnison loam, 3 to 30 percent slopesIIIIIUnison loam, 3 to 15 percent slopesIIIIIUnison loam, 3 to 15 percent slopesIIIII <td></td> <td></td> <td></td> <td></td>				
Tusquitee loam, 7 to 15 percent slopesIIIITusquitee loam, 8 to 15 percent slopesIIIIITusquitee loam, 10 to 15 percent slopesIIIIITusquitee loam, 15 to 25 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIITusquitee stony loam, ALL OTHERIVIIIIUdorthents, frequently flooded, ALLIVIIIIUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 3 to 15 percent slopesIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIII<	· · · ·			
Tusquitee loam, 8 to 15 percent slopesIIIITusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALL OTHERIVIIIIUdifluvents, frequently flooded, ALLIVIIIIUdorthents, loamy, ALLIVVIVUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIII				
Tusquitee loam, 10 to 15 percent slopesIIIITusquitee loam, 15 to 25 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALL OTHERIVIIIIUdifluvents, frequently flooded, ALLIVIIIIUdorthents, loamy, ALLIVVIVUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison fine sandy loam, 15 to 30 percent slopesIIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIII				
Tusquitee loam, 15 to 25 percent slopesIVIIITusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALL OTHERIVIIIIUdifluvents, frequently flooded, ALLIVIIIIUdorthents, loamy, ALLIVVIVUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Urban land complex, ALLIVVIVVUnaka-Porters complex, very rocky, ALLIVVIVVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIII	· · · ·			
Tusquitee stony loam, 25 to 45 percent slopesIVIIVTusquitee stony loam, ALL OTHERIVIIIIUdifluvents, frequently flooded, ALLIVIVIIUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVUdorthents-Urban land complex, ALLIVVIVVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 3 to 15 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIII				
Tusquitee stony loam, ALL OTHERIVIIIIUdifluvents, frequently flooded, ALLIVIVIIIVUdorthents, loamy, ALLIVVIVVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVfloodedIVVIVVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIIII				
Udifluvents, frequently flooded, ALLIVIIIVUdorthents, loamy, ALLIVVIVUdorthents, loamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVfloodedIVVIVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIUnison loam, 15 to 30 percent slopesIVIIIII				
Udorthents, Ioamy, ALLIVVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVfloodedIVVIVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 25 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIII			II	
Udorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIVfloodedIVVIVUdorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIII				
floodedIVVUdorthents-Urban land complex, ALLIVVUnaka-Porters complex, very rocky, ALLIVVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVUnison fine sandy loam, 2 to 8 percent slopesIIUnison fine sandy loam, 8 to 15 percent slopesIVIUnison fine sandy loam, 15 to 25 percent slopesIIUnison loam, 2 to 8 percent slopesIIIIIUnison loam, 15 to 30 percent slopesII </td <td></td> <td></td> <td></td> <td></td>				
Udorthents-Urban land complex, ALLIVVIVUnaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 8 to 15 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 30 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIIII				
Unaka-Porters complex, very rocky, ALLIVVIVUnaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 8 to 15 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 15 to 25 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIIIII		IV	V	IV
Unaka-Rock outcrop complex, 50 to 95 percent slopes, very boulderyIVVIIVUnicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 8 to 15 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 3 to 15 percent slopesIIIIIUnison loam, 3 to 15 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIIII				
Unicoi-Rock outcrop complex, 30 to 95 percent slopes, extremely boulderyIVVIVUnison fine sandy loam, 2 to 8 percent slopesIIIIUnison fine sandy loam, 8 to 15 percent slopesIIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIIIUnison loam, 2 to 8 percent slopesIVIIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIIII				
Unison fine sandy loam, 2 to 8 percent slopesIIIUnison fine sandy loam, 8 to 15 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIUnison loam, 2 to 8 percent slopesIIIUnison loam, 8 to 15 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIUnison loam, 15 to 30 percent slopesIVIII				
Unison fine sandy loam, 8 to 15 percent slopesIIIIUnison fine sandy loam, 15 to 25 percent slopesIVIIIUnison loam, 2 to 8 percent slopesIIIUnison loam, 8 to 15 percent slopesIIIIUnison loam, 15 to 30 percent slopesIVIII				
Unison fine sandy loam, 15 to 25 percent slopesIVIIIUnison loam, 2 to 8 percent slopesIIIIUnison loam, 8 to 15 percent slopesIIIIIUnison loam, 15 to 30 percent slopesIVIIIII				
Unison loam, 2 to 8 percent slopesIIIUnison loam, 8 to 15 percent slopesIIIIUnison loam, 15 to 30 percent slopesIVIII				
Unison loam, 8 to 15 percent slopesIIIIUnison loam, 15 to 30 percent slopesIVIII				
Unison loam, 15 to 30 percent slopes IV I II		II		
	Urban land	IV	VI	II

MLRA 130 – Mountains

Map Unit Name	Agri	For	Hort
Watauga loam, 6 to 10 percent slopes	III	Ι	II
Watauga loam, 6 to 15 percent slopes	III	Ι	II
Watauga loam, 8 to 15 percent slopes	III	Ι	II
Watauga loam, ALL OTHER	IV	Ι	III
Watauga sandy loam, 8 to 15 percent slopes, stony	III	Ι	II
Watauga sandy loam, 15 to 30 percent slopes, stony	IV	Ι	II
Watauga sandy loam, 30 to 50 percent slopes, stony	IV	Ι	III
Watauga stony loam, 15 to 45 percent slopes	IV	Ι	IV
Wayah loam, windswept, eroded, stony, ALL	IV	VI	IV
Wayah sandy loam, stony, ALL	IV	V	IV
Wayah sandy loam, windswept, stony, ALL	IV	VI	IV
Wayah-Burton complex, 15 to 30 percent slopes, bouldery	IV	V	IV
Wayah-Burton complex, 30 to 50 percent slopes, bouldery	IV	V	IV
Wayah-Burton complex, 50 to 95 percent slopes, very rocky	IV	V	IV
Wayah-Burton complex, windswept, ALL	IV	V	IV
Whiteoak cobbly loam, 8 to 15 percent slopes, stony	II	Ι	II
Whiteoak cobbly loam, 15 to 30 percent slopes, stony	IV	Ι	III
Whiteoak fine sandy loam, 2 to 8 percent slopes	Ι	Ι	Ι
Whiteoak fine sandy loam, 8 to 15 percent slopes, stony	II	Ι	II
Whiteoak fine sandy loam, 15 to 30 percent slopes, very stony	IV	Ι	III
Whiteside-Tuckasegee complex, 2 to 8 percent slopes	Ι	Ι	Ι

Map Unit Name	Agri	For	Hort
Alluvial land, wet	III	III	III
Alpin, ALL	IV	II	IV
Altavista. ALL	I	I	I
Altavista-Urban land complex, 0 to 3 percent slopes, rarely flooded	IV	I	IV
Augusta, ALL	I	I	I
Autryville loamy sand, ALL	III	II	III
Autryville, ALL OTHER	IV	II	IV
Autryville-Urban land complex, 0 to 6 percent slopes	IV	II	IV
Aycock very fine sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Aycock, ALL OTHER	I	II	I
Ballahack fine sandy loam	I	I	I
Barclay very fine sandy loam	I	I	I
	I	I	I
Bethera loam, 0 to 1 percent slopes			
Bibb and Johnston soils, frequently flooded	IV	III	IV
Bibb, ALL	IV	III	IV
Blaney, ALL	IV	II	IV
Blanton, ALL	IV	V	IV
Bojac loamy fine sand, 0 to 3 percent slopes	III	II	III
Bonneau loamy fine sand, 0 to 4 percent slopes	II	II	II
Bonneau loamy sand, 0 to 4 percent slopes	II	II	II
Bonneau loamy sand, 0 to 6 percent slopes	II	II	II
Bonneau loamy sand, 6 to 12 percent slopes	III	II	III
Bonneau sand, 0 to 3 percent slopes	II	II	II
Butters fine sand, 0 to 2 percent slopes	II	II	II
Butters loamy sand, 0 to 2 percent slopes	II	II	II
Byars loam	II	Ι	II
Candor sand, 1 to 8 percent slopes	IV	V	IV
Candor sand, 8 to 15 percent slopes	IV	V	IV
Cape Fear loam	Ι	Ι	Ι
Caroline sandy loam, 0 to 2 percent slopes	II	II	II
Caroline sandy loam, 2 to 6 percent slopes	II	II	II
Centenary sand	IV	II	IV
Chastain and Bibb soils, 0 to 1 percent slopes, frequently flooded	IV	III	IV
Chastain silt loam, frequently flooded	IV	III	IV
Chewacla and Chastain soils, frequently flooded	IV	III	IV
Chewacla and Congaree loams, frequently flooded	III	III	III
Chewacla and Wehadkee soils, 0 to 1 percent slopes, frequently flooded	IV	III	IV
Chewacla loam	II	III	II
Chewacla loam, 0 to 1 percent slopes, occasionally flooded	II	III	II
Chewacla loam, frequently flooded	IV	III	IV
Chewacla silt loam	II	III	II
Chipley loamy sand (Pactolus)	IV	II	IV
Chipley sand, 0 to 2 percent slopes	IV	II	IV
Conetoe loamy sand, ALL	III	II	III
Congaree silt loam	I	III	I
Congaree silt loam, frequently flooded	I	III	I
Cowarts loamy sand, 2 to 6 percent slopes	I		I
		I	III
Cowarts loamy sand, 6 to 10 percent slopes	III	I	
Cowarts sandy loam, 6 to 12 percent slopes, eroded	IV II	I	IV II
Coxville loam		I	II
Coxville sandy loam		I	II
Craven fine sandy loam, 0 to 1 percent slopes	II	Ι	II

Map Unit Name	Agri	For	Hort
Craven fine sandy loam, 1 to 4 percent slopes	II	I	II
Craven fine sandy loam, 4 to 10 percent slopes	III	Ι	III
Craven loam, 1 to 4 percent slopes	II	Ι	II
Craven sandy clay loam, 1 to 4 percent slopes, eroded	II	Ι	II
Craven sandy loam, 2 to 6 percent slopes, eroded	II	Ι	II
Craven sandy loam, 2 to 6 percent slopes, eroded (Gritney)	II	Ι	II
Craven sandy loam, 6 to 10 percent slopes, eroded (Gritney)	III	Ι	III
Craven-Urban land complex, 0 to 4 percent slopes	IV	Ι	IV
Croatan muck	Ι	V	Ι
Deloss loam	Ι	III	Ι
Dogue, ALL	II	Ι	II
Dothan loamy sand, 2 to 6 percent slopes	II	Ι	II
Dothan, ALL OTHER	Ι	Ι	Ι
Dragston loamy sand	Ι	III	Ι
Dunbar, ALL	II	Ι	II
Duplin, ALL	II	Ι	II
Duplin-Urban land complex, 0 to 5 percent slopes	IV	Ι	IV
Dystrochrepts, steep	IV	II	IV
Emporia, ALL	II	II	II
Emporia-Urban land complex, 0 to 6 percent slopes	IV	II	IV
Emporia-Wedowee complex, 2 to 6 percent slopes	II	II	II
Eustis, ALL	IV	II	IV
Exum, ALL	I	II	I
Faceville fine sandy loam, ALL	II	II	II
Faceville loamy sand, 6 to 10 percent slopes, eroded	IV	II	IV
Faceville loamy sand, ALL OTHER	II	II	II
Faceville sandy loam, 0 to 2 percent slopes	II	II	II
Faceville sandy loam, 2 to 6 percent slopes	II	II	II
Faceville sandy loam, 2 to 6 percent slopes, eroded	III	II	III
Faceville sandy loam, 6 to 10 percent slopes, eroded	IV	II	IV
Faceville-Urban land complex, 0 to 6 percent slopes	IV	II	IV
Foreston loamy sand, ALL	II	II	II
Fuquay, ALL	IV	II	IV
Gilead loamy sand, 0 to 2 percent slopes	III	II	III
Gilead loamy sand, 10 to 15 percent slopes	IV	II	IV
Gilead loamy sand, 2 to 6 percent slopes	IV	II	IV
Gilead loamy sand, 2 to 6 percent slopes, eroded	III	II	III
Gilead loamy sand, 6 to 10 percent slopes	IV	II	IV
Gilead loamy sand, 6 to 10 percent slopes, eroded	IV	II	IV
Gilead sandy loam, 2 to 8 percent slopes	III	II	III
Gilead sandy loam, 8 to 15 percent slopes	IV	II	IV
Goldsboro, ALL	Ι	Ι	Ι
Goldsboro-Urban land complex, ALL	IV	Ι	IV
Grantham, ALL	Ι	Ι	Ι
Grantham-Urban land complex	IV	Ι	IV
Grifton-Meggett complex, occasionally flooded	IV	Ι	IV
Gritney fine sandy loam, 2 to 6 percent slopes	II	II	II
Gritney fine sandy loam, 2 to 7 percent slopes	II	II	II
Gritney fine sandy loam, 4 to 8 percent slopes	III	II	III
Gritney fine sandy loam, 5 to 12 percent slopes, eroded	IV	II	IV
Gritney fine sandy loam, 6 to 10 percent slopes	III	II	III
Gritney fine sandy loam, 7 to 15 percent slopes	IV	II	IV

Map Unit Name	Agri	For	Hort
Gritney fine sandy loam, 10 to 15 percent slopes	IV	II	IV
Gritney loamy fine sand, 2 to 7 percent slopes	II	II	II
Gritney sandy clay loam, ALL	III	II	III
Gritney sandy loam, 2 to 5 percent slopes, eroded	III	II	III
Gritney sandy loam, 2 to 6 percent slopes	II	II	II
Gritney sandy loam, 5 to 12 percent slopes, eroded	IV	II	IV
Gritney sandy loam, 6 to 10 percent slopes	III	II	III
Gritney-Urban land complex, 2 to 12 percent slopes	IV	II	IV
Hoffman loamy sand, 6 to 10 percent slopes, eroded (Gilead)	IV	II	IV
Hoffman loamy sand, 10 to 20 percent slopes (Gilead)	III	II	III
Johns, ALL	II	I	II
Johnston, ALL	IV	III	IV
Kalmia loamy sand, 0 to 2 percent slopes	II	II	II
Kalmia loamy said, 0 to 2 percent slopes	II	II	II
	II	II	II
Kalmia loamy sand, 2 to 6 percent slopes	III	II	III
Kalmia loamy sand, 10 to 15 percent slopes			
Kalmia loamy sand, 15 to 25 percent slopes	IV	II	IV
Kenansville, ALL	III	II	III
Kinston, ALL	IV	III	IV
Kureb sand, 1 to 8 percent slopes	IV	V	IV
Lakeland, ALL	IV	V	IV
Leaf loam	III	Ι	III
Lenoir loam	III	Ι	III
Leon sand, ALL	IV	V	IV
Liddell very fine sandy loam	I	Ι	I
Lillington-Turbeville complex, 8 to 15 percent slopes	III	II	III
Lucy loamy sand	II	II	II
Lumbee, ALL	II	I	II
Lynchburg, ALL	Ι	Ι	Ι
Lynchburg-Urban land complex	IV	Ι	IV
Lynn Haven and Torhunta soils	II	II	II
Mantachie soils, local alluvium	II	III	II
Marlboro, ALL	II	II	II
Marlboro-Cecil complex, 2 to 8 percent slopes	II	II	II
Marvyn and Gritney soils. 6 to 15 percent slopes	IV	Ι	IV
Marvyn loamy sand, 6 to 12 percent slopes	IV	Ι	IV
Maxton loamy sand, 0 to 2 percent slopes	II	II	II
McColl loam	III	II	III
McQueen loam, 1 to 6 percent slopes	II	II	II
Meggett, ALL	IV	Ι	IV
Muckalee, ALL	IV	III	IV
Myatt very fine sandy loam	II	Ι	II
Nahunta, ALL	Ι	Ι	Ι
Nankin ,ALL	II	II	II
Nixonton very fine sandy loam	Ι	Ι	Ι
Norfolk and Faceville soils, 6 to 10 percent slopes	II	II	II
Norfolk loamy fine sand, ALL	Ι	II	Ι
Norfolk loamy sand, 0 to 2 percent slopes	I	II	I
Norfolk loamy sand, 2 to 6 percent slopes	I	II	I
Norfolk loamy sand, 2 to 6 percent slopes	II	II	II
Norfolk loamy sand, 6 to 10 percent slopes	II	II	II
Norfolk loamy sand, 6 to 10 percent slopes	III	II	III
There is a start of the percent stopes, eroued			

Norfolk sandy loam. 2 to 6 percent slopes I I I I Norfolk sandy loam. 2 to 6 percent slopes, croded II II II II Norfolk sandy loam. 2 to 6 percent slopes, croded II	Map Unit Name	Agri	For	Hort
Norfolk sandy loam, 2 to 6 percent slopesIIIINorfolk sandy loam, 6 to 10 percent slopesIIIIIINorfolk sandy loam, 6 to 10 percent slopesIIIIIINorfolk Georgeville, and Faceville soils, 2 to 8 percent slopesIIIIIINorfolk-Wedowee complex, 2 to 6 percent slopesIIIIIIOrfolk-Urban land complex, 0 to 3 percent slopesIIIIIIIIIOkenee loam (Paxville)IIIIIIIIIIIIOkenee loam (Paxville)IIIIIIIIIIIIOrangeburg loamy sand, eroded, ALLIIIIIIIIIIParalico muckIIIIIIIIIIIIPanilico muckIIIIIIIIIIIIIIIParwille loam sand, ALLIIIIIIIIIIIIParwille loamIIIIIIIIIIIIParwille loamIIIIIIIIIIIIParwille loamIVVIVIVPummer, ALLIVVIVIVPlummer, ALLIVVIVIVPocalla loamy sand, frequently floodedIVIIIIIIPlummer, ALLIIIIPocalla loamy sand, frequently floodedIVIIIIIIPortsmouk, ALLIIIIPortsmouk, ALLIIIIIIIIIPortsmouk, ALLIIIIIIIIPortsmouk, ALLIIIII <td< td=""><td></td><td></td><td>-</td><td></td></td<>			-	
Norfolk sandy loam, 2 to 6 percent slopes, erodedIIIIIINorfolk, Sandy loam, 6 to 10 percent slopesIIIIIINorfolk, Georgeville, and Faceville solis, 2 to 8 percent slopesIIIIIINorfolk, Urban land complex, 0 to 3 percent slopesIIIIIIIIINorfolk, Wedowee complex, 2 to 6 percent slopesIIIIIIIIIOcilla, ALLIIIIIIIIIIIIOcingeburg loamy sand, eroded, ALLIIIIIIIIIOrangeburg loamy sand, eroded, ALLIIIIIIIIIParciolas, ALLIIIIIIIParciolas, ALLIIIIIIIIIParciolas, ALLIIIIIIIIIParciolas, ALLIIIIIIIIIParciolas, ALLIIIIIIIIIParkigo, ALLIIIIIIIIIParkigo, ALLIIIIIIIIIParwille fine sandy loamIIIIIIIIIParwille, loamIIIIIIIIIParwille, ALLIVVIVPoralla loamy sand, 0 to 3 percent slopesIVVIVPolawana loamy sand, 0 to 3 percent slopesIVVIVPortsmouth, ALLIIIIPortsmouth, ALLIVIIVIVPortsmouth, ALLIVIIVIVPortsmouth, ALLIVIIVIVPortsmouth, ALLIVIIVIVRains-Urban land complex				
Norfolk sandy loam, 6 to 10 percent slopesIIIIIINorfolk-Unan land complex, 0 to 3 percent slopesIVIIIVNorfolk-Unan land complex, 2 to 6 percent slopesIIIIIIIIOkilla, ALLIIIIIIIIIIIIOkilla, ALLIIIIIIIIIIIIOrangeburg loamy sand, ended, ALLIIIIIIIIOrangeburg loamy sand, ALL OTHERIIIIIPamlico muckIIIIIIIPamlico muckIIIIIIIIParton sond, ALLIIIIIIIIParton sond, ALLIIIIIIIIParton sond, ALLIIIIIIIIParton sond, ALLIIIIIIIIParton sond, ALLIIIIIIIIIParton sond, ALLIIIIIIIIIParton sond, ALLIIIIIIIIIParton sond, ALLIIIIIIIIIParton sond, ALLIIIIIIIIIParton sond, ALLIVVIVPlummer, ALLIVVIVPlummer, ALLIVVIVPortsmouth, ALIIIIIPortsmouth, ALIIIIPortsmouth, ALIIIIPortsmouth, ALIIIIRains-Toisont complex, 0 to 2 percent slopesIVIRains-Toisont complex, ALLIIIIIIRains-Toisont complex, ALLIIIIII <t< td=""><td></td><td></td><td></td><td></td></t<>				
Norfolk. Georgeville, and Faceville soils, 2 to 8 percent slopes II II II II Norfolk-Urban land complex, 0 to 3 percent slopes II II II II Norfolk-Urban land complex, 0 to 3 percent slopes III III III III Ocilla, ALL III III III III III Okenee loam (Paxville) III III III III III Orangeburg loamy sand, eroded, ALL IV III II II II Particos, ALL IV III II IV III IV Pantico muck III II II II II IV Particos, ALL II I I I II III Particos, ALL II II III III III III Particos, ALL II I II III III III Particos, ALL IV V IV IV IV IV				
Norfolk-Urban Land complex, 0 to 3 percent slopes IV II IV Norfolk-Wedowe complex, 2 to 6 percent slopes II II II II Ocilla, ALL III II III III III III Orangeburg loamy sand, eroded, ALL III IV III IV III IV III IV III IV III IIII IIII IIII I				
Norfolk-Wedowee complex, 2 to 6 percent slopes II II II II Ocilla, ALL III III III III Okence Ioam (Paxville) II III III III Orangeburg Ioamy sand, eroded, ALL II II II II Orangeburg Ioamy sand, ALL OTHER I II II II Partotas, ALL IV II IV III Pantego, ALL I I I I Pantego, ALL II III III III Partos, ALL II III III III Partos, ALL II II III III Partos, ALL II III III III Partos, ALL IV V IV IV Plummer and Osier soils IV V IV IV Plummer and Osier soils IV V IV IV Plummer and Osier soils IV III III <td< td=""><td>· · · ·</td><td></td><td></td><td></td></td<>	· · · ·			
Ocilia, ALLIIIIIIIIIIIOkence loam (Paxville)IIIIIIOrangeburg loamy sand, eroded, ALLIIIIIIPactolus, ALLIVIIIIPactolus, ALLIVIIIVPantico muckIIIVIIIPaxelle loam sand, eroded, ALLIIIIIPatterion muckIIIVIIIPartico muckIIIIIIIPaxville fine sandy loamIIIIIIIIPaxville loamIIIIIIIIPaxville loam sand, ot a percent slopesIVVIPlummer, ALLIVVIVPlummer, ALLIVVVPlocalla loamy sand, frequently floodedIVVPorzer muck, siliceous subsoil variantIIIPortsmouth, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Toisnot complex, 0 to 2 percent slopesIVIIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke and Wahee loamsIIIIIIIIIRoanoke, ALLIVVIVVVRuston sandy loam, 2 to 6 percent slopes, erodedIVVIVRuston sandy loam, 2 to 6 percent slopes, erodedIVVIVRuston sandy loam, 2 to 6 percent slopes, erodedIVVIVRuston sandy loam, 2 to 6 percent slopes, eroded <td></td> <td></td> <td></td> <td></td>				
Okenee loam (Paxville)IIIIIIIIOrangeburg loamy sand, eroded, ALLIIIIIIOrangeburg loamy sand, ALL OTHERIIIIIPantico muckIIIVIIPantico muckIIIVIIPantico muckIIIVIIPantigo, ALLIIIPaxille fine sandy loamIIIIIIIPaxville fine sandy loamIIIIIIIPaxville fine sandy loamIIIIIIIPaxville fone sandy loamIIIIIIIPaxville fone sandy loamIIIIIIIPaxville fone sandy loamIIIIIIIPaxville fone sandy sand, 0 to 3 percent slopesIVVIVPlummer, ALLIVVIVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIIPolawana loamy sand, frequently floodedIVIIIIVPortsmouth, ALLIIIIPatins, ALLIIIIRains-Urban land complex, ALLIVIIVRiser-Urban land complex, ALLIVIIIIIIRains-Urban land complex, ALLIVIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, ALLIVVIVRuitey loamy sand, 1 to 6 percent slopes, erodedIVVIVRuitey cloamy sand, araely floodedIV <td< td=""><td></td><td></td><td></td><td></td></td<>				
Orangeburg loamy sand, eroded, ALLIIIIIIIIOrangeburg loamy sand, ALL OTHERIIIIPactolus, ALLIVIIIVIIPaneton, ALLIVIIIVIIPantego, ALLIIIIPantego, ALLIIIIIIIIPaxville fine sandy loamIIIIIIIIIPaxville fone sandy loamIIIIIIIIIPaxville fone sandy loamIIIIIIIIIPaxville fone sandy loamIIIIIIIIIPatrist-Tarboro complexIVVIIVVPlummer, ALLIVVIVIVPocalla loamy sand, for 3 percent slopesIIIIIIIIIPortsmouth, ALLIVIIVPortsmouth, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Toisnot complex, ALLIVVIVRains-Toisnot complex, ALLIIIIIIIIRoanoke, and Wahee loamsIIIIIIIRoanoke, ALLIIIIIIIIRoanoke, ALLIIIIIIIIRoanoke, ALLIIIIIIIIRoanoke, ALLIIIIIIIIRoanoke, ALLIIIIIIIIRoanoke, ALLIIIIIIII				
Orangeburg loamy sand, ALL OTHERIIIIPactolus, ALLIVIIIVIIIParnlico muckIIIVIIIPantigo, ALLIIIIPaxville fine sandy loamIIIIIIIIIIIPaxville fine sandy loamIIIIIIIIIIIPaxville fore sandy loamIIIIIIIIIIIPaxville fore sandy loamIIIIIIIIIIIPaxville loamIVVVIVPorabor complexIVVIIVPlummer, ALLIVVIIVPocala loamy sand, frequently floodedIVIIIIIIPortsmouth, ALLIIIIPortsmouth, ALLIIIIRains, ALLIVIIVIVRains-Toisnot complex, O to 2 percent slopesIVIIVRuins andIVVIVIVRimini sandIVVIVIVRoanoke and Wahee loamsIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke, ALLIIIIIIIIRuston loamy sand, rarely floodedIVVIVSeabrook loamy sand, rarely floodedIVIIIIVSuston loamy sand, rarely floodedIVIIIIIISuston loamy sand, rarely floodedIVIIIIIISuston loamy sand, rarely floodedIV				
Pactolus, ÅLL IV II IV Pantego, ALL II V III V Pantego, ALL I I I I Paxville fine sandy loam II III III III Paxville fine sandy loam II III III III Pawrick, ALL II III III III Pawrick, ALL II III III III Pits-Tarboro complex IV V IV V Plummer, ALL IV V IV V Porater muck, siliceous subsoil variant I V I IV Portsmouth, ALL I I I I I Rains-Toisnot complex, 0 to 2 percent slopes IV I IV Rains-Toisnot complex, ALL IV I IV Rains-Toisnot complex, ALL IV I IV IV IV IV Rains-Toisnot complex, ALL IV I IV IV <t< td=""><td></td><td></td><td></td><td></td></t<>				
Pamilico muckIIIVIIIPanelico, ALLIIIIPaxville fines sandy loamIIIIIIIIIIIPaxville loamIIIIIIIIIIIPaxville loamIIIIIIIIIIIPexville loamIIIIIIIIIIIPats-Tarboro complexIVVIIVPlummer and Osier soilsIVIIVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIIIIPolawana loamy sand, frequently floodedIVIIIIVPortsmouth, ALLIIIIPortsmouth, ALLIIIIRains, LLAIIIIRains-Urban land complex, 0 to 2 percent slopesIVIIVRimini sandIVVIIVRoanoke and Wahee loamsIIIIIIIIIRoanoke and Wahee loamsIIIIIIIIIRoanoke and Wahee loamsIIIIIIIIIRuston loamy sand, 2 to 6 percent slopes, erodedIVIIIVRuteg loamy sandIVVIVIVSeabrook loamy sand, ALLIIIIIIIIIRuston loamy sand, 2 to 6 percent slopes, erodedIVIIIVSeabrook loamy sand, ALLIIIIIIIISeabrook loamy sand, ALLIIIIIIIIState, ALLIIIIIIII				
Pantego, ALL I I I I Paxville fine sandy loam II III IV V V V V PV PORST muck, siliceous subsoil variant I I I I I III III III III Rains-Toisnot complex, ALL IV I IV IV IV IV IV IV IV IV				
Paxvile fine sandy loamIIIIIIIIPaxvile formIIIIIIIIPaxvile loamIIIIIIIIPaxvile loamIIIIIIIIPaxvile loamIVVIIVPlummer, ALLIVVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIPolawana loamy sand, frequently floodedIVIIIPortsnouth, ALLIIIPortsnouth, ALLIIIPortsnouth, ALLIIIRains, ALLIIIRains, Toisnot complex, 0 to 2 percent slopesIVIRimini sandIVVIVRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIRoanoke, ALLIIIIIIRoanoke, ALLIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIIRuston sandy loam, 2 to 6 percent slopes, erodedIVVRustos sandy loam, 2 to 6 percent slopes, erodedIVIIState, ALLIIIIIIState, ALLIIIIIITabor, ALLIVVIVState, ALLIIIIIIRustos sandy loam, 2 to 6 percent slopes, erodedIVVVVVIVState, ALLIIIIITaboro, ALLIVVIVSwampIVII </td <td></td> <td></td> <td></td> <td></td>				
Paxville loamIIIIIIIPeaville loamIIIIIIPeavick, ALLIIIVVIPlummer and Osier soilsIVIVIVPlummer, ALLIVVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIIIIPolavana loamy sand, frequently floodedIVIIIIVPortsmouth, ALLIVIIPortsmouth, ALLIIIIRains, ALLIIIIRains, Toisnot complex, 0 to 2 percent slopesIVIIVRimini sandIVVIVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke, ALLIVVIVIVRiverview loam, 0 to 1 percent slopes, createdIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIVRuston loamy sand, ALLIVVIVIVSeabrook loamy sand, ALLIIIIIIVIVStattege loamy sandIVVIVIVStattege loamy sandIVVIVIVStattege loamy sandIVVIVIVStattege loamy sandIVVIVIVStattege loamy sandIIIIIIIIIIIIStattege loamy sandIV <td></td> <td></td> <td>_</td> <td></td>			_	
Peawick, ALLIIIIIIIIPits-Tarboro complexIVVIIVPlummer, alLIVVIVPlummer, ALLIVVIVPolawana loamy sand, 0 to 3 percent slopesIIIIIIIIIPolawana loamy sand, frequently floodedIVIVIVPonzer muck, siliceous subsoil variantIVIPortsmouth, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Toisnot complex, ALLIVIIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIRoanoke and Wahee loamsIIIIIIIIIRoanoke, ALLIVVIVIVRuston loamy sand, ALLIIIIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston loamy sand, ALLIVIIIVIVRuston loamy sand, ALLIVIIIIVIVSmoothed sandy landIVVIVIVState, ALLIIIIIIIIIIIIISmoothed sandy landIVVIVIVState, ALLIIIIIIIIIIIIITomothey, ALLIVVIVIVIVState, ALLIIIIIIIIIIIIITomothey, ALLIIIIIIIIIIITomothey, ALLIIII <t< td=""><td>· · · · · · · · · · · · · · · · · · ·</td><td></td><td></td><td></td></t<>	· · · · · · · · · · · · · · · · · · ·			
Pits-Tarboro complexIVVIIVPlummer and Osier soilsIVIIVPlummer, ALLIVVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIIIIPolawana loamy sand, frequently floodedIVIIIIVPortsmouth, ALLIVIIVPortsmouth, ALLIIIIRains, ALLIIIIIVRains-Toisnot complex, 0 to 2 percent slopesIVIIVRimini sandIVVVIVRimini sandIVVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIIRoanoke and Wahee loamsIIIIIIIIIIIIRoanoke-Urban land complexIVIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke, JuliaIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke, Vana land complexIVIIIIVRuston loamy sand, ALLIIIIIIIIIRuston loamy sand, arely floodedIVIIIIVRuston sandy loam, 2 to 6 percent slopes, erodedIVIIIVSeabrook loamy sand, arely floodedIVIIIVSuboothed sandy landIVVIVIVStatings, ALLIIIIIIIISwampIVIIIVIVTor				
Plummer and Osier soilsIVIIVPlummer, ALLIVVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIIIIPolawana loamy sand, frequently floodedIVIIIIVPonzer muck, siliceous subsoil variantIVIIVPortsmouth, ALLIIIIIRains, ALLIIIIIVRains, ALLIVIIVIVRains-Orban land complex, 0 to 2 percent slopesIVIIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke-Urban land complexIVIIIIIIRuston loamy sand, ALLIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVVIVRuston sandy loam, 2 to 6 percent slopes, erodedIVVIVSamothed sandy landIVVIVIVState, ALLIIIIIIIISmoothed sandy landIVVIVIVState, ALLIIIIState, ALLIIIIIIIITorboro, ALLIVIIIVIITorboro, ALLII <t< td=""><td></td><td></td><td></td><td></td></t<>				
Plummer, ALLIVVIVPocalla loamy sand, 0 to 3 percent slopesIIIIIIIIIPolawana loamy sand, frequently floodedIVIIIIVPonzer muck, siliceous subsoil variantIVIPortsmouth, ALLIIIIRains, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRimini sandIVVIVIVRimini sandIVVIVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIVRuston loamy sand, ALLIIIIIIIIIRuston loamy sand, 2 to 6 percent slopes, erodedIVVIVSeabrook loamy sand, araely floodedIVVIVStatlings, ALLIIIIIIIIStatlings, ALLIIIIIIIIStatlings, ALLIIIIIIIIStatlings, ALLIIIIIIIIStatlings, ALLIIIIIIIITorbont, ALLIVIIIVIVTarboro, ALLIVIIIVIVTorbont, ALLIIIIIIIITorbont, ALLIIIIIIIITorbont, ALLIIIIIIIITorbont, ALLIIII				
Pocalla loamy sand, 0 to 3 percent slopesIIIIIIIIIIIPolawana loamy sand, frequently floodedIVIIIIVPonzer muck, siliceous subsoil variantIVIPortsmouth, ALLIIIIRains, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Turban land complex, ALLIVVIVRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIRoanoke, ALLIIIIIIIRoanoke, ALLIIIIIIIRoanoke, JLIIIIIIIIRoanoke, JLIIIIIIIIIRoanoke, JLIIIIIIIIIRoanoke, JLIVVIVRuston loamy sand, ALLIIIIIIIIIRuston loamy sand, rarely floodedIVVIVSeabrook loamy sand, rarely floodedIVVIVStatiega, ALLIIIIIIIIStatiega, ALLIIIIIIIIStatiega, ALLIIIIIIIIStatiega, ALLIIIIIIIITorbort, ALLIVVIVVStatiega, ALLIIIIIIIITorbort, ALLIVIIIVIVTorbort, ALLIIIIIIIITorbort, ALLIIIIII				
Polawana loamy sand, frequently floodedIVIIIIVPortsmouth, ALLIVIPortsmouth, ALLIIIRains, ALLIIIRains, ALLIVIIVRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Urban land complex, ALLIVIIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke and Wahee loamsIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston loamy sand, arely floodedIVIVIVVRutlege loamy sand, rarely floodedIVIVVIVStallings, ALLIIIIIIIIIIStallings, ALLIIIIIIIIIVStallings, ALLIVVIVVIVStallings, ALLIVIVIVIVIVTarboro, ALLIVIIIVIIIVToronuta, ALLIIIIIIToronotey, ALLIIIIIIIToronotey, ALLIIIIIToronotey, ALLIIIIIToronotey, ALLIIIIIToronotey, ALLI	· · · · · · · · · · · · · · · · · · ·			
Ponzer muck, siliceous subsoil variantIVIPortsmouth, ALLIIIIRains, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Toisnot complex, ALLIVIIVRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke, Urban land complexIVIVIVRuston loamy sand, ALLIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIVIVRutlege loamy sand, arrely floodedIVIVIVSmoothed sandy landIVVIVIVState, ALLIIIIIIIIState, ALLIIIIIIIIState, ALLIIIIIIIVState, ALLIIIIIIIVState, ALLIIIIIIIVState, ALLIIIIIVIVTarboro, ALLIVIIIVIVTomahawk sandIIIIIIIIIITorhunta, ALLIIIIIIITorhunta, ALLIIIIIIITrebloc loamIIIIIITrebloc loamIIIIIVIVTurbeville gra				
Portsmouth, ALLIIIIRains, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Urban land complex, ALLIVIVIRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIRoanoke and Wahee loamsIIIIIIIRoanoke, ALLIIIIIIIIRoanoke, OrbanIVIIIIIRoanoke, OrbanIVIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, OrbanIVIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, ALLIIIIIIIIIRoanoke, OrbanIVIIIIVRuston sandy loam, 2 to 6 percent slopes, erodedIVIIRutlege loamy sand, rarely floodedIVVIVState, ALLIIIIIVState, ALLIIISwampIVVIVTarboro, ALLIIITomahawk sandIIIIIIIITorhunta and Lynn Haven soilsIIIITrebolc loamIIIITrebolc loamIIIITurbeville fine sandy loan, 2 to 6 percent slopesIIIITurbeville gravelly sandy loan, 2 to 8 percent slopesIIIII <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
Rains, ALLIIIIRains-Toisnot complex, 0 to 2 percent slopesIVIVIVRains-Urban land complex, ALLIVIVIVRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIRoanoke and Wahee loamsIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIRoanoke-Urban land complexIVIVIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIIIVRutlege loamy sandIVVIVIVSeabrook loamy sand, arely floodedIVIIIVSt. Lucie sand (Kureb)IVVIVIVStatlings, ALLIIIIIIIISwampIVIVIIIVTorboro, ALLIVIIIVIITorboro, ALLIIIIIIIIITorhunta, ALLIIIIIIIITorhunta, ALLIIIIIIITorburta, ALLIIIIIIITorhunta, ALLIIIIIIITorhunta, ALLIIIIIIITorhunta, ALLIIIIIIITorhunta, ALLIIIIIIIITorhunta, ALLIIIIIIIITorhunta, ALLII<				
Rains-Toisnot complex, 0 to 2 percent slopesIVIIVRains-Urban land complex, ALLIVIVIVRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke and Wahee loamsIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIIRoanoke-Urban land complexIVIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIIIVRutege loamy sand, araely floodedIVIIIVSmoothed sandy landIVVIVIVStatlings, ALLIIIIIIIIStatlings, ALLIIIIIIIIStatle, ALLIIIIVTarboro, ALLIVIVIVIVTorboro, ALLIVIIIVIVTorontuta and Lynn Haven soilsIIIIIIIITrebloc loamIIIIITroup sandIVIIIVIVIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIIIIITorhunta, ALLIIIIITorhunta, ALLIIIIIIITurbeville fine sandy loam, 2 to 6 percent slopesIII <t< td=""><td>· · · · · · · · · · · · · · · · · · ·</td><td></td><td></td><td></td></t<>	· · · · · · · · · · · · · · · · · · ·			
Rains-Urban land complex, ALLIVIIVRimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIIRoanoke and Wahee loamsIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIIIIIRoanoke, Urban land complexIVIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVVVRutlege loamy sandIVVIVVSebrook loamy sand, rarely floodedIVVIVSt. Lucie sand (Kureb)IVVIVVSt. Lucie sand (Kureb)IVVIVIVStallings, ALLIIIIIIIIState, ALLIVVIVIVTarboro, ALLIVIIIVIVTorboro, ALLIVIIIVIITorohunta, ALLIIIIIIIITorhunta and Lynn Haven soilsIIIIIITroup sandIVIIIVIVIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIIIITurbeville fine sandy loam, 2 to 8 percent slopesIIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesII <td></td> <td></td> <td></td> <td></td>				
Rimini sandIVVIVRiverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIRoanoke and Wahee loamsIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVVIVSeabrook loamy sandIVVIVVSeabrook loamy sand, rarely floodedIVVIVSmoothed sandy landIVVIVVState, ALLIIIIIIIIState, ALLIIIISwampIVIIIIVIVTorboro, ALLIVIIIVIVTomotley, ALLIIIITorhunta and Lynn Haven soilsIIIIITroup sandIVIIIIITurbeville fine sandy loam, 2 to 6 percent slopesIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII				
Riverview loam, 0 to 1 percent slopes, occasionally floodedIIIIIIRoanoke and Wahee loamsIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke-Urban land complexIVIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIVVIVSeabrook loamy sand, rarely floodedIVVIVVSeabrook loamy sand, rarely floodedIVVIVVSt. Lucie sand (Kureb)IVVIVVVStallings, ALLIIIIIIIIIISwampIVVIVIVIVTorboro, ALLIVIIIVIIIVTomahawk sandIIIIIIIIIIIIITorhunta and Lynn Haven soilsIIIIITroup sandIVIIIIITurbeville fine sandy loam, 2 to 6 percent slopesIIIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIIIIIIIIIIIIIIII	· · · · · · · · · · · · · · · · · · ·			
Roanoke and Wahee loamsIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRoanoke, ALLIIIIIIIIIIIRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIIIVRutlege loamy sand, rarely floodedIVVIVSeabrook loamy sand, rarely floodedIVVIIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVStatlings, ALLIIIIIIState, ALLIIISwampIVIVIVTorboro, ALLIVIIIVTorontey, ALLIVIIIVTorhunta and Lynn Haven soilsIIIITorup sandIIIITorup sandIVIIIVTurbeville fine sandy loam, 2 to 8 percent slopesIIIIIIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesII </td <td></td> <td></td> <td></td> <td></td>				
Roanoke, ALLIIIIIIIIIIRoanoke-Urban land complexIVIVIIIIVRuston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIIIVRutlege loamy sandIVVIVVRutlege loamy sand, arrely floodedIVIIIVSeabrook loamy sand, rarely floodedIVIVIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVStatlings, ALLIIIIIIStatle, ALLIIIState, ALLIIISwampIVIVIITorboro, ALLIVIIIVTorbahawk sandIIIIIIITorhunta and Lynn Haven soilsIIIITroup sandIVIIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIIIIIIIIIII				
Roanoke-Urban land complexIVIIIIVRuston loamy sand, ALLIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIIIVRutlege loamy sandIVVIVSeabrook loamy sand, rarely floodedIVIIIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIIVSt. Lucie sand (Kureb)IVVIVStatlings, ALLIIIIIIState, ALLIIISwampIVIVIVTarboro, ALLIVIIIVTomahawk sandIIIIIIITornotley, ALLIIITorhunta and Lynn Haven soilsIIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 8 percent slopesII				
Ruston loamy sand, ALLIIIIIIIIIIIIRuston sandy loam, 2 to 6 percent slopes, erodedIVIVIVRutlege loamy sandIVVIVRutlege loamy sand, rarely floodedIVIVIVSeabrook loamy sand, rarely floodedIVVIIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVStallings, ALLIIIIIIState, ALLIIISwampIVIVIIITarboro, ALLIVIIIIVTorisnot, ALLIVIIIVTornahawk sandIIIIIIIITorhunta and Lynn Haven soilsIIIITrebloc loamIIIITroup sandIVIIIVIITurbeville fine sandy loam, 2 to 8 percent slopesIIIntroveville gravelly sandy loam, 2 to 8 percent slopesII <t< td=""><td></td><td></td><td></td><td></td></t<>				
Ruston sandy loam, 2 to 6 percent slopes, erodedIVIIIVRutlege loamy sandIVVIVSeabrook loamy sand, rarely floodedIVIIIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVSt. Lucie sand (Kureb)IVVIVStallings, ALLIIIIIIState, ALLIIISwampIVIVIIITarboro, ALLIVIIIVTorisnot, ALLIVIIIVToronahawk sandIIIIIIITorontla, ALLIIITorhunta and Lynn Haven soilsIIIITrebloc loamIIIITurbeville fine sandy loam, 2 to 6 percent slopesII </td <td>*</td> <td></td> <td></td> <td>IV</td>	*			IV
Rutlege loamy sandIVVIVSeabrook loamy sand, rarely floodedIVIIIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVSt. Lucie sand (Kureb)IVVIVStallings, ALLIIIIIIState, ALLIIISwampIVIVIIITarboro, ALLIVIIIVTorisnot, ALLIVIIIVTomahawk sandIIIIIIIITorhunta and Lynn Haven soilsIIIITrebloc loamIIIITurbeville fine sandy loam, 2 to 6 percent slopesII <td></td> <td></td> <td></td> <td></td>				
Seabrook loamy sand, rarely floodedIVIIIVSeabrook loamy sand, rarely floodedIVVIIVSmoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVStallings, ALLIIIIIIState, ALLIIISwampIVIIIIVTarboro, ALLIVIIIIVTorisnot, ALLIVIIIVTomahawk sandIIIIIIIITornotley, ALLIIITorhunta and Lynn Haven soilsIIIITrebloc loamIIIITroup sandIVIIIVIVTurbeville fine sandy loam, 2 to 6 percent slopesII	Ruston sandy loam, 2 to 6 percent slopes, eroded			
Smoothed sandy landIVVIIVSt. Lucie sand (Kureb)IVVIVStallings, ALLIIIIIIState, ALLIIISwampIVIIIIVTarboro, ALLIVIIIVTorisnot, ALLIVIIIVTomahawk sandIIIIIIIITornotley, ALLIIITorhunta and Lynn Haven soilsIIIITrebloc loamIIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesII				
St. Lucie sand (Kureb)IVVIVStallings, ALLIIIIIIIIState, ALLIIIISwampIVIIIIVIIIIVTarboro, ALLIVIIIVIVIVToisnot, ALLIVIIIVIVIVTomahawk sandIIIIIIIIIIIIIIITomotley, ALLIIIIITorhunta and Lynn Haven soilsIIIIIITrebloc loamIIIIITroup sandIVIIIIVIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIIIIIIIIIIIIIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIIIII		IV		
Stallings, ALLIIIIIIStallings, ALLIIIState, ALLIIISwampIVIIIIVTarboro, ALLIVIIIVToisnot, ALLIVIIIVTomahawk sandIIIIIIIITomotley, ALLIIITorhunta and Lynn Haven soilsIIIITrebloc loamIIIITroup sandIVIIIVITurbeville fine sandy loam, 2 to 6 percent slopesIIIIIIIIIIIIIIIIIIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIIIInterventionIIIIIII <tr< td=""><td>Smoothed sandy land</td><td>IV</td><td>VI</td><td>IV</td></tr<>	Smoothed sandy land	IV	VI	IV
State, ALLIIIISwampIVIIIIVTarboro, ALLIVIIIVToisnot, ALLIVIIIVTomahawk sandIIVIIIIITomotley, ALLIIITorhunta and Lynn Haven soilsIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIIIIIIIII	St. Lucie sand (Kureb)	IV	V	IV
SwampIVIIIIVTarboro, ALLIVIIIVToisnot, ALLIVIIIVTomahawk sandIIIIIIIITomotley, ALLIIITorhunta and Lynn Haven soilsIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIIIIIIIIIIIIIIIIIIIIIIIntheville gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIIIII	Stallings, ALL	II	II	II
Tarboro, ALLIVIIIVToisnot, ALLIVIIIVTomahawk sandIIIIIIIITomotley, ALLIIITorhunta and Lynn Haven soilsIIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	State, ALL	Ι	Ι	Ι
Toisnot, ALLIVIIIVTomahawk sandIIIIIIIIITomotley, ALLIIITorhunta and Lynn Haven soilsIIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Swamp	IV	III	IV
Tomahawk sandIIIIIIIITomotley, ALLIIITorhunta and Lynn Haven soilsIIIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Tarboro, ALL	IV	II	IV
Tomotley, ALLIIITorhunta and Lynn Haven soilsIIIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Toisnot, ALL	IV	II	IV
Torhunta and Lynn Haven soilsIIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Tomahawk sand	III	II	III
Torhunta and Lynn Haven soilsIIIIITorhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Tomotley, ALL	Ι	Ι	Ι
Torhunta, ALLIIITrebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Torhunta and Lynn Haven soils	II	Ι	II
Trebloc loamIIITroup sandIVIIIVTurbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII		Ι	Ι	Ι
Turbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII		Ι	Ι	Ι
Turbeville fine sandy loam, 2 to 6 percent slopesIIIITurbeville gravelly sandy loam, 2 to 8 percent slopesIIIIII	Troup sand	IV	II	IV
Turbeville gravelly sandy loam, 2 to 8 percent slopes II II	*			
		II		II
	Turbeville loamy sand, 0 to 2 percent slopes	I	II	I

Map Unit Name	Agri	For	Hort
Turbeville loamy sand, 2 to 6 percent slopes	I	II	I
Turbeville sandy clay loam, 2 to 6 percent slopes, eroded	II	II	II
Turbeville sandy loam, 0 to 2 percent slopes	Ι	II	Ι
Turbeville sandy loam, 2 to 6 percent slopes	Ι	II	Ι
Turbeville sandy loam, 2 to 8 percent slopes	Ι	II	Ι
Turbeville sandy loam, 6 to 12 percent slopes	II	II	II
Turbeville-Urban land complex, 0 to 8 percent slopes	IV	II	IV
Uchee, ALL	III	V	III
Udorthents, loamy	IV	VI	IV
Urban land	IV	VI	IV
Varina, ALL	II	II	II
Vaucluse loamy sand, 10 to 15 percent slopes	IV	II	IV
Vaucluse loamy sand, 10 to 15 percent slopes, eroded	IV	II	IV
Vaucluse loamy sand, 2 to 6 percent slopes	III	II	III
Vaucluse loamy sand, 2 to 6 percent slopes, eroded	III	II	III
Vaucluse loamy sand, 6 to 10 percent slopes	III	II	III
Vaucluse loamy sand, 6 to 10 percent slopes, eroded	III	II	III
Wagram fine sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 0 to 2 percent slopes	II	II	II
Wagram loamy sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 2 to 6 percent slopes	II	II	II
Wagram loamy sand, 6 to 10 percent slopes	III	II	III
Wagram loamy sand, 10 to 15 percent slopes	III	II	III
Wagram sand, thick surface, 0 to 6 percent slopes	II	II	II
Wagram sand, thick surface, 6 to 10 percent slopes	III	II	III
Wagram sand, thick surface, 10 to 15 percent slopes	III	II	III
Wagram-Troup sands, 0 to 4 percent slopes	IV	II	IV
Wagram-Urban land complex, ALL	IV	II	IV
Wahee, ALL	Ι	Ι	Ι
Wakulla, ALL	IV	V	IV
Wehadkee and Chewacla loams	IV	III	IV
Wehadkee, ALL	IV	III	IV
Wehadkee-Chastain association, frequently flooded	IV	III	IV
Weston loamy sand	III	I	III
Wickham fine sandy loam, 6 to 15 percent slopes, rarely flooded	II	Ι	II
Wickham fine sandy loam, ALL OTHER	Ι	Ι	Ι
Wickham loamy sandy, ALL	I	I	I
Wickham sandy loam, 0 to 4 percent slopes	Ι	Ι	Ι
Wickham sandy loam, 2 to 6 percent slopes, eroded	II	Ι	II
Wickham-Urban land complex, 1 to 6 percent slopes	IV	Ι	IV
Wilbanks loam, frequently flooded	IV	III	IV
Wilbanks silt loam	IV	III	IV
Winton fine sandy loam, ALL	IV	Ι	IV
Woodington loamy sand	II	II	II

Map Unit Name	Agri	For	Hort
Ailey-Appling complex, 2 to 8 percent slopes	П	II	II
Ailey-Appling complex, 8 to 15 percent slopes, bouldery	IV	II	III
Alamance silt loam, gently sloping phase	II	II	II
Alamance variant gravelly loam, ALL	IV	II	II
Altavista fine sandy loam, 2 to 6 percent slopes, eroded	II	I	I
Altavista fine sandy loam, 7 to 10 percent slopes	II	I	I
Altavista fine sandy loam, 0 to 2 percent slopes occasionally flooded	I	I	II
Altavista fine sandy loam, ALL OTHER	I	I	I
Altavista fine sandy loam, rigg of fight	I	I	I
Altavista loam, 0 to 3 percent slopes, rarely flooded	I	I	I
Altavista sandy loam, ALL	I	I	I
Altavista silt loam, ALL	I	I	I
Appling coarse sandy loam, eroded gently sloping phase	II	I	I
Appling coarse sandy loam, croded sloping phase	II	II	II
Appling coarse sandy loam, ALL OTHER	II	II	I
Appling fine sandy loam, 2 to 6 percent slopes	II	II	I
Appling fine sandy loam, 2 to 6 percent slopes	II	II	I
Appling fine sandy loam, 2 to 7 percent slopes	II	II	I
	II	II	I
Appling fine sandy loam, 2 to 7 percent slopes, eroded	II	II	II I
Appling fine sandy loam, 6 to 10 percent slopes	II	II	I
Appling fine sandy loam, 6 to 10 percent slopes, eroded	II	II	II I
Appling fine sandy loam, 7 to 10 percent slopes(Wedowee)			
Appling fine sandy loam, 7 to 10 percent slopes, eroded (Wedowee)	II	II	II
Appling fine sandy loam, 10 to 14 percent slopes (Wedowee)	III	II	II
Appling fine sandy loam, 10 to 14 percent slopes, eroded (Wedowee)	III	II	II
Appling fine sandy loam, (Wedowee), ALL OTHER	IV	II	II
Appling gravelly sandy loam, 2 to 6 percent slopes	II	II	I
Appling gravelly sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Appling gravelly sandy loam, 6 to 10 percent slopes	II	II	I
Appling gravelly sandy loam, 6 to 10 percent slopes, eroded	II	II	II
Appling loamy sand, 2 to 6 percent slopes	II	II	I
Appling sandy clay loam, 6 to 10 percent slopes, severely eroded	III	II	II
Appling sandy clay loam, 10 to 15 percent slopes, severely eroded	IV	II	II
Appling sandy clay loam, severely eroded sloping phase	III	II	III
Appling sandy loam, 1 to 6 percent slopes	II	II	I
Appling sandy loam, 2 to 6 percent slopes	II	II	I
Appling sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Appling sandy loam, 2 to 8 percent slopes	II	II	I
Appling sandy loam, 6 to 10 percent slopes	II	II	I
Appling sandy loam, 6 to 10 percent slopes, eroded	II	II	II
Appling sandy loam, 6 to 12 percent slopes	II	II	II
Appling sandy loam, 8 to 15 percent slopes	II	II	II
Appling sandy loam, 10 to 15 percent slopes	III	II	II
Appling sandy loam, 10 to 15 percent slopes, eroded	III	II	II
Appling sandy loam, 10 to 25 percent slopes, eroded (Wedowee)	IV	II	II
Appling sandy loam, 15 to 25 percent slopes (Wedowee)	IV	II	II
Appling sandy loam, 15 to 25 percent slopes, eroded (Wedowee)	IV	II	II
Appling sandy loam, eroded gently sloping phase	II	II	II
Appling sandy loam, eroded sloping phase	II	II	II
Appling sandy loam, eroded strongly sloping phase	III	II	II
Appling sandy loam, gently sloping phase	II	II	Ι
Appling sandy loam, moderately steep phase (Wedowee)	III	II	II

Appling sandy loam, storgly sloping phaseIIIIIIAppling-MarBoro complex, 1 to 6 percent slopesIIIIIIAppling-Urban land complex, ALLIVIIIIArmenia, ALLIVIIIIAshlar-Rock outcrop complex, ALLIVVVAshlar-Rock outcrop complex, ALLIVVVAversville gravelly loam, ALLIVVVAgensation channery loam, 8 to 15 percent slopesIIIIIBadin channery slit loam, 2 to 8 percent slopesIIIIIBadin channery slit loam, 8 to 15 percent slopesIIIIIBadin channery slit loam, 8 to 15 percent slopesIIIIIBadin channery slit loam, 8 to 15 percent slopes, moderately erodedIIIIIBadin slity clay loam, a to 8 percent slopes, moderately erodedIIIIIBadin-Goldston complex, 8 to 15 percent slopesIVIIIIBadin-Goldston complex, 8 to 15 percent slopesIVIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIBadin-Goldston complex, 2 to 8 percent slopesIVIIIIBadin-Tarus complex, 2 to 8 percent	Map Unit Name	Agri	For	Hort
Appling sandy loam, strongly sloping phaseIIIIIIAppling-Marlboro complex, ALL1VIVIIAppling-Iubban land complex, ALL1VIVIIIAshlar-Rock outcrop complex, ALL1VVIVAugusta, ALL1VVIIIAshlar-Rock outcrop complex, ALL1VVIVAugusta, ALL1VVIIIBadin channery loam, 8 to 15 percent slopesIIIIIBadin channery silt loam, 2 to 8 percent slopesIIIIIBadin channery silt loam, 8 to 15 percent slopes, moderately erodedIIIIIBadin-Goldston complex, 2 to 8 percent slopes, moderately erodedIVIIBadin-Goldston complex, 1 to 15 percent slopesIVIIBadin-Goldston complex, 2 to 8 percent slopesIVIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIBadin-Tarrus complex, 8 to 15 percent slopesIVII <td></td> <td></td> <td></td> <td>II</td>				II
Appling-Marlboro complex, 1 to 6 percent slopesIIIIIIAppling-Urban land complex, ALLIVIVIIArmenia, ALLIVIVIIIAshlar-Rock outcrop complex, ALLIVVIVAugersville gravelly loam, ALLIVVIVAgersville gravelly loam, ALLIIIIIIIBadin channery loam, 8 to 15 percent slopesIIIIIIIIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIIIBadin channery silt loam, ALL OTHERIVIIIIIIBadin Silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIIBadin-Goldston complex, 8 to 15 percent slopesIIIIIIIIIBadin-Goldston complex, 8 to 15 percent slopesIVIIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 15 to 25 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIII<		II		
Appling-Urban land complex, ALLIVIIIVArmenia, ALLIVIIIIIIAshlar-Rock outcrop complex, ALLIVVIVAugusta, ALLIIIIIIIAshlar-Rock outcrop complex, ALLIVVIVAugusta, ALLIIIIIIIBadin channery loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, 2 to 8 percent slopesIIIIIIIIBadin channery silt loam, AL OTHERIVIIIIBadin channery silt olam, AL OTHERIVIIIIIBadin channery silt olam, AL OTHERIVIIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIVIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Goldston complex, 15 to 32 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 3 to 15 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVII		II	II	
Armenia, ALLIVIIIIIIAshlar-Rock outcrop complex, ALLIVVIVAugusta, ALLIIIIIAyersville gravelly loam, ALLIVVIIIBadin channery loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, 2 to 8 percent slopesIIIIIIIIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIIIBadin channery silt loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIIBadin channery silt loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIIBadin-Goldston complex, 2 to 8 percent slopes, moderately erodedIVIIIIIIBadin-Goldston complex, 5 to 25 percent slopesIVIIIIIIBadin-Goldston complex, 5 to 25 percent slopesIVIIIIVBadin-Goldston complex, 2 to 8 percent slopesIVIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIIIIBadin-Tarrus complex, 15 to 25 percent slopesIVIIIIIIBadin-Tarrus c		IV		IV
Ashlar-Rock outcrop complex, ALLIVVIVAugusta, ALLIIIIIAyersville gravelly loam, ALLIVVIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIBadin channery silt loam, 2 to 8 percent slopesIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIBadin channery silt loam, ALL OTHERIVIIIIBadin slity clay loam, and ALL OTHERIVIIIIBadin slity clay loam, a to 15 percent slopes, moderately erodedIIIIIBadin-Goldston complex, 2 to 8 percent slopesIVIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Goldston complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 3 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 15 percent slopesIVIIIIBadin-Tarrus complex, 2 to 15 percent slopesIVIIIIB				
Augusta, ALLIIIIIIAyersville gravelly loam, ALLIVVIIBadin channery loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIIIBadin channery silt clay loam, eroded, ALLIIIIIIIIIBadin-Goldston complex, 2 to 8 percent slopes, moderately erodedIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIVIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIBadin-Tarrus complex, 15 to 30 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIBadin-Tarrus complex, 2 to 6 percent slopesIVIIIBadin-Tarrus complex, 2 to 15 percent slopesIVIIIBadin-Tarrus complex, 2 to 15 percent slopesIVIIIBadin-Tarrus c		IV	V	IV
Ayersville gravelly loam, ALLIVVIIBadin channery loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, 2 to 8 percent slopesIIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIIIBadin channery silt loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIIBadin channery silt olay loam, eroded, ALLIIIIIIIIIBadin silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIIBadin-Goldston complex, 1 to 8 percent slopesIVIIIIIIBadin-Goldston complex, 1 to 15 percent slopesIVIIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIVBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIVIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIVIIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 6 percent slopesIVIIIIIBadin-Tarrus complex, 2 to 6 percent slopesIVIIIIIBadin-Tarrus complex, 4 to	* *			
Badin channery loam, 8 to 15 percent slopesIIIIIIIBadin channery silt loam, 2 to 8 percent slopesIIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIBadin channery silt loam, ALL OTHERIVIIIIBadin channery silt loam, ALL OTHERIVIIIIIBadin silty clay loam, eroded, ALLIIIIIIIIBadin silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Goldston complex, 2 to 8 percent slopes, moderately erodedIVIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIVBadin-Goldston complex, 15 to 25 percent slopesIVIIIVBadin-Tarrus complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Tarrus complex, 25 to 55 percent slopesIVIIIIBadin-Tarrus complex, 25 to 55 percent slopesIVIIIIBadin-Tarrus complex, 25 to 55 percent slopesIVIIIIBadin-Tarrus complex, 45 to 55 percent slopesIVIIIVBadin-Tarrus complex, 45 to 55 percent slopesIVII<				
Badin channery silt loam, 2 to 8 percent slopesIIIIIIIBadin channery silt loam, 8 to 15 percent slopesIIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIBadin channery silt olam, eroded, ALLIIIIIIIIBadin silty clay loam, eroded, ALLIIIIIIIIBadin silty clay loam, 8 to 15 percent slopes, moderately erodedIIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Goldston complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 3 to 15 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 5 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIII				
Badin channery silt loam, 8 to 15 percent slopesIIIIIIIBadin channery silt loam, ALL OTHERIVIIIIBadin channery silt olam, ALL OTHERIVIIIIBadin silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIVIIIIIBadin-Goldston complex, 15 to 50 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 5 to 25 percent slopesIVIIIVBadin-Tarrus complex, 5 to 10 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 15 percent slopesIVIIIIBadin-Tarrus complex, 2 to 15 percent slopesIVIIIVBadin-Tarrus complex, 2 to 15 percent slopesIVIIIVBadin-Tarrus complex, 2 to 5 percent slopesIVIIIVBadin-Tarrus complex, 2 to 6 percent slopesIVIIIIBa				
Badin channery silt loam, ALL OTHERIVIIIIBadin channery silty clay loam, eroded, ALLIIIIIIIIBadin silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin silty clay loam, 8 to 15 percent slopesIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Goldston complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIIBadin-Tarrus complex, 15 to 25 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIVIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIIIBadin-Tarrus complex, 2 to 6 percent slopesIIIIIII<		III		
Badin channery silty clay loam, eroded, ALLIIIIIIIIBadin silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIIBadin-Goldston complex, 8 to 15 percent slopesIIIIIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Tarrus complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Urban land complex, ALLIVIIIVIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 2 to 5 percent slopesIVIIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIII<				
Badin silty clay loan, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin silty clay loan, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Goldston complex, 2 to 8 percent slopesIVIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Goldston complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIVBadin-Tarrus complex, 2 to 45 percent slopesIVIIIVBadin-Tarrus complex, 4 to 15 percent slopesIVIIIVBadin-Tarrus complex, 2 to 45 percent slopesIVIIIVBadin-Tarrus complex, 2 to 45 percent slopesIVIIIVBadin-Tarrus complex, 4 to 15 percent slopesIVIIIVBadin-Tarrus complex, 4 to 15 percent slopesIVIIIVBadin-Tarrus complex, 5 to 15 percent slopesIVIIIIBethlehem gravelly sandy loam, 2 to 6 percen				
Badin silty clay loam, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Goldston complex, 2 to 8 percent slopesIIIIIIIIBadin-Goldston complex, 8 to 15 percent slopesIVIIIIIBadin-Goldston complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 15 to 30 percent slopesIVIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIVIIIVBadin-Tarrus complex, 2 to 5 percent slopesIVIIIVBadin-Tarrus complex, 2 to 5 percent slopesIVIIIVBadin-Tarrus complex, 2 to 6 percent slopesIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBuncombe, ALLIVIIIIIVCallson-Lignum complex, 2 to 6 percent slopesIII<				
Badin-Goldston complex, 2 to 8 percent slopesIIIIIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIIIBadin-Nanford complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 2 to 5 percent slopesIVIIIIBadin-Tarrus complex, 2 to 2 percent slopesIVIIIIBadin-Tarrus complex, 2 to 45 percent slopesIVIIIIBadin-Urban land complex, ALLIVIIIVBadin-Urban land complex, 2 to 45 percent slopesIIIIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 6 percent slopesIVIIIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIIICallison-Dirickhaven complex, ALLIVIIIIIICalison-Dirickhaven complex, ALLIVIIIIIICarderay and Chewacla soils <td< td=""><td></td><td></td><td></td><td></td></td<>				
Badin-Goldston complex, 8 to 15 percent slopesIVIIIIIBadin-Goldston complex, 15 to 25 percent slopesIVIIIVBadin-Nanford complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Urban land complex, ALLIVIIIVBatin-Urban land complex, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIIBethlehem-Urban land complex, 2 to 6 percent slopesIIIIIIICalison-Lignum complex, 2 to 6 percent slopesIIIIIIICalison-Lignum complex, 4 to 10 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIICartecay and Chewacla soilsIIIIIIII <td< td=""><td></td><td></td><td></td><td></td></td<>				
Badin-Goldston complex, 15 to 25 percent slopesIVIIIVBadin-Nanford complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 15 to 25 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIIIVBathehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 2 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIIIICalison-Lignum complex, 2 to 6 percent slopesIIIIIIICalison-Lignum complex, 4 to 10 percent slopesIIIIIIIICartecay and Chewacla soilsIIIIIIIIIIIICartecay and Chewacla soilsIIIIIIIIIICartecay and Chewacla soils <td></td> <td></td> <td></td> <td></td>				
Badin-Nanford complex, 15 to 30 percent slopesIVIIIVBadin-Tarrus complex, 2 to 8 percent slopesIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIIIVBathehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 2 to 15 percent slopesIVIIIIBuncombe, ALLIVIIIVIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIVCalison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, erodedIII </td <td>· · · · ·</td> <td></td> <td></td> <td></td>	· · · · ·			
Badin-Tarrus complex, 2 to 8 percent slopesIIIIIIIBadin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 15 to 25 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIIBadin-Urban land complex, ALLIVIIIVBanister loam, 1 to 6 percent slopes, rarely floodedIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIVIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBuncombe, ALLIVIIIVIIIBuncombe, ALLIVIIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, severely erodedI	· · · · ·			
Badin-Tarrus complex, 2 to 8 percent slopes, moderately erodedIIIIIIBadin-Tarrus complex, 8 to 15 percent slopesIIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 15 to 25 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIIIVBathehem gravelly sandy loan, 2 to 8 percent slopesIIIIIIBethlehem gravelly sandy loan, 8 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBuncombe, ALLIVIIIVIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIVCallison-Brickhaven complex, 6 to 10 percent slopesIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIICecil clay loam, 2 to 8 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 2 to 8 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 6				
Badin-Tarrus complex, 8 to 15 percent slopesIIIIIIIBadin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 15 to 25 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIIIVBatin-Urban land complex, ALLIVIIIVBathelmem gravelly sandy loam, 2 to 8 percent slopesIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 2 to 6 percent slopesIVIIIIIBethlehem-Orban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIVIIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 7 percent slopes, erodedIIIIIIIIIICecil clay loam				
Badin-Tarrus complex, 8 to 15 percent slopes, moderately erodedIVIIIIBadin-Tarrus complex, 15 to 25 percent slopesIVIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIIIVIIBatin-Urban land complex, ALLIVIIIVIIBatin-Urban land complex, ALLIVIIIVIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBuncombe, ALLIVIIIVIIIBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 7 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIIICecil clay loam, 6				
Badin-Tarrus complex, 15 to 25 percent slopesIVIIIIBadin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIIIVBanister loam, 1 to 6 percent slopes, rarely floodedIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIBuncombe, ALLIVIIIVIICallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIII<	* * *			
Badin-Tarrus complex, 25 to 45 percent slopesIVIIIVBadin-Urban land complex, ALLIVIVIIIVBanister loam, 1 to 6 percent slopes, rarely floodedIIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIIIICartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIII				
Badin-Urban land complex, ALLIVIIIVBanister loam, 1 to 6 percent slopes, rarely floodedIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, seve				
Banister loam, 1 to 6 percent slopes, rarely floodedIIIIBethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBethlehem-Hibriten complex, 2 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIII<				
Bethlehem gravelly sandy loam, 2 to 8 percent slopesIIIIIIIBethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICarbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIII <t< td=""><td></td><td></td><td></td><td></td></t<>				
Bethlehem gravelly sandy loam, 8 to 15 percent slopesIVIIIIBethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIIICarbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Bethlehem-Hibriten complex, 6 to 15 percent slopesIVIIIIIBethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIIICarbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIII <td></td> <td></td> <td></td> <td></td>				
Bethlehem-Urban land complex, 2 to 15 percent slopesIVIIIVBuncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIIICarbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Buncombe, ALLIVIIIIVCallison-Lignum complex, 2 to 6 percent slopesIIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICarbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIIIIIIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Callison-Lignum complex, 2 to 6 percent slopesIIIIIIICallison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICarbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Callison-Misenheimer complex, 6 to 10 percent slopesIIIIIIICarbonton-Brickhaven complex, ALLIVIVIIIVCartecay and Chewacla soilsIIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIIIII				
Carbonton-Brickhaven complex, ALLIVIIIVCartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Cartecay and Chewacla soilsIIIIIIIICecil clay loam, 2 to 6 percent slopes, erodedIIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII	· · · · ·			
Cecil clay loam, 2 to 6 percent slopes, erodedIIIIIIICecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII	*			
Cecil clay loam, 2 to 6 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Cecil clay loam, 2 to 7 percent slopes, severely erodedIIIIIIICecil clay loam, 2 to 8 percent slopes, erodedIIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Cecil clay loam, 2 to 8 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Cecil clay loam, 6 to 10 percent slopes, erodedIIIIIIICecil clay loam, 6 to 10 percent slopes, severely erodedIVIIII				
Cecil clay loam, 6 to 10 percent slopes, severely eroded IV II II				
Cecil clay loam, ALL OTHER IV II II				
Cecil fine sandy loam, 2 to 6 percent slopes II II I				
Cecil fine sandy loam, 2 to 6 percent slopes, eroded II II II				
Cecil fine sandy loam, 2 to 7 percent slopes II II I				
Cecil fine sandy loam, 2 to 7 percent slopes, eroded II II II				
Cecil fine sandy loam, 2 to 8 percent slopes II II II				
Cecil fine sandy loam, 6 to 10 percent slopes III II II				
Cecil fine sandy loam, 6 to 10 percent slopes, eroded III II II				
Cecil fine sandy loam, 7 to 10 percent slopes (Pacolet) III II II				
	Cecil fine sandy loam, 7 to 10 percent slopes, eroded (Pacolet)	III	II	II

Map Unit Name	Agri	For	Hort
Cecil fine sandy loam, 8 to 15 percent slopes	III	II	II
Cecil fine sandy loam, 10 to 14 percent slopes (Pacolet)	III	II	II
Cecil fine sandy loam, 10 to 14 percent slopes, eroded (Pacolet)	III	II	II
Cecil fine sandy loam, 10 to 15 percent slopes	III	II	II
Cecil fine sandy loam, 10 to 15 percent slopes (Pacolet)	III	II	II
Cecil fine sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	III	II	II
Cecil fine sandy loam, 14 to 25 percent slopes (Pacolet)	IV	II	II
Cecil fine sandy loam, 14 to 25 percent slopes, eroded (Pacolet)	IV	II	II
Cecil fine sandy loam, 25 to 40 percent slopes (Pacolet)	IV	II	III
Cecil fine sandy loam, 25 to 40 percent slopes, eroded (Pacolet)	IV	II	III
Cecil fine sandy loam, eroded gently sloping phase	II	II	II
Cecil fine sandy loam, eroded sloping phase	II	II	II
Cecil fine sandy loam, eroded strongly sloping phase	III	II	II
Cecil fine sandy loam, gently sloping phase	II	II	Ι
Cecil fine sandy loam, moderately steep phase	III	II	II
Cecil fine sandy loam, sloping phase	III	II	II
Cecil fine sandy loam, strongly sloping phase	III	II	II
Cecil gravelly fine sandy loam, 2 to 6 percent slopes	II	II	Ι
Cecil gravelly fine sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Cecil gravelly fine sandy loam, 2 to 7 percent slopes	II	II	Ι
Cecil gravelly fine sandy loam, 2 to 7 percent slopes, eroded	III	II	II
Cecil gravelly fine sandy loam, 6 to 10 percent slopes	III	II	II
Cecil gravelly fine sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil gravelly fine sandy loam, 7 to 10 percent slopes	III	II	II
Cecil gravelly fine sandy loam, 7 to 10 percent slopes, eroded (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, 10 to 14 percent slopes (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, 10 to 14 percent slopes, eroded (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, 10 to 15 percent slopes	III	II	II
Cecil gravelly fine sandy loam, 10 to 15 percent, eroded (Pacolet)	III	II	II
Cecil gravelly fine sandy loam, ALL OTHER	IV	II	II
Cecil gravelly sandy clay loam, 2 to 8 percent slopes, eroded	III	II	II
Cecil gravelly sandy clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Cecil gravelly sandy loam, 2 to 6 percent slopes	II	II	Ι
Cecil gravelly sandy loam, 2 to 6 percent slopes, eroded	II	II	Ι
Cecil gravelly sandy loam, 6 to 10 percent slopes	III	II	II
Cecil gravelly sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil gravelly sandy loam, 10 to 15 percent slopes	IV	II	IV
Cecil loam, 2 to 6 percent slopes	II	II	I
Cecil loam, ALL OTHER	III	II	II
Cecil sandy clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Cecil sandy clay loam, 8 to 15 percent slopes, moderately eroded	IV	II	II
Cecil sandy clay loam, ALL OTHER	III	II	II
Cecil sandy loam, 2 to 6 percent slopes	II	II	I
Cecil sandy loam, 2 to 6 percent slopes, eroded	III	II	II
Cecil sandy loam, 2 to 8 percent slopes	II	II	I
Cecil sandy loam, 2 to 8 percent slopes, eroded	III	II	II
Cecil sandy loam, 6 to 10 percent slopes	III	II	I
Cecil sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Cecil sandy loam, 8 to 15 percent slopes		II	II
Cecil sandy loam, 8 to 15 percent slopes, eroded	IV	II	II
Cecil sandy loam, 10 to 15 percent slopes	III	II	II
Cecil sandy loam, 10 to 15 percent slopes, eroded	III	II	II

Map Unit Name	Agri	For	Hort
Cecil sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	III	II	II
Cecil sandy loam, 15 to 45 percent slopes (Pacolet)	IV	II	II
Cecil sandy loam, eroded gently sloping phase	III	II	II
Cecil sandy loam, eroded sloping phase	III	II	II
Cecil sandy loam, gently sloping phase	II	II	I
Cecil sandy loam, sloping phase	III	II	I
Cecil soils, (Pacolet), ALL	IV	II	II
Cecil stony fine sandy loam, (Uwharrie), ALL	IV	II	II
Cecil-Urban land complex, ALL	IV	II	IV
Chastain silty clay loam	IV	III	III
Chenneby silt loam, 0 to 2 percent slopes, frequently flooded	III	III	III
Chewacla and Chastain soils, 0 to 2 percent slopes, frequently flooded	IV	III	III
Chewacla and Wehadkee, ALL	IV	III	III
Chewacla silt loam, frequently flooded	III	III	III
Chewacla, ALL OTHER	II	III	III
Cid, ALL	III	II	II
	II	II	II
Cid-Lignum complex, 1 to 6 percent slopes Cid-Misenheimer complex, 0 to 4 percent slopes	II	II	II
Cid-Urban land complex, 1 to 5 percent slopes	IV	II	IV
Meadowfield-Fairview complex, 15 to 25 percent slopes	IV	IV	IV
Meadowfield-Rhodhiss complex, 25 to 60 percent slopes, very stony	IV	IV	IV
Meadowfield-Woolwine complex, 8 to 15 percent slopes	IV	IV	IV
Claycreek fine sandy loam, 0 to 2 percent slopes	III	I	II
Colfax sandy loam, ALL	III	II	II
Colvard sandy loam, 0 to 3 percent slopes, occasionally flooded	<u>I</u>	III	III
Colfax silt loam	III	II	II
Congaree, frequently flooded	II	III	III
Congaree, ALL OTHER	I	III	III
Coronaca clay loam, ALL	II	II	Ι
Coronaca-Urban land complex, 2 to 10 percent slopes	IV	II	IV
Creedmoor coarse sandy loam, ALL	III	Ι	II
Creedmoor fine sandy loam, 8 to 15 percent slopes	IV	Ι	II
Creedmoor fine sandy loam, ALL OTHER	III	Ι	II
Creedmoor loam, 2 to 8 percent slopes	III	Ι	II
Creedmoor sandy loam, 10 to 15 percent slopes	IV	Ι	II
Creedmoor sandy loam, 10 to 20 percent slopes	IV	Ι	II
Creedmoor sandy loam, ALL OTHER	III	I	II
Creedmoor silt loam, ALL	III	I	II
Cullen clay loam, ALL	II	II	II
Cullen-Wynott complex, 15 to 35 percent slopes	IV	II	III
Cut and fill land	IV	VI	IV
Davidson clay, severely eroded strongly sloping phase	III	I	II
Davidson sandy clay loam, 15 to 25 percent slopes	III	Ι	Ι
Davidson, ALL OTHER	II	Ι	Ι
Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded	Ι	III	Ι
Dogue, ALL	II	Ι	Ι
Dogue-Roanoke complex, 0 to 6 percent slopes, rarely flooded	II	Ι	III
Durham coarse sandy loam, gently sloping phase	II	Ι	Ι
Durham coarse sandy loam, sloping phase	III	Ι	Ι
Durham loamy sand, 6 to 10 percent slopes, eroded	III	Ι	Ι
- Duman roundy sund, o to to percent stopes, croucu			
Durham loamy sand, ALL OTHER	II	Ι	Ι

Map Unit Name	Agri	For	Hort
Durham sandy loam, ALL OTHER	III	I	I
Efland silt loam, eroded gently sloping phase (Badin)	II	II	II
Efland silt loam, eroded sloping phase (Badin)	III	II	II
Efland silt loam, gently sloping phase (Badin)	II	II	II
Efland silt loam, sloping phase (Badin)	II	II	II
Efland silt loam, strongly sloping phase (Badin)		II	II
Efland silty clay loam severely eroded strongly sloping phase (Badin)	III	II	II
Efland silty clay loam, severely eroded sloping phase (Badin)	III	II	II
Enon clay loam, 2 to 6 percent slopes, eroded	III	II	II
Enon clay loam, 6 to 10 percent slopes, eroded	III	II	II
Enon clay loam, 10 to 15 percent slopes, eroded	IV	II	II
Enon clay loam, severely eroded sloping phase	III	II	II
Enon clay loam, severely croded stopping phase	IV	II	II
Enon cobbly loam, 2 to 8 percent slopes	II	II	II
Enon cobbly loam, 2 to 8 percent slopes	III	II	II
Enon complex, gullied	IV	II	IV
Enon fine sandy loam, 2 to 15 percent slopes, very stony	IV	II	IV
Enon fine sandy loam, 2 to 6 percent slopes, very story	II	II	II
Enon fine sandy loam, 2 to 6 percent slopes	III	II	II
Enon fine sandy loam, 2 to 8 percent slopes	II	II	II
Enon fine sandy loam, 6 to 10 percent slopes	III	II	II
Enon fine sandy loam, 6 to 10 percent slopes, eroded	III	II	II
	III	II	II
Enon fine sandy loam, 8 to 15 percent slopes		II	
Enon fine sandy loam, 10 to 15 percent slopes		II	II
Enon fine sandy loam, 10 to 15 percent slopes, eroded		II	II
Enon fine sandy loam, eroded gently sloping phase	II	II	II
Enon fine sandy loam, eroded sloping phase	III II	II	II II
Enon fine sandy loam, gently sloping phase	III	II	II
Enon fine sandy loam, sloping phase	II	II	II
Enon gravelly loam, 2 to 8 percent slopes	III	II	II
Enon gravelly loam, 8 to 15 percent slopes		II	
Enon loam, 2 to 6 percent slopes	II		II
Enon loam, 6 to 10 percent slopes	II	II II	II
Enon loam, 6 to 12 percent slopes			II
Enon loam, eroded gently sloping phase	II	II	II
Enon loam, eroded sloping phase	III	II	II
Enon loam, eroded strongly sloping phase		II	II
Enon loam, gently sloping phase	II	II	II
Enon loam, sloping phase	III	II	II
Enon loam, strongly sloping phase		II	II
Enon sandy loam, 2 to 8 percent slopes	II	II	II
Enon sandy loam, 8 to 15 percent slopes	III	II	II
Enon very cobbly loam, very stony, ALL	IV	II	IV
Enon very stony loam, ALL	IV	II	IV
Enon-Mayodan complex, 15 to 35 percent slopes, very stony	IV	II	III
Enon-Urban land complex, ALL	IV	II	IV
Enon-Wynott complex, 2 to 8 percent slopes	II	II	II
Enon-Wynott complex, 4 to 15 percent slopes, very bouldery	IV	II	IV
Fairview sandy clay loam, 2 to 8 percent slopes, moderately eroded	II	II	II
Fairview sandy clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Fairview sandy clay loam, 15 to 25 percent slopes, moderately eroded	IV	II	II
Fairview-Urban land complex, ALL	IV	II	IV

Map Unit Name	Agri	For	Hort
Fluvaquents-Udifluvents complex, 0 to 3 percent slopes, mounded,	IV	VI	IV
occasionally flooded			
Gaston clay loam, 2 to 8 percent slopes, eroded	II	II	II
Gaston clay loam, 8 to 15 percent slopes, eroded	III	II	II
Gaston loam, 15 to 25 percent slopes	III	II	II
Gaston sandy clay loam, 2 to 8 percent slopes, eroded	II	II	II
Gaston sandy clay loam, 8 to 15 percent slopes, eroded	III	II	II
Georgeville clay loam, 2 to 6 percent slopes, eroded	II	I	II
Georgeville clay loam, 2 to 8 percent slopes, eroded	II	I	II
Georgeville clay loam, 8 to 15 percent slopes, eroded	III	I	II
Georgeville gravelly loam, 2 to 6 percent slopes	II	I	I
Georgeville gravelly loam, 2 to 8 percent slopes, stony	III	I	II
Georgeville gravelly loam, 6 to 10 percent slopes	II	I	I
Georgeville gravelly loam, 10 to 25 percent slopes	IV	I	II
Georgeville gravelly silt loam, 2 to 8 percent slopes	II	I	I
Georgeville gravelly silt loam, 8 to 15 percent slopes	III	I	II
Georgeville loam, 2 to 6 percent slopes	II	I	I
Georgeville loam, 2 to 8 percent slopes	II	I	I
Georgeville loam, 6 to 10 percent slopes	II	I	I
Georgeville loam, 8 to 15 percent slopes	III	I	I
Georgeville loam, ALL OTHER	IV	I	II
Georgeville silt loam, 2 to 6 percent slopes	II	I	I
Georgeville silt loam, 2 to 6 percent slopes, eroded	III	I	II
Georgeville silt loam, 2 to 8 percent slopes	II	I	I
Georgeville silt loam, 2 to 10 percent slopes, eroded	III	I	II
Georgeville silt loam, 4 to 15 percent slopes, extremely stony	IV	I	IV
Georgeville silt loam, 6 to 10 percent slopes	II	I	I
Georgeville silt loam, 6 to 10 percent slopes, eroded	III	Ι	II
Georgeville silt loam, 8 to 15 percent slopes	III	Ι	Ι
Georgeville silt loam, 10 to 15 percent slopes	III	Ι	Ι
Georgeville silt loam, 10 to 15 percent slopes, eroded	III	Ι	II
Georgeville silt loam, 10 to 25 percent slopes	IV	Ι	II
Georgeville silt loam, 15 to 45 percent slopes, extremely bouldery	IV	Ι	IV
Georgeville silt loam, eroded gently sloping phase	II	Ι	II
Georgeville silt loam, eroded sloping phase	III	Ι	II
Georgeville silt loam, eroded strongly sloping phase	III	Ι	II
Georgeville silt loam, gently sloping phase	II	Ι	Ι
Georgeville silt loam, moderately steep phase	III	Ι	II
Georgeville silt loam, sloping phase	II	Ι	Ι
Georgeville silt loam, strongly sloping phase	III	Ι	Ι
Georgeville silty clay loam, 2 to 6 percent slopes, moderately eroded	II	Ι	II
Georgeville silty clay loam, 2 to 8 percent slopes	II	Ι	II
Georgeville silty clay loam, 2 to 8 percent slopes, eroded	II	Ι	II
Georgeville silty clay loam, 2 to 8 percent slopes, moderately eroded	II	Ι	II
Georgeville silty clay loam, 6 to 10 percent slopes, moderately eroded	III	Ι	II
Georgeville silty clay loam, 8 to 15 percent slopes, eroded	IV	Ι	II
Georgeville silty clay loam, 8 to 15 percent slopes, moderately eroded	IV	Ι	II
Georgeville silty clay loam, severely eroded gently sloping phase	III	Ι	II
Georgeville silty clay loam, severely eroded moderately steep phase	IV	Ι	III
Georgeville silty clay loam, severely eroded sloping phase	III	Ι	III
Georgeville silty clay loam, severely eroded strongly sloping phase	IV	Ι	III
Georgeville-Badin complex, ALL	IV	Ι	II
Georgeville-Montonia complex, very stony ALL	IV	Ι	III

Map Unit Name	Agri	For	Hort
Georgeville-Urban land complex, ALL	IV	I	IV
Goldston, ALL	IV	II	III
Goldston-Badin complex, ALL	IV	II	III
Granville gravelly sandy loam, 2 to 8 percent slopes	II	II	I
Granville sandy loam, 2 to 6 percent slopes	II	II	I
Granville sandy loam, 2 to 6 percent slopes	II	II	I
Granville sandy loam, 2 to 8 percent slopes	II	II	I
Granville sandy loam, 6 to 10 percent slopes	III	II	I
Granville sandy loam, 6 to 10 percent slopes	III	II	I
Granville sandy loam, 10 to 15 percent slopes	IV	II	I
Grover, ALL	IV	II	III
Gullied land, ALL	IV	VI	IV
Halewood stony sandy loam, (Edneyville), ALL	IV	III	II
Hatboro sandy loam, 0 to 2 percent slopes, frequently flooded	IV	III	IV
Hayesville and Cecil clay loams, 7 to 14 percent slopes, severely eroded		II	II
(Cecil and Cecil)	11	11	11
Hayesville and Cecil clay loams, 7 to 14 percent slopes, severely eroded	III	II	II
(Cecil and Cecil)	111	11	11
Hayesville and Cecil clay loams, 14 to 25 percent slopes, severely eroded	IV	II	II
(Pacolet and Pacolet)	1 v	11	11
Hayesville and Cecil fine sandy loam, eroded, ALL	IV	II	II
Helena clay loam, severely eroded sloping phase	IV	II	II
Helena coarse sandy loam, sloping phase	IV	II	II
Helena coarse sandy loam, ALL OTHER	III	II	II
Helena fine sandy loam, 2 to 8 percent slopes	III	II	II
Helena sandy loam, 10 to 15 percent slopes	IV	II	II
Helena sandy loam, ALL OTHER	III	II	II
Helena-Sedgefield sandy loams, ALL	III	II	II
Helena-Urban land complex, ALL	IV	II	IV
Helena-Worsham complex, 1 to 6 percent slopes	IV	II	III
	IV	II	I
Herndon loam, 2 to 6 percent slopes	II	II	I
Herndon loam, 6 to 10 percent slopes	II	II	I
Herndon silt loam, 2 to 6 percent slopes	II	II	I
Herndon silt loam, 2 to 6 percent slopes, eroded	II	II	I
Herndon silt loam, 2 to 8 percent slopes	III	II	I
Herndon silt loam, 6 to 10 percent slopes		II	
Herndon silt loam, 6 to 10 percent slopes, eroded		II	II
Herndon silt loam, 8 to 15 percent slopes			1 1
Herndon silt loam, 10 to 15 percent slopes, eroded		II II	II I
Herndon silt loam, 15 to 25 percent slopes			-
Herndon silt loam, eroded gently sloping phase	II	II	II
Herndon silt loam, eroded sloping phase	III	II	II
Herndon silt loam, eroded strongly sloping phase	III	II	II
Herndon silt loam, gently sloping phase	II	II	I
Herndon silt loam, moderately steep phase		II	I
Herndon silt loam, sloping phase	II	II	I
Herndon silt loam, strongly sloping phase		II	I
Herndon silty clay loam, ALL	IV	II	II
Herndon stony silt loam, 2 to 10 percent slopes	III	II	II
Hibriten very cobbly sandy loam, ALL	IV	V	III
Hiwassee clay loam, 8 to 15 percent slopes, eroded	III	II	II
Hiwassee clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Hiwassee clay loam, 10 to 15 percent slopes, eroded	III	II	II

Map Unit Name	Agri	For	Hort
Hiwassee clay loam, 15 to 30 percent slopes, moderately eroded	IV	II	II
Hiwassee clay loam, ALL OTHER	II	II	II
Hiwassee gravelly loam, 2 to 8 percent slopes	II	II	I
Hiwassee gravelly loam, 8 to 15 percent slopes	II	II	II
Hiwassee loam, 2 to 6 percent slopes	II	II	I
Hiwassee loam, 2 to 6 percent slopes, eroded	II	II	II
Hiwassee loam, 2 to 7 percent slopes, eroded	II	II	II
Hiwassee loam, 2 to 8 percent slopes	II	II	I
Hiwassee loam, 6 to 10 percent slopes	II	II	I
Hiwassee loam, 6 to 10 percent slopes, eroded	II	II	II
Hiwassee loam, 8 to 15 percent slopes	II	II	Ι
Hiwassee loam, 10 to 15 percent slopes	II	II	Ι
Hiwassee loam, 10 to 15 percent slopes, eroded	III	II	II
Hiwassee loam, 15 to 25 percent slopes	IV	II	II
Hornsboro, ALL	Ι	Ι	Ι
Hulett, ALL	IV	II	II
Hulett-Saw complex, 4 to 15 percent slopes, very rocky	IV	II	III
Hulett-Urban Land complex, 2 to 8 percent slopes	IV	II	IV
Iotla sandy loam, 0 to 2 percent slopes, occasionally flooded	II	III	III
Iredell clay loam, 2 to 6 percent slopes	III	II	III
Iredell fine sandy loam, 10 to 14 percent slopes (Wilkes)	IV	II	III
Iredell fine sandy loam, 10 to 14 percent slopes, eroded (Wilkes)	IV	II	III
Iredell fine sandy loam, ALL OTHER	III	II	III
Iredell gravelly loam, 1 to 4 percent slopes	III	II	III
Iredell loam, ALL	III	II	III
Iredell sandy loam, ALL	III	II	III
Iredell very stony loam, gently sloping phase (Enon)	IV	II	IV
Iredell-Urban land complex, ALL	IV	II	IV
Iredell-Urban land-Picture complex, 0 to 10 percent slopes	IV	II	IV
Kirksey silt loam, ALL	II	II	II
Kirksey-Cid complex, 2 to 6 percent slopes	III	Π	II
Leaksville silt loam, 0 to 4 percent slopes	III	III	III
Leaksville-Urban land complex, 0 to 4 percent slopes	IV	III	IV
Leveled clayey land	IV	VI	IV
Lignum gravelly silt loam, 2 to 8 percent slopes	II	III	II
Lignum loam, 2 to 6 percent slopes	II	III	II
Lignum silt loam, 7 to 12 percent slopes	III	III	II
Lignum silt loam, ALL OTHER	II	III	II
Lloyd clay loam, 2 to 6 percent slopes, severely eroded (Gaston)	II	II	II
Lloyd clay loam, 2 to 10 percent slopes, severely eroded (Pacolet)	II	II	II
Lloyd clay loam, 6 to 10 percent slopes, severely eroded (Gaston)	II	II	II
Lloyd clay loam, 10 to 14 percent slopes, severely eroded (Pacolet)	III	II	III
Lloyd clay loam, 10 to 15 percent slopes, severely eroded (Gaston)	III	II	III
Lloyd clay loam, 14 to 25 percent slopes, severely eroded (Pacolet)	IV	II	IV
Lloyd clay loam, 15 to 25 percent slopes, severely eroded (Gaston)	IV	II	IV
Lloyd clay loam, severely eroded gently sloping phase (Gaston)	II	II	II
Lloyd clay loam, severely eroded sloping phase (Gaston)	II	II	II
Lloyd clay loam, severely eroded strongly sloping phase (Gaston)	III	II	III
Lloyd clay loam, severely eroded, moderately steep phase (Cecil)	IV	II	III
Lloyd fine sandy loam, 2 to 6 percent slopes (Cecil)	II	II	II
Lloyd fine sandy loam, 2 to 6 percent slopes, eroded (Cecil)	II	II	II
Lloyd fine sandy loam, 6 to 10 percent slopes (Cecil)	III	Π	II

Map Unit Name	Agri	For	Hort
Lloyd fine sandy loam, 6 to 10 percent slopes, eroded (Cecil)	III	II	II
Lloyd fine sandy loam, 10 to 15 percent slopes (Pacolet)	II	II	II
Lloyd fine sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	III	II	II
Lloyd fine sandy loam, 15 to 25 percent slopes (Pacolet)	IV	II	II
Lloyd fine sandy loam, 15 to 25 percent slopes, eroded (Pacolet)	IV	II	III
Lloyd loam, 2 to 6 percent slopes (Gaston)	II	II	I
Lloyd loam, 2 to 6 percent slopes, eroded (Davidson)	II	II	II
Lloyd loam, 2 to 6 percent slopes, eroded (Gaston)	II	II	I
Lloyd loam, 2 to 7 percent slopes (Pacolet)	II	II	Ι
Lloyd loam, 2 to 7 percent slopes, eroded (Pacolet)	II	II	II
Lloyd loam, 6 to 10 percent slopes (Cecil)	III	II	II
Lloyd loam, 6 to 10 percent slopes, eroded (Cecil)	III	II	II
Lloyd loam, 6 to 10 percent slopes, eroded (Davidson)	II	II	II
Lloyd loam, 7 to 10 percent slopes (Pacolet)	III	II	II
Lloyd loam, 7 to 10 percent slopes, eroded (Pacolet)	III	II	II
Lloyd loam, 10 to 14 percent slopes (Pacolet)	IV	II	II
Lloyd loam, 10 to 14 percent slopes, eroded (Pacolet)	IV	II	III
Lloyd loam, 10 to 15 percent slopes (Cecil)	IV	II	II
Lloyd loam, 10 to 15 percent slopes, eroded (Davidson)	II	II	III
Lloyd loam, 10 to 15 percent slopes, eroded (Pacolet)	III	II	III
Lloyd loam, 14 to 25 percent slopes (Pacolet)	IV	II	II
Lloyd loam, 14 to 25 percent slopes, eroded (Pacolet)	IV	II	III
Lloyd loam, 15 to 25 percent slopes (Pacolet)	IV	II	II
Lloyd loam, 15 to 25 percent slopes, eroded (Pacolet)	IV	II	III
Lloyd loam, 25 to 40 percent slopes (Pacolet)	IV	II	IV
Lloyd loam, eroded gently sloping phase (Gaston)	III	II	II
Lloyd loam, eroded sloping phase (Cecil)	III	II	II
Lloyd loam, eroded strongly sloping phase (Cecil)	IV	II	II
Lloyd loam, gently sloping phase (Gaston)	II	II	Ι
Lloyd loam, level phase (Gaston)	II	II	Ι
Lloyd loam, moderately steep phase (Cecil)	II	II	II
Lloyd loam, sloping phase (Cecil)	II	II	II
Lloyd loam, strongly sloping phase (Cecil)	IV	II	II
Local alluvial land, ALL	IV	III	III
Louisa fine sandy loam, 25 to 45 percent slopes	IV	II	III
Louisa sandy loam, 25 to 45 percent slopes	IV	II	III
Louisburg and Louisa soils, 25 to 55 percent slopes	IV	II	II
Louisburg and Louisa soils, ALL OTHER	IV	II	III
Louisburg coarse sandy loam, ALL	IV	II	II
Louisburg loamy coarse sand, ALL	IV	II	IV
Louisburg loamy sand, 2 to 6 percent slopes	III	II	II
Louisburg loamy sand, 6 to 10 percent slopes	III	II	II
Louisburg loamy sand, 6 to 15 percent slopes	IV	II	II
Louisburg loamy sand, 10 to 15 percent slopes	IV	II	II
Louisburg loamy sand, 15 to 45 percent slopes	IV	II	III
Louisburg sandy loam, ALL	IV	II	II
Louisburg-Wedowee complex, 15 to 25 percent slopes	IV	II	II
Louisburg-Wedowee complex, ALL OTHER	III	II	II
Made land	IV	VI	IV
Madison clay loam, 2 to 6 percent slopes, eroded	III	II	II
Madison clay loam, 6 to 10 percent slopes, eroded	III	II	II
Madison clay loam, eroded, ALL OTHER	IV	II	II

Map Unit Name	Agri	For	Hort
Madison complex, gullied	IV	II	IV
Madison fine sandy loam, 2 to 6 percent slopes	П	II	II
Madison fine sandy loam, 2 to 7 percent slopes	II	II	II
Madison fine sandy loam, 2 to 7 percent slopes, eroded	II	II	II
Madison fine sandy loam, 6 to 10 percent slopes	III	II	II
Madison fine sandy loam, 7 to 10 percent slopes	III	II	II
Madison fine sandy loam, 7 to 10 percent slopes, eroded	III	II	II
Madison fine sandy loam, 10 to 14 percent slopes	III	II	II
Madison fine sandy loam, 10 to 14 percent slopes, eroded	IV	II	II
Madison fine sandy loam, 10 to 15 percent slopes	III	II	II
Madison fine sandy loam, 14 to 25 percent slopes	IV	II	II
Madison fine sandy loam, 15 to 45 percent slopes	IV	II	II
Madison gravelly fine sandy loam, 2 to 6 percent slopes	П	II	II
Madison gravelly fine sandy loam, 2 to 6 percent slopes, eroded	II	II	II
Madison gravelly fine sandy loam, 6 to 10 percent slopes	III	II	II
Madison gravelly fine sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Madison gravelly fine sandy loam, 7 to 10 percent slopes	III	II	II
Madison gravely fine sandy loam, 10 to 14 percent slopes	III	II	II
Madison gravely fine sandy loam, 10 to 15 percent slopes	III	II	II
Madison gravelly fine sandy loam, ALL OTHER	IV	II	II
Madison gravelly sandy clay loam, 2 to 8 percent slopes, moderately eroded	III	II	II
Madison gravelly sandy clay loam, 2 to 5 percent slopes, moderately eroded Madison gravelly sandy clay loam, 8 to 15 percent slopes, moderately eroded	IV	II	II
Madison gravely sandy loam, 10 to 25 percent slopes, moderately clouded	IV	II	II
Madison gravelly sandy loam, ALL OTHER	III	II	II
Madison sandy clay loam, 2 to 8 percent slopes, eroded	III	II	II
Madison sandy clay loam, 2 to 5 percent slopes, croded Madison sandy clay loam, 8 to 15 percent slopes, eroded	IV	II	II
Madison sandy clay loam, 15 to 25 percent slopes, croded	IV	II	II
Madison sandy loam, 2 to 6 percent slopes	II	II	II
Madison sandy loam, 2 to 6 percent slopes	II	II	II
Madison sandy loam, 2 to 0 percent slopes, croded	II	II	II
Madison sandy loam, 6 to 10 percent slopes	III	II	II
Madison sandy loam, 8 to 15 percent slopes	III	II	II
Madison sandy loam, 10 to 15 percent slopes	III	II	II
Madison sandy loam, ALL OTHER	IV	II	II
Madison-Bethlehem complex, 2 to 8 percent slopes, stony, moderately eroded	III	II	II
Madison-Bethlehem complex, 2 to 0 percent slopes, story, moderately croaded Madison-Bethlehem complex, 8 to 15 percent slopes, very story, moderately	IV	II	III
eroded	1.		
Madison-Bethlehem-Urban Land complex, 2 to 8 percent slopes	IV	II	IV
Madison-Udorthents complex, 2 to 15 percent slopes, gullied	IV	II	IV
Madison-Urban land complex, 2 to 10 percent slopes, guined	IV	II	IV
Mantachie soils	III	III	II
Masada fine sandy loam, ALL	I	II	I
Masada gravelly sandy clay loam, eroded, ALL	II	II	I
Masada loam, 2 to 8 percent slopes	I	II	I
Masada loam, 8 to 15 percent slopes	II	II	I
Masada sandy clay loam, eroded ALL	II	II	I
Masada sandy loam, 2 to 8 percent slopes	I	II	I
Masada sandy loam, 2 to 5 percent slopes	I	II	I
Masada sandy loam, 15 to 25 percent slopes	IV	II	I
Masada Sandy Journ, 15 to 25 percent slopes Masada-Urban land complex, 2 to 15 percent slopes	IV	II	IV
Mayodan fine sandy loam, 2 to 6 percent slopes	II	I	I
Mayodan fine sandy loam, 2 to 6 percent slopes	II	I	I
Mayodan fine sandy loam, 2 to 7 percent slopes	II	I	I
mayouan mile sandy roam, 2 to 7 percent stopes	11	1	1

Map Unit Name	Agri	For	Hort
Mayodan fine sandy loam, 2 to 8 percent slopes	II	I	I
Mayodan fine sandy loam, 6 to 10 percent slopes	III	I	I
Mayodan fine sandy loam, 7 to 10 percent slopes	III	I	I
Mayodan fine sandy loam, 7 to 10 percent slopes, eroded	III	I	I
Mayodan fine sandy loam, 8 to 15 percent slopes	III	I	I
Mayodan fine sandy loam, 10 to 14 percent slopes	III	I	I
Mayodan fine sandy loam, 10 to 14 percent slopes, eroded	III	I	II
Mayodan fine sandy loam, ALL OTHER	IV	I	II
Mayodan gravelly sandy loam, 2 to 6 percent slopes	II	I	I
Mayodan gravelly sandy loam, 2 to 6 percent slopes, eroded	II	I	I
Mayodan gravelly sandy loam, 2 to 8 percent slopes	II	Ι	Ι
Mayodan gravelly sandy loam, 6 to 10 percent slopes	III	Ι	Ι
Mayodan gravelly sandy loam, 6 to 10 percent slopes, eroded	IV	Ι	Ι
Mayodan gravelly sandy loam, 8 to 15 percent slopes	III	Ι	II
Mayodan gravelly sandy loam, 10 to 15 percent slopes	III	Ι	II
Mayodan gravelly sandy loam, 15 to 25 percent slopes	IV	Ι	II
Mayodan sandy clay loam, 2 to 8 percent slopes, eroded	II	Ι	II
Mayodan sandy clay loam, 8 to 15 percent slopes, eroded	III	Ι	II
Mayodan sandy clay loam, 15 to 25 percent slopes, eroded	IV	Ι	II
Mayodan sandy loam, 2 to 6 percent slopes	II	Ι	Ι
Mayodan sandy loam, 2 to 6 percent slopes, eroded	II	Ι	Ι
Mayodan sandy loam, 2 to 8 percent slopes	II	Ι	Ι
Mayodan sandy loam, 6 to 10 percent slopes	III	Ι	Ι
Mayodan sandy loam, 6 to 10 percent slopes, eroded	III	Ι	Ι
Mayodan sandy loam, 8 to 15 percent slopes	III	Ι	II
Mayodan sandy loam, 10 to 15 percent slopes	III	Ι	II
Mayodan sandy loam, 10 to 15 percent slopes, eroded	IV	Ι	II
Mayodan sandy loam, 15 to 25 percent slopes	IV	Ι	II
Mayodan sandy loam, 15 to 25 percent slopes, stony	IV	Ι	IV
Mayodan silt loam, 2 to 8 percent slopes	II	Ι	Ι
Mayodan silt loam, 8 to 15 percent slopes	III	Ι	II
Mayodan silt loam, 15 to 25 percent slopes	IV	Ι	II
Mayodan silt loam, 25 to 45 percent slopes	IV	Ι	III
Mayodan silt loam, thin, ALL	III	Ι	II
Mayodan silty clay loam, 2 to 8 percent slopes, eroded	III	Ι	II
Mayodan silty clay loam, 8 to 15 percent slopes, eroded	IV	Ι	II
Mayodan-Brickhaven complex, 15 to 30 percent slopes	IV	Ι	III
Mayodan-Exway complex, eroded, ALL	III	Ι	II
Mayodan-Pinkston complex, 25 to 45 percent slopes	IV	Ι	III
Mayodan-Urban land complex, ALL	IV	Ι	IV
McQueen loam, 1 to 6 percent slopes	II	II	II
Mecklenburg clay loam, 2 to 8 percent slopes, eroded	II	II	II
Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded	II	II	II
Mecklenburg clay loam, 6 to 15 percent slopes, severely eroded	IV	II	II
Mecklenburg clay loam, 8 to 15 percent slopes, eroded	III	II	II
Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Mecklenburg clay loam, severely eroded sloping phase	IV	II	II
Mecklenburg fine sandy loam, 2 to 6 percent slopes	II	II	Ι
Mecklenburg fine sandy loam, 2 to 8 percent slopes	II	II	II
Mecklenburg fine sandy loam, 8 to 15 percent slopes	III	II	II
Mecklenburg loam, 2 to 6 percent slopes	II	II	Ι
Mecklenburg loam, 2 to 6 percent slopes, eroded	II	II	II

Map Unit Name	Agri	For	Hort
Mecklenburg loam, 2 to 7 percent slopes, eroded	II	II	II
Mecklenburg loam, 2 to 8 percent slopes	II	II	Ι
Mecklenburg loam, 6 to 10 percent slopes	II	II	II
Mecklenburg loam, 6 to 10 percent slopes, eroded	II	II	II
Mecklenburg loam, 7 to 14 percent slopes, eroded	III	II	II
Mecklenburg loam, 8 to 15 percent slopes	III	II	II
Mecklenburg loam, 10 to 15 percent slopes, eroded	III	II	II
Mecklenburg loam, ALL OTHER	IV	II	II
Mecklenburg loam, dark surface variant, 2 to 6 percent slopes	II	II	I
Mecklenburg loam, dark surface variant, 6 to 10 percent slopes	II	II	II
Mecklenburg loam, dark surface variant, 10 to 15 percent slopes	III	II	II
Mecklenburg loam, eroded gently sloping phase	II	II	II
Mecklenburg loam, eroded sloping phase	II	II	II
Mecklenburg loam, eroded stopping phase	III	II	II
Mecklenburg sandy clay loam, eroded, ALL	III	II	II
Mecklenburg-Urban land complex, ALL	IV	II	IV
Miscellaneous water	IV	VI	IV
Miscenareous water Misenheimer channery silt loam, 0 to 4 percent slopes	IV	VI	III
Misenheimer-Callison complex, 0 to 3 percent slopes	IV	V	III
Misenheimer-Cid complex, 0 to 3 percent slopes	IV	V	III
Misenheimer-Kirksey complex, 0 to 5 percent slopes	IV	V	III
Mixed alluvial land, ALL	IV	v III	III
	II	II	II
Mocksville sandy loam, 2 to 8 percent slopes	III	II	II
Mocksville sandy loam, 8 to 15 percent slopes	IV	II	III
Mocksville sandy loam, 15 to 45 percent slopes	IV	VI	III IV
Moderately gullied land, ALL Monacan and Arents soils		III	IV IV
Monacan laam Monacan loam	I I	III	III
	I IV	V	III IV
Montonia very channery silt loam, 25 to 60 percent slopes, very stony	III	V II	IV
Mooshaunee-Hallison complex, 2 to 8 percent slopes	IV	II	III
Mooshaunee-Hallison complex, 8 to 15 percent slopes	IV	II	III IV
Mooshaunee-Hallison complex, 15 to 25 percent slopes	IV	II	
Mooshaunee-Hallison complex, ALL OTHER	III	II	IV II
Nanford gravelly fine sandy loam, 8 to 15 percent slopes	II	II	
Nanford silt loam, 2 to 6 percent slopes	II	II	I I
Nanford silt loam, 2 to 8 percent slopes		II	I
Nanford silt loam, 8 to 15 percent slopes Nanford silty clay loam, 2 to 6 percent slopes, moderately eroded		II	
Nanford-Badin complex, 6 to 10 percent slopes	III III	II	II II
Nanford-Badin complex, 10 to 15 percent slopes	IV	II	II
		II	
Nanford-Emporia complex, 2 to 8 percent slopes	II III		I
Nason gravelly loam, 2 to 6 percent slopes Nason gravelly loam, 6 to 10 percent slopes	III	II II	I II
Nason gravelly loam, 10 to 25 percent slopes	IV IV	II II	II III
Nason gravelly loam, 25 to 50 percent slopes		II	
Nason gravelly silt loam, 2 to 8 percent slopes	II III	II	I II
Nason gravelly silt loam, 8 to 15 percent slopes			
Nason loam, 2 to 6 percent slopes	II	II	I
Nason loam, 6 to 10 percent slopes	III	II	I
Nason silt loam, 2 to 6 percent slopes	II	II	I
Nason silt loam, 2 to 8 percent slopes	II	II	I
Nason silt loam, 6 to 12 percent slopes	III	II	Ι

Map Unit Name	Agri	For	Hort
Nason silt loam, 8 to 15 percent slopes	III	II	Ι
Nason silt loam, 10 to 15 percent slopes	III	II	Ι
Nason silt loam, 15 to 25 percent slopes	IV	II	II
Nason stony silt loam, 10 to 15 percent slopes (Uwharrie)	IV	II	IV
Oakboro silt loam, ALL	III	III	III
Orange gravelly loam, 2 to 7 percent slopes	II	II	II
Orange loam, 0 to 2 percent slopes	II	II	II
Orange silt loam, 0 to 3 percent slopes	II	II	II
Orange silt loam, eroded gently sloping moderately well drained variant	III	II	II
Orange silt loam, eroded gently sloping phase	III	II	II
Orange silt loam, eroded sloping moderately well drained variant	III	II	II
Orange silt loam, gently sloping moderately well drained variant	III	II	II
Orange silt loam, gently sloping phase	II	II	II
Orange silt loam, nearly level phase	II	II	II
Orange silt loam, sloping moderately well drained variant	III	II	II
Pacolet clay loam, 2 to 6 percent slopes, eroded	II	II	II
Pacolet clay loam, 2 to 8 percent slopes, moderately eroded	II	II	II
Pacolet clay loam, 6 to 10 percent slopes, eroded	III	II	II
Pacolet clay loam, 6 to 10 percent slopes, severely eroded	III	II	II
Pacolet clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Pacolet clay loam, 10 to 15 percent slopes, eroded	III	II	II
Pacolet clay loam, 15 to 45 percent slopes, eroded	IV	II	II
Pacolet complex, 10 to 25 percent slopes, severely eroded	IV	II	III
Pacolet fine sandy loam, 2 to 6 percent slopes	II	II	Ι
Pacolet fine sandy loam, 6 to 10 percent slopes	III	II	Ι
Pacolet fine sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet fine sandy loam, 10 to 15 percent slopes	III	II	II
Pacolet fine sandy loam, ALL OTHER	IV	II	II
Pacolet gravelly fine sandy loam, 2 to 6 percent slopes	II	II	Ι
Pacolet gravelly fine sandy loam, 6 to 10 percent slopes	III	II	II
Pacolet gravelly fine sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet gravelly fine sandy loam, 15 to 25 percent slopes	IV	II	II
Pacolet gravelly sandy clay loam, 15 to 30 percent slopes, eroded	IV	II	II
Pacolet gravelly sandy loam, 2 to 8 percent slopes	II	II	Ι
Pacolet gravelly sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet gravelly sandy loam, ALL OTHER	IV	II	II
Pacolet loam, 10 to 15 percent slopes	III	II	II
Pacolet loam, 15 to 25 percent slopes	IV	II	II
Pacolet sandy clay loam, 2 to 6 percent slopes, eroded	II	II	II
Pacolet sandy clay loam, 2 to 6 percent slopes, moderately eroded	II	II	II
Pacolet sandy clay loam, 2 to 8 percent slopes, eroded	II	II	II
Pacolet sandy clay loam, 6 to 10 percent slopes, moderately eroded	III	II	II
Pacolet sandy clay loam, 8 to 15 percent slopes, eroded	III	II	II
Pacolet sandy clay loam, 8 to 15 percent slopes, moderately eroded	III	II	II
Pacolet sandy clay loam, 10 to 15 percent slopes, moderately eroded	III	II	II
Pacolet sandy clay loam, ALL OTHER	IV	II	II
Pacolet sandy loam, 2 to 6 percent slopes	II	II	Ι
Pacolet sandy loam, 2 to 8 percent slopes	II	II	Ι
Pacolet sandy loam, 6 to 10 percent slopes	III	II	II
Pacolet sandy loam, 8 to 15 percent slopes	III	II	II
Pacolet sandy loam, 10 to 15 percent slopes	III	II	II
Pacolet sandy loam, ALL OTHER	IV	II	II

Map Unit Name	Agri	For	Hort
Pacolet soils, 10 to 25 percent slopes	IV	II	III
Pacolet-Bethlehem complex, 2 to 8 percent slopes, eroded	III	II	II
Pacolet-Bethlehem complex, 2 to 8 percent slopes, moderately eroded	III	II	II
Pacolet-Bethlehem complex, ALL OTHER	IV	II	II
Pacolet-Bethlehem complex, 15 to 25 percent slopes, stony	IV	II	III
Pacolet-Bethlehem-Urban Land complex, ALL	IV	II	IV
Pacolet-Madison-Urban land complex, ALL	IV	II	IV
Pacolet-Saw complex, 2 to 8 percent slopes, eroded	III	II	II
Pacolet-Saw complex, 2 to 8 percent slopes, eroded	III	II	II
Pacolet-Saw complex, ALL OTHER	IV	II	II
Pacolet-Udorthents complex, gullied, ALL	IV	II	IV
Pacolet-Urban land complex, ALL	IV	II	IV
Pacolet-Wilkes complex, 8 to 15 percent slopes	III	II	II
Pacolet-Wilkes complex, 15 to 25 percent slopes	IV	II	II
Picture loam, 0 to 3 percent slopes	IV	II	III
Pinkston, ALL	IV	II	III
Pinkson, ALL	IV	II	III
Pinoka, ALL Pinoka-Carbonton complex, 2 to 8 percent slopes	IV	II	III
Pitoka-Carbonton complex, 2 to 8 percent slopes		VI	
	IV	II	IV II
Poindexter and Zion sandy loams, 2 to 8 percent slopes	III		II
Poindexter and Zion sandy loams, 8 to 15 percent slopes	IV	II	II
Poindexter and Zion sandy loams, ALL OTHER	IV	II	III
Poindexter fine sandy loam, 25 to 60 percent slopes	IV	II	III
Poindexter loam, 2 to 8 percent slopes	III	II	II
Poindexter loam, 8 to 15 percent slopes	IV	II	II
Poindexter loam, 15 to 45 percent slopes	IV	II	III
Poindexter-Mocksville complex, 2 to 8 percent slopes	IV	II	II
Poindexter-Mocksville complex, 8 to 15 percent slopes	IV	II	II
Poindexter-Mocksville complex, ALL OTHER	IV	II	III
Poindexter-Zion-Urban land complex, 2 to 15 percent slopes	IV	II	IV
Polkton-White Store complex, 2 to 8 percent slopes, severely eroded	III	II	III
Polkton-White Store complex, ALL OTHER	IV	II	III
Quarry, ALL	IV	VI	IV
Rhodhiss, ALL	IV	II	II
Rhodhiss-Bannertown complex, 25 to 50 percent slopes	IV	II	III
Rion fine sandy loam, 2 to 8 percent slopes	III	II	II
Rion fine sandy loam, 8 to 15 percent slopes	IV	II	II
Rion fine sandy loam, 15 to 25 percent slopes	IV	II	II
Rion fine sandy loam, 25 to 60 percent slopes	IV	II	III
Rion loamy sand, 8 to 15 percent slopes	IV	II	II
Rion loamy sand, 15 to 25 percent slopes	IV	II	III
Rion sandy loam, 2 to 8 percent slopes	III	II	II
Rion sandy loam, 8 to 15 percent slopes	III	II	II
Rion sandy loam, 15 to 25 percent slopes	IV	II	II
Rion sandy loam, 15 to 30 percent slopes	IV	II	II
Rion sandy loam, ALL OTHER	IV	II	III
Rion, Pacolet, and Wateree soils, 25 to 60 percent slopes	IV	II	IV
Rion-Ashlar complex, 15 to 35 percent slopes, stony	IV	II	III
Rion-Ashlar complex, 25 to 60 percent slopes, rocky	IV	II	IV
Rion-Ashlar-Rock outcrop complex, 45 to 70 percent slopes	IV	II	IV
Rion-Cliffside complex, 25 to 60 percent slopes, very stony	IV	II	IV
Rion-Hibriten complex, 25 to 45 percent slopes, very stony	IV	II	IV

Map Unit Name	Agri	For	Hort
Rion-Urban land complex, 2 to 10 percent slopes	IV	II	IV
Rion-Wateree-Wedowee complex, 8 to 15 percent slopes	IV	II	III
Rion-Wedowee complex, ALL	III	II	II
Rion-Wedowee-Ashlar complex, ALL	IV	II	III
Riverview and Buncombe soils, 0 to 3 percent slopes, frequently flooded	II	III	III
Riverview and Toccoa soils, 0 to 4 percent slopes, requeinly flooded	II	III	III
Riverview, frequently flooded, ALL	II	III	III
Riverview, occasionally flooded, ALL	I	III	III
Roanoke, ALL	I	III	III
Roanoke-Wahee complex, 0 to 3 percent slopes, occasionally flooded	II	III	III
Rock outcrop	IV	VI	IV
Rock outcrop-Ashlar complex, 2 to 15 percent slopes	IV	VI	IV
Rock outcrop-Washa complex, 2 to 15 percent stopes	IV	VI	IV
Sauratown channery fine sandy loam, 25 to 60 percent slopes, very stony	IV	IV	IV
Sauratown channery fine sandy foant, 25 to 60 percent slopes, very stony	IV	II	IV
Saw-Facolet complex, ALL Saw-Wake Complex, very rocky, ALL	IV	II	IV
Saw-wake Complex, Very locky, ALL Secrest-Cid complex, 0 to 3 percent slopes	III	II	IV
	II	II	
Sedgefield fine sandy loam, 1 to 4 percent slopes			II
Sedgefield fine sandy loam, 1 to 6 percent slopes		II	II
Sedgefield sandy loam, 1 to 6 percent slopes		II	II
Sedgefield sandy loam, 2 to 8 percent slopes	III	II	II
Severely gullied land, ALL	IV	VI	IV
Shellbluff loam, 0 to 2 percent slopes, occasionally flooded	II	III	III
Shellbluff silt loam, 0 to 2 percent slopes, frequently flooded	IV	III	III
Skyuka clay loam, 2 to 8 percent slopes, eroded	II	I	II
Skyuka loam, 2 to 8 percent slopes	I	I	II
Spray loam, 0 to 5 percent slopes	IV	II	III
Spray-Urban land complex, 0 to 5 percent slopes	IV	II	IV
Starr loam, ALL	II	I	III
State, ALL	I	I	I
Stoneville loam, 2 to 8 percent slopes	II	II	I
Stoneville loam, 8 to 15 percent slopes	III	II	I
Stoneville loam, 15 to 25 percent slopes	IV	II	II
Stoneville-Urban land complex, 2 to 10 percent slopes	IV	II	IV
Stony land	IV	VI	IV
Swamp	IV	III	IV
Tallapoosa fine sandy loam, ALL	IV	II	III
Tarrus gravelly silt loam, 2 to 8 percent slopes	II	II	I
Tarrus-Georgeville complex, 8 to 15 percent slopes	II	II	I
Tatum and Nason channery silt loams, 15 to 25 percent slopes	IV	II	II
Tatum channery silt loam, ALL	III	II	Ι
Tatum channery silty clay loam, ALL	III	II	II
Tatum gravelly loam, 2 to 8 percent slopes	II	II	I
Tatum gravelly loam, 8 to 15 percent slopes	III	II	I
Tatum gravelly loam, ALL OTHER	IV	II	II
Tatum gravelly silt loam, 2 to 8 percent slopes	II	II	Ι
Tatum gravelly silt loam, 8 to 15 percent slopes	III	II	Ι
Tatum gravelly silt loam, ALL OTHER	IV	II	II
Tatum gravelly silty clay loam, eroded, ALL	III	II	II
Tatum loam, 2 to 6 percent slopes	II	II	Ι
Tatum loam, 10 to 15 percent slopes	III	II	II
Tatum loam, ALL OTHER	IV	II	II

Tatum silt loam, 2 to 8 percent slopesIIIIITatum silt loam, ALL OTHERIIIIIIIITatum silt loam, ALL OTHERIVIIIIITatum silt complex, 2 to 8 percent slopesIIIIIIIITatum-Badin complex, 2 to 8 percent slopes, erodedIIIIIIIIITatum-Badin complex, 2 to 8 percent slopesIIIIIIIIITatum-Badin complex, 3 to 15 percent slopesIIIIIIIIITatum-Badin complex, 4 to 15 percent slopesIIIIIIIIITatum-Ubadin and complex, 2 to 8 percent slopesIVIIIIITatum-Ubadin and complex, 2 to 8 percent slopesIIITotum Urban and complex, 2 to 8 percent slopesIIITirzah silt bam, eroded sloping phase (Tatum)IIIIIIIIITirzah silt bam, eroded sloping phase (Tatum)IIIIIIIIITirzah silt bam, sloping phase (Stoneville)IIIIIIIIITirzah silt bam, sloping phase (Stoneville)IIIIIIIIITirzah silt plan, severely eroded stoping phase (Tatum)IIIIIIIIITirzah silt plan, severely eroded stoping phase (Tatum)III	Map Unit Name	Agri	For	Hort
Tatum silt loam, 8 to 15 percent slopesIIIIIITatum silt loam, ALL OTHERIVIITatum silt loam, complex, 2 to 8 percent slopesIIIIITatum-Badin complex, 2 to 8 percent slopes, crodedIIIIITatum-Badin complex, 8 to 15 percent slopesIIIIITatum-Badin complex, 8 to 15 percent slopesIIIIITatum-Madin complex, 8 to 15 percent slopesIVIITatum-Montonia complex, 2 to 8 percent slopesIVIITatum-Montonia complex, 2 to 4 percent slopesIITatum-Montonia complex, 2 to 4 percent slopesIITetotum fine sandy loam, 1 to 4 percent slopesIITirzah silt loam, eroded genty sloping phase (Tatum)IIIIITirzah silt loam, eroded stoping phase (Tatum)IIIIITirzah silt loam, eroded stoping phase (Stoneville)IIIIITirzah silt loam, stongly sloping phase (Stoneville)IIIIITirzah silt loam, stongly sloping phase (Stoneville)IIIIITirzah silt loam, severely eroded sloping phase (Tatum)IIIIITirzah silt loam, stoping home slopesIIIITirzah silt loam, stoping home slopesIIIIIITirzah silt loa	*			_
Tamm silt loam, ALL OTHER IV III III III Tatum Badin complex, 2 to 8 percent slopes, eroded III II II II Tatum-Badin complex, 2 to 8 percent slopes, eroded III II II II Tatum-Badin complex, 1 to 5 percent slopes III II II II Tatum-Badin complex, 1 to 5 percent slopes IV II II II Tatum-Montonia complex, ALL OTHER III II I IV II IV Tetorum filt loam, 0 to 3 percent slopes I I I I IV II IV II IV II IV II IV II III				
Tatum silty clay loam, croded, ALLIIIIIIIITatum-Badin complex, 2 to 8 percent slopes, erodedIIIIIITatum-Badin complex, 2 to 8 percent slopes, erodedIIIIIIITatum-Badin complex, 8 to 15 percent slopesIVIIIIITatum-Montonia complex, 15 to 30 percent slopesIVIIIIITatum-Montonia complex, 15 to 30 percent slopesIVIIIITatum-Montonia complex, 2 to 8 percent slopesIIITetotum fine sandy loam, 1 to 4 percent slopesIIITirzah silt loam, croded gendy sloping phase (Tatum)IIIIIIIITirzah silt loam, eroded sloping phase (Tatum)IIIIIIITirzah silt loam, eroded sloping phase (Stoneville)IIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIITirzah silt loam, severely eroded strongly sloping phase (Tatum)IIIIIIITirzah silt loap loam, severely eroded strongly sloping phase (Tatum)IIIIIIITirzah silt loap loam, severely eroded strongly sloping phase (Tatum)IIIIIIITirzah silt loap loam, severely eroded strongly sloping phase (Tatum)IIIIIIITirzah silt loap loam, Storegly sloping phase (Tatum)IIIIIIITirzah silt loap loam, Storegly slopesIIIIIIITirzah silt loap loam, Storegly slopesIIIIII <td< td=""><td>· · ·</td><td></td><td></td><td></td></td<>	· · ·			
Tatum-Badin complex, 2 to 8 percent slopesIIIIIIITatum-Badin complex, 2 to 8 percent slopes, crodedIIIIIIIITatum-Madin complex, 8 to 15 percent slopesIIIIIIIITatum-Montonia complex, A LL OTHERIIIIIIIIITatum-Montonia complex, A LL OTHERIIIIIIITatum-Montonia complex, 2 to 8 percent slopesIIITetorum silt loan, 0 to 3 percent slopesIIITirzah silt loan, croded sloping phase (Tatum)IIIIIIIITirzah silt loan, croded sloping phase (Tatum)IIIIIIITirzah silt loan, croded sloping phase (Tatum)IIIIIIIITirzah silt loan, sloping phase (Stoneville)IIIIIIIIITirzah silt loan, sloping phase (Stoneville)IIIIIIIIITirzah silt loan, severely croded gently sloping phase (Tatum)IIIIIIIIITirzah silt olaw, storegly sloping phase (Tatum)IIIIIIIIITirzah silt olaw, storegly sloping phase (Tatum)IIIIIIIIITirzah silt olaw loan, severely croded sloping phase (Tatum)IIIIIIIIITirzah silt olaw, storegly sloping phase (Tatum)IIIIIIIIITirzah silt olaw, a to 8 percent slopesIIIIIIITirzah silt olaw, storegly sloping phase (Tatum)IIIIIIIIITirzah silt olaw, a to 8 percent slopesIIIIIIITirzah silt olaw, a to 8 percent slopesIIIIII <t< td=""><td></td><td></td><td></td><td></td></t<>				
Tatum-Badin complex, 2 to 8 percent slopes, crodedIIIIIIITatum-Montonia complex, 15 to 30 percent slopesIVIIIITatum-Montonia complex, ALL OTHERIIIIIIIITatum-Montonia complex, ALL OTHERIIIIIIIITatum-Montonia complex, ALL OTHERIIIIIIIITatum-Montonia complex, ALL OTHERIIIIIIITatum-Urban land complex, 2 to 8 percent slopesIIITetotum silt loam, 0 to 3 percent slopesIIIITirzah silt loam, eroded sloping phase (Tatum)IIIIIIIIIITirzah silt loam, gendly sloping phase (Tatum)IIIIIIIIIIITirzah silt loam, storody sloping phase (Stoneville)IIIIIIIIIIIITirzah silt loam, storody sloping phase (Stoneville)IIIIIIIIIIIITirzah silt oam, severely eroded sloping phase (Tatum)IIIIIIIIIIIITirzah silt oam, severely eroded sloping phase (Tatum)IIIIIIIIIIIITirzah silt oam, severely eroded slopesIIIIIIIIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIIIIIUdorthents, ALLIVVIIVIVIVUdorthents, ALLIVVIIVIVIV <t< td=""><td></td><td></td><td></td><td></td></t<>				
Tatum-Badin complex, 8 to 15 percent slopesIIIIIIITatum-Montonia complex, ALL OTHERIIIIIITatum-Montonia complex, ALL OTHERIIIIIITatum-Montonia complex, ALL OTHERIIIIITototum fine sandy loam, 1 to 4 percent slopesIITetotum fine sandy loam, 1 to 4 percent slopesIITirzah silt loam, coded sloping phase (Tatum)IIIIITirzah silt loam, eroded sloping phase (Tatum)IIIIITirzah silt loam, gently sloping phase (Tatum)IIIIITirzah silt loam, sloping phase (Stoneville)IIIIIITirzah silt clay loam, severely croded storogly sloping phase (Tatum)IIIIITirzah silt clay loam, severely croded storogly sloping phase (Tatum)IIIIITirzah silt clay loam, severely croded storogly sloping phase (Tatum)IIIIITirzah silt clay loam, severely croded storogly sloping phase (Tatum)IVIIToast sandy loam, 8 to 15 percent slopesIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopes, occasionallyIVVIIVUdorthents-ALLIVVIIVIVUdorthents-Chell Checkdowor complex, 2 to 10 percent slopesIVIIIIIIUthan land-Arents complex, occasionally floodedIVIVIVUvhania				
Tatum-Montonia complex, ALL OTHERIVIIIITatum-Urban land complex, 2 to 8 percent slopesIVIIIITatum-Urban land complex, 2 to 8 percent slopesIIITetotum fine sandy loam, 1 to 4 percent slopesIIITetotum silt loam, coto 3 percent slopesIIITirzah silt loam, eroded stoping phase (Tatum)IIIIIIITirzah silt loam, eroded stoping phase (Tatum)IIIIIIITirzah silt loam, eroded stoping phase (Stoneville)IIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt calv loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt calv loam, severely eroded gently sloping phase (Tatum)IIIIIIIIITirzah silt calv loam, severely eroded sloping phase (Tatum)IIIIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIITocoa, ALLIIIIIIIIIIIITudoville fine sandy loam, 0 to 3 percent slopesIIIIIIIUdorthents-Pits complex, nounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, 2 to 10 percent slopesIVIIIIVUrban land-Anetal-Deedlel-Credmoor complex, 2 to 10 percent slopesIVIIIIIIUrban land-Anetals complex, a to 15 percent slopesIVIIIIV <tr<< td=""><td></td><td></td><td></td><td></td></tr<<>				
Tatum-Montonia complex, ALL OTHERIIIIIIIIIITatum-Urban land complex, 2 to 8 percent slopesIVIIIVTetotum fine sandy loam, 1 to 4 percent slopesIIITirzah silt loam, eroded sloping phase (Tatum)IIIIIIITirzah silt loam, eroded sloping phase (Tatum)IIIIIIITirzah silt loam, gendt yloping phase (Tatum)IIIIIIIIITirzah silt loam, sloping phase (Stoneville)IIIIIIIIITirzah silt loam, stoping phase (Stoneville)IIIIIIIIITirzah silt loam, stoping phase (Stoneville)IIIIIIIIITirzah silt loam, severely eroded sloping phase (Tatum)IIIIIIIIITirzah silt cay loam, severely eroded sloping phase (Tatum)IIIIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIUdorthents-Pits complex, mounded, 0 to 2 percent slopesIVVVIVUrban land-Arents complex, 2 to 15 percent slopesIVIVIVUrban land-Arent canplex, 2 to 15 percent slopesIVIIIIIIUrban land-Arents complex, 2 to 15 percent slopesIVIIIIIIUrban land-Arent canplex, ALLIVVIIVIVUrban land-Arent canplex, accasionally floodedIVIIIIIIUrban land-Arent scomplex, 2 to 15 percent slo	· · · ·			
Tatum-Urban land complex, 2 to 8 percent slopesIVIIIVTetoum silt loam, 0 to 3 percent slopesIIITirzah silt loam, eroded gently sloping phase (Tatum)IIIIIITirzah silt loam, eroded storogly sloping phase (Tatum)IIIIIIITirzah silt loam, eroded storogly sloping phase (Tatum)IIIIIIIITirzah silt loam, eroded storogly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt caly loam, severely eroded gently sloping phase (Tatum)IIIIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopes, occasionallyIVVIIVUdorthents, ALLIVVIIVIVUdorthents, ALLIVVIIVIVUdorthents, Alt.IVVIIVIVUdorthents, Alt.IVVIIVIVUdorthents, Alt.IVVIIVIVUdorthents, Alt.IVVIIVIVUdorthents, Alt.IVVIIVIVUdorthents, Alt.IVIIIIIIUdorthents, Alt.IVI				
Tetotum fine sandy loam, 1 to 4 percent slopesIIITetotum silt loam, 0 to 3 percent slopesIIITirzah silt loam, erode gently sloping phase (Tatum)IIIIIIIITirzah silt loam, eroded stongly sloping phase (Stoneville)IIIIIIIITirzah silt loam, gently sloping phase (Stoneville)IIIIIIIIITirzah silt loam, stongly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, stongly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, stongly sloping phase (Stoneville)IIIIIIIIITirzah silt y clay loam, severely eroded sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded sloping phase (Tatum)IIIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIIToccoa, ALLIIIIIIIIIIIITobe standy loam, 0 to 3 percent slopesIIIIIIIUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUrban land ALLIVVIIVIVUrban land ALLIVVIIVIVUrban land-Arents complex, a cocasionally floodedIVIIIIIIUrban land-Arents complex, 2 to 16 percent slopesIVIIIIIIUrban land-Arents complex, 2 to 16 percent slopesIVIIIIIIUrban land-Arents complex, 2 to 16 percent slopesIVIIIIIIUrban land, ALLIV <td>*</td> <td></td> <td></td> <td></td>	*			
Tetotum silt loam, 0 to 3 percent slopesIIITirzah silt loam, eroded gently sloping phase (Tatum)IIIIIIIITirzah silt loam, eroded strongly sloping phase (Tatum)IIIIIIIITirzah silt loam, eroded strongly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIIITirzah silt claum, severely eroded gently sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIToast sandy loam, 3 to 15 percent slopesIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopes, occasionallyIVVIIVUdorthents. ALLIVVIIVIVUdorthents. Van land. ALLIVVIIVIVUrban land. ALLIVVIIVIVUrban land. ALLIVVIIVIVUrban land. Alt.IVVIIVIVUrban land. Alt.IVVIIVIVUrban land. Alt.IVIIIIIIUrban land. Alt.IVIIIIIIUrban land. Alt.IVIIIIIIUrban land. Alt.IVIIIIII				
Tirzah silt loam, eroded gently sloping phase (Tatum)IIIIIITirzah silt loam, eroded stoping phase (Tatum)IIIIIITirzah silt loam, gently sloping phase (Stoneville)IIIIIIIITirzah silt loam, gently sloping phase (Stoneville)IIIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, storogly sloping phase (Stoneville)IIIIIIIIITirzah silt y clay loam, severely eroded gently sloping phase (Tatum)IIIIIIIIITirzah silt y clay loam, severely eroded sloping phase (Tatum)IIIIIIIIIToast sandy loam, 3 to 15 percent slopesIIIIIIIITocccoa, ALLIIIIIIIIIIIIITurbeville fine sandy loam, 8 to 15 percent slopesIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopes, occasionallyIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, ALLIVVIIVUrban land-Arents complex, 2 to 15 percent slopesIVIIIIIIUwharrie clay loam, 3 to 15 percent slopes, erodedIVIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIVIIIIIIUwharrie sithy clay loam, 2 to 8 percent slopes, erodedIVIIIIIIUwharrie sithy clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie sithy clay l	* * *			
Tirzah silt loam, eroded sloping phase (Tatum)IIIIITirzah silt loam, eroded strongly sloping phase (Tatum)IIIIIIITirzah silt loam, gendy sloping phase (Stoneville)IIIIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIIITirzah silty clay loam, severely eroded gently sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIIIUdorthents, ALLIVVIIVIVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIIIIIIIIIUrban land-Masada complex, 2 to 10 percent slopesIVIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie toam, 5 to 25 percent slopes, erodedIVIIIIIIUwharrie toam, 5 to 25 percent slopes, erodedIIIIIIIIIUwharrie sluy clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie stuy				
Tirzah silt loam, eroded strongly sloping phase (Tatum)IIIIIIITirzah silt loam, genty sloping phase (Stoneville)IIIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIIITirzah silty clay loam, severely eroded genty sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIToccoa, ALLIIIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, ALLIVVIIVIVUrban land-Arents complex, accasionally floodedIVIIIIIIUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIIIIIIIIIUwharrie slup clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie slup clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie slup clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie s				
Tirzah silt loam, gently sloping phase (Stoneville)IIIIIITirzah silt loam, stoping phase (Stoneville)IIIIIIIITirzah silt loam, stoping phase (Stoneville)IIIIIIIITirzah silty clay loam, severely eroded sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded sloping phase (Tatum)IIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIIIIIUdorthents, ALLIVVIIVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUrban land, ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIVIIIIIIUrban land-Arents complex, 2 to 15 percent slopesIVIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIVIIIIIIUwharrie loam, sto 15 percent slopes, erodedIVIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie loam, sto 15 percent slopes, erodedIIIIIIIIIUwharrie loam, very stony, ALLIVIIIIII </td <td></td> <td></td> <td></td> <td></td>				
Tirzah silt loam, sloping phase (Stoneville)IIIIIIITirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIITirzah silty clay loam, severely eroded gently sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded sloping phase (Tatum)IIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIIToast sandy loam, 2 to 8 percent slopesIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIUdorthents. ALLIVVIIVIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, ALLIVVIIVIVUrban land. ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIVIIIIIIUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIIIUwharrie loam, 15 to 25 percent slopes, erodedIVIIIIIIUwharrie loam, 15 to 25 percent slopes, erodedIVIIIIIIUwharrie loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie slity c				
Tirzah silt loam, strongly sloping phase (Stoneville)IIIIIIIITirzah silty clay loam, severely eroded genty sloping phase (Tatum)IIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIIToast sandy loam, 8 to 15 percent slopesIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIUdorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionally floodedIVVIUdorthents-Urban land complex, ALLIVVIIVUrban land, ALLIVVIIVUrban land-Arcents complex, occasionally floodedIVIIIIIIUrban land-fredell-Creedmoor complex, 2 to 10 percent slopesIVIIIIIIUrban land-Masada complex, 2 to 15 percent slopesIVIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIIUwharrie slity clay loan, 2 to 8 percent slopes, erodedIVIIIIIIUwharrie slity clay loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie slity clay loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie slity clay loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie slity clay loan, 3 to 15 percent slopes, erode				
Tirzah silty clay loam, severely eroded gently sloping phase (Tatum)IIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IIIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIITirzah silty clay loam, 2 to 8 percent slopesIIIIToast sandy loam, 2 to 8 percent slopesIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIUdorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVIVVIIVVIIVUdorthents-Urban land complex, ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIVIIIIIIVUrban land-Arents complex, 2 to 15 percent slopesIVIIIIVIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIIUwharrie loam, 15 to 25 percent slopes, erodedIVIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, eroded <td< td=""><td></td><td></td><td></td><td></td></td<>				
Tirzah silty clay loam, severely eroded sloping phase (Tatum)IIIIIIITirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIIToast sandy loam, 2 to 8 percent slopesIIIIToast sandy loam, 2 to 8 percent slopesIIIIIIToccoa, ALLIIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIIUdorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVVIIVVIUdorthents-Urban land complex, ALLIVVIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, 2 to 10 percent slopesIVIIIIVUrban land-Arents complex, 2 to 15 percent slopesIVIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 15 to 25 percent slopes, erodedIVIIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIII				
Tirzah silty clay loam, severely eroded strongly sloping phase (Tatum)IVIIIITorast sandy loam, 2 to 8 percent slopesIIIIIToast sandy loam, 8 to 15 percent slopesIIIIIIIIToccoa, ALLIIIIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIIIIUdorthents, ALLIVVIIVVIUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, ALLIVVIIVVIUrban land, ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, 2 to 10 percent slopesIVIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIIIIIIIIIUwharrie loan, 15 to 25 percent slopes, erodedIVIIIIIUwharrie silt loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loan, 8 to 15 percent slopes, erodedIIIIIIIIIUwharrie silty clay loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loan, 3 to 15 percent slopes, erodedIIIIIIIIIUwharrie silty clay loan, 8 to 15 percent slopes, erodedIIIIIII				
Toast sandy loam, 2 to 8 percent slopesIIIIToast sandy loam, 8 to 15 percent slopesIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIUdorthents, ALLIVVIIVUdorthents, Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Urban land complex, ALLIVVIIVVIUrban land, ALLIVVIIVIVUrban land, ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, 2 to 10 percent slopesIVIIIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIVUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie				
Toast sandy loam, 8 to 15 percent slopesIIIIIToccoa, ALLIIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIIUdorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVfloodedIVVIIVVIIVUdorthents-Urban land complex, ALLIVVIIVVIUrban land-Arents complex, occasionally floodedIVIIIIVVIUrban land-Arents complex, occasionally floodedIVIIIIVVIUrban land-Arents complex, 2 to 10 percent slopesIVIIIVUrban land-Arents complex, 2 to 15 percent slopesIVIIIVUrban land-Masada complex, 2 to 5 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopes, erodedIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silt olam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIIVIIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie story loam, ALLIVIII <td< td=""><td></td><td></td><td></td><td></td></td<>				
Toccoa, ALLIIIIIIITurbeville fine sandy loam, 0 to 3 percent slopesIIIIUdorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionallyIVVIIVUdorthents-Pits complex, accasionally floodedIVVIIVUdorthents-Urban land complex, ALLIVVIIVUrban land, ALLIVVIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Iredel-Creedmoor complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopes, erodedIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIUwharrie sity clay loam, ALLIVIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIIUwharrie story loam, ALL </td <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td> <td></td> <td></td>	· · · · · · · · · · · · · · · · · · ·			
Turbeville fine sandy loam, 0 to 3 percent slopesIIIIUdorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionally floodedIVVIIVUdorthents-Vits complex, and complex, ALLIVVIIVUrban land, ALLIVVIIVIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie loan, new y stony, ALLIVIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 3 to 15 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 3 to 15 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIIIUwharrie stony loam, ALLIVIIIIIIIIIUwharr				
Udorthents, ALLIVVIIVUdorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionally floodedIVVIIVfloodedIVVIIVUdorthents-Urban land complex, ALLIVVIIVUrban land, ALLIVVIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, 2 to 15 percent slopesIVIIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIIIIIIIIIUwharrie loan, nery stony, ALLIVIIIIIIIUwharrie silt loan, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie silty clay loam, A to 15 percent slopes, erodedIIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIIUwharrie-Badin complex, A to 15 percent slopes, moderately erodedIVIIIIIIUwharrie-Badin complex, A to 15 percent slopes, moderately erodedIVIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIII <t< td=""><td>,</td><td></td><td></td><td></td></t<>	,			
Udorthents-Pits complex, mounded, 0 to 2 percent slopes, occasionally floodedIVVIIVUdorthents-Urban land complex, ALLIVVIIVUrban land, ALLIVVIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIIIUwharrie clay loam, 2 to 8 percent slopes, erodedIIVIIIIIUwharrie slopam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie sity clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie atony loam, AttIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesI				
floodedIVVIUdorthents-Urban land complex, ALLIVVIIVUrban land, ALLIVVIIVUrban land, Atents complex, occasionally floodedIVIIIVUrban land-Arents complex, occasionally floodedIVIIIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIVUrban land-Masada complex, 2 to 5 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, moderately erodedIIIIIIIUwharrie sony loam, ALLIVIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIII <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
Udorthents-Urban land complex, ALLIVVIIVUrban land, ALLIVVIIVUrban land, ALLIVVIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, a coloper slopesIVIIIIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIVUwharrie clay loam, 2 to 8 percent slopes, erodedIIVIIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie sity clay loam, 3 to 15 percent slopes, erodedIVIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIVance coars		1 V	V I	1 V
Urban land, ALLIVVIIVUrban land-Arents complex, occasionally floodedIVIIIIVUrban land-Arents complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIVUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie slop and, yet stopsIVIIIIIUwharrie slop and, yet stopsIIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIUwharrie silty clay loam, ALLIVIIIIIUwharrie stony loam, ALLIVIIIIIUwharrie-Badin complex, ALLIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIVance coarse sandy loam, eroded sloping phase <t< td=""><td></td><td>IV</td><td>VI</td><td>IV</td></t<>		IV	VI	IV
Urban land-Arents complex, occasionally floodedIVIIIIVUrban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIVUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopes, erodedIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silt clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silt clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Taum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Taum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Taum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Taum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Taum complex, 8 to 15 percent	*			
Urban land-Iredell-Creedmoor complex, 2 to 10 percent slopesIVIIIVUrban land-Masada complex, 2 to 15 percent slopesIVIIIVUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie sity clay loam, 2 to 8 percent slopes, erodedIVIIIIIIUwharrie story loam, AtLIVIIIIIIIIUwharrie story loam, AtLIVIIIIIIIIUwharrie story loam, very bouldery, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIVance clay loam, s				
Urban land-Masada complex, 2 to 15 percent slopesIVIIIVUwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIVIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie story loam, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIII	· · ·			
Uwharrie clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIIIIII				
Uwharrie clay loam, 8 to 15 percent slopes, erodedIVIIIIIUwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIUwharrie stony loam, ALLIVIIIIIIUwharrie-stony loam, ALLIVIIIIIIIIUwharrie-Tatum complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIII	· · · ·			
Uwharrie loam, 15 to 25 percent slopesIVIIIIIUwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIII				
Uwharrie loam, very stony, ALLIVIIIIIUwharrie silt loam, 2 to 8 percent slopesIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie stony loam, very bouldery, ALLIVIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Uwharrie silt loam, 2 to 8 percent slopesIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIIIUwharrie stony loam, ALLIVIIIIIIIIUwharrie stony loam, very bouldery, ALLIVIIIIIIIIUwharrie-Badin complex, ALLIVIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII	* *			
Uwharrie silty clay loam, 2 to 8 percent slopes, erodedIIIIIIIUwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIUwharrie silty clay loam, ALLIVIIIIIUwharrie stony loam, ALLIVIIIIIUwharrie-Badin complex, ALLIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIIIIIIIIIIIIIIIIIIIIII				_
Uwharrie silty clay loam, 2 to 8 percent slopes, moderately erodedIIIIIIIUwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIUwharrie stony loam, ALLIVIIIIIUwharrie stony loam, very bouldery, ALLIVIVIIUwharrie-Badin complex, ALLIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIIIIIIIIIIIIIIIIIIIIII				
Uwharrie silty clay loam, 8 to 15 percent slopes, erodedIVIIIIUwharrie stony loam, ALLIVIIIIIUwharrie stony loam, very bouldery, ALLIVIVIIUwharrie-Badin complex, ALLIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				
Uwharrie stony loam, ALLIVIIIIIUwharrie stony loam, very bouldery, ALLIVIVIIIVUwharrie-Badin complex, ALLIVIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Uwharrie stony loam, very bouldery, ALLIVIIIVUwharrie-Badin complex, ALLIVIIIIIUwharrie-Badin complex, ALLIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIIIVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Uwharrie-Badin complex, ALLIVIIIIIUwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIVVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Uwharrie-Tatum complex, 8 to 15 percent slopesIIIIIIIIUwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIVVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Uwharrie-Tatum complex, 8 to 15 percent slopes, moderately erodedIVIIIIIUwharrie-Urban Land, 2 to 8 percent slopesIVIIIVVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIIIIIIIIIIIIII				
Uwharrie-Urban Land, 2 to 8 percent slopesIVIIIVVance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII	· · · ·			
Vance clay loam, severely eroded sloping phaseIVIIIIVance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Vance coarse sandy loam, 2 to 8 percent slopesIIIIIIVance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Vance coarse sandy loam, eroded gently sloping phaseIIIIIIIVance coarse sandy loam, eroded sloping phaseIIIIIII				
Vance coarse sandy loam, eroded sloping phase III II II				
	Vance coarse sandy loam, eroded sloping phase	II	II	II

Map Unit Name	Agri	For	Hort
Vance sandy clay loam, ALL	III	II	II
Vance sandy loam, 2 to 6 percent slopes	II	II	II
Vance sandy loam, 2 to 6 percent slopes, eroded	III	II	II
Vance sandy loam, 2 to 8 percent slopes	II	II	II
Vance sandy loam, 6 to 10 percent slopes	III	II	II
Vance sandy loam, 6 to 10 percent slopes, eroded	III	II	II
Vance sandy loam, 8 to 15 percent slopes	III	II	II
Vance sandy loam, 10 to 15 percent slopes	III	II	II
Vance sandy loam, eroded gently sloping phase	III	II	II
Vance sandy loam, eroded moderately sloping phase	III	II	II
Vance sandy loam, eroded strongly sloping phase	IV	II	II
Vance sandy loam, gently sloping phase	II	II	II
Vance-Urban land complex, 2 to 10 percent slopes	IV	II	IV
Wadesboro clay loam, 2 to 8 percent slopes, moderately eroded	II	Ι	II
Wadesboro clay loam, 8 to 15 percent slopes, moderately eroded	III	Ι	II
Wadesboro fine sandy loam, 2 to 7 percent slopes (Mayodan)	II	Ι	II
Wadesboro fine sandy loam, 2 to 7 percent slopes, eroded (Mayodan)	II	I	II
Wadesboro fine sandy loam, 7 to 10 percent slopes (Mayodan)	III	I	II
Wadesboro fine sandy loam, 7 to 10 percent slopes (mayodan)	III	I	II
Wadesboro fine sandy loam, 10 to 14 percent slopes (Mayodan)	III	I	II
Wadesboro fine sandy loam, 10 to 14 percent slopes, eroded (Mayodan)	IV	I	II
Wadesboro fine sandy loam, 14 to 30 percent slopes (Mayodan)	IV	I	II
Wahee, ALL	II	III	I
Wake soils, ALL	IV	II	III
Wake-Saw-Wedowee complex, 2 to 8 percent slopes, rocky	IV	II	III
Wake-Wateree complex, 15 to 30 percent slopes, very rocky	IV	II	III
Wake-Wateree-Wedowee complex, 8 to 15 percent slopes, rocky	IV	II	III
Warne and Roanoke fine sandy loams (Dogue)	IV	III	II
Wateree fine sandy loam, ALL	IV	II	II
Wateree-Rion complex, 40 to 95 percent slopes	IV	Π	III
Wateree-Rion-Wedowee complex, 15 to 30 percent slopes	IV	Π	III
Wedowee coarse sandy loam, 2 to 6 percent slopes	II	Ι	Ι
Wedowee coarse sandy loam, 6 to 10 percent slopes	III	Ι	II
Wedowee loam, 2 to 8 percent slopes	II	Ι	Ι
Wedowee loam, 8 to 15 percent slopes	III	Ι	II
Wedowee loam, 15 to 25 percent slopes	IV	Ι	II
Wedowee sandy clay loam, 8 to 15 percent slopes, eroded	IV	Ι	II
Wedowee sandy loam, 2 to 10 percent slopes, extremely bouldery	IV	Ι	IV
Wedowee sandy loam, 2 to 15 percent slopes, bouldery	IV	Ι	III
Wedowee sandy loam, 2 to 6 percent slopes	II	Ι	Ι
Wedowee sandy loam, 2 to 6 percent slopes, eroded	II	Ι	II
Wedowee sandy loam, 2 to 8 percent slopes	II	Ι	Ι
Wedowee sandy loam, 6 to 10 percent slopes	III	Ι	II
Wedowee sandy loam, 6 to 10 percent slopes, eroded	III	Ι	II
Wedowee sandy loam, 6 to 15 percent slopes	III	Ι	II
Wedowee sandy loam, 8 to 15 percent slopes	III	Ι	II
Wedowee sandy loam, 10 to 15 percent slopes	III	Ι	II
Wedowee sandy loam, 10 to 15 percent slopes, eroded	III	Ι	II
Wedowee sandy loam, 10 to 25 percent slopes	III	Ι	II
Wedowee sandy loam, 15 to 25 percent slopes	IV	Ι	II
Wedowee sandy loam, 15 to 35 percent slopes, bouldery	IV	Ι	III
Wedowee sandy loam, 15 to 40 percent slopes	IV	Ι	II

Map Unit Name	Agri	For	Hort
Wedowee-Louisburg complex, 2 to 6 percent slopes	II	I	II
Wedowee-Louisburg complex, ALL OTHER	III	I	III
Wedowee-Urban land-Udorthents complex, 2 to 10 percent slopes	IV	I	IV
Wehadkee and Bibb soils	IV	III	III
Wehadkee, ALL	IV	III	III
White Store clay loam, ALL	IV	II	III
White Store fine sandy loam, moderately eroded, ALL	IV	II	III
White Store loam, 8 to 15 percent slopes	IV	II	III
White Store loam, ALL OTHER	III	II	III
White Store sandy loam, 2 to 6 percent slopes	III	II	III
White Store sandy loam, ALL OTHER	IV	II	III
White Store silt loam, 8 to 15 percent slopes	IV	II	III
White Store silt loam, ALL OTHER	III	II	III
White Store-Polkton complex, ALL	IV	II	III
White Store-Urban land complex, ALL	IV	II	IV
Wickham fine sandy loam, 0 to 3 percent slopes, rarely flooded	I	I	I
Wickham fine sandy loam, 2 to 6 percent slopes	I	I	I
Wickham fine sandy loam, 2 to 6 percent slopes	II	I	I
Wickham fine sandy loam, 2 to 7 percent slopes, eroded	II	I	I
Wickham fine sandy loam, 2 to 8 percent slopes	II	I	I
Wickham fine sandy loam, 2 to 8 percent slopes	II	I	I
Wickham fine sandy loam, 6 to 10 percent slopes	III	I	I
Wickham fine sandy loam, 7 to 14 percent slopes, croded	III	I	II
Wickham fine sandy loam, 7 to 14 percent slopes, croded	III	I	II
Wickham sandy loam, ALL	I	I	I
Wilkes, ALL	IV	I	III
Wilkes-Poindexter-Wynott complex, ALL	IV	II	III
Wilkes-Urban land complex, 8 to 15 percent slopes	IV	II	IV
Winnsboro fine sandy loam, 2 to 8 percent slopes	II	II	I
Winnsboro loam, 2 to 8 percent slopes	III	II	I
Winnsboro loam, 2 to 0 percent slopes	IV	II	I
Winnsboro-Wilkes complex, 2 to 8 percent slopes	III	II	II
Winnsboro-Wilkes complex, ALL OTHER	IV	II	III
Woolwine-Fairview complex, 2 to 8 percent slopes, moderately eroded	III	II	II
Woolwine-Fairview complex, moderately eroded, ALL OTHER	IV	II	II
Woolwine-Fairview-Urban land complex, ALL	IV	II	IV
Wosham, ALL	IV	III	III
Wynott cobbly loam, 2 to 10 percent slopes, extremely stony	IV	II	IV
Wynott loam, 2 to 8 percent slopes, extended story	III	II	II
Wynott-Enon complex, 2 to 8 percent slopes	II	II	II
Wynott-Enon complex, 2 to 8 percent slopes Wynott-Enon complex, 2 to 8 percent slopes, moderately eroded	II	II	II
Wynott-Enon complex, 8 to 15 percent slopes	II	II	II
Wynott-Enon complex, 8 to 15 percent slopes, moderately eroded	III	II	II
Wynott-Enon complex, 15 to 25 percent slopes	IV	II	II
Wynott-Enon complex, extremely bouldery, ALL	IV	II	IV
Wynott-Wilkes-Poindexter complex, 2 to 8 percent slopes	IV	II	II
Wynott-Winnsboro complex, 2 to 8 percent slopes	II	II	II
Wynott-Winnsboro complex, 8 to 15 percent slopes	II	II	II
Wynott-Winnsboro complex, 15 to 25 percent slopes	IV	II	II
Zion gravelly loam, 2 to 8 percent slopes	III	II	II
Zion gravelly loam, 8 to 15 percent slopes	IV	II	II
Zion-Enon complex, 2 to 8 percent slopes	III	II	III
Lion Lion complex, 2 to 0 percent slopes	111	11	111

MLRA136 - Piedmont

Map Unit Name	Agri	For	Hort
Zion-Enon complex, 8 to 15 percent slopes	IV	II	II
Zion-Mocksville complex, 25 to 45 percent slopes	IV	II	III
Zion-Wilkes complex, 8 to 15 percent slopes	IV	II	II
Zion-Winnsboro-Mocksville complex, ALL	IV	II	II

MLRA137 – Sandhills

Map Unit Name	Agri	For	Hort
Ailey gravelly loamy sand, 8 to 15 percent slopes	III	V	III
Ailey gravelly loamy sand, 15 to 25 percent slopes	IV	V	IV
Ailey loamy sand, ALL	III	V	III
Ailey sand, moderately wet, 0 to 6 percent slopes	II	V	II
Ailey-Urban land complex, ALL	IV	V	IV
Bibb loam, 0 to 2 percent slopes, frequently flooded	IV	III	IV
Blaney loamy sand, 2 to 8 percent slopes	II	II	II
Blaney loamy sand, 2 to 0 percent slopes	III	II	III
Blaney-Urban land complex, ALL	IV	II	IV
Bragg sandy loam, 1 to 4 percent slopes	IV	V	IV
Candor and Wakulla soils, 8 to 15 percent slopes	IV	V	IV
Candor and Wakuna sons, 8 to 19 percent stopes	IV	V	IV
Candor-Urban land complex, 2 to 12 percent slopes	IV	V	IV
Dothan gravelly loamy sand, 0 to 6 percent slopes	I	II	I
Dothan loamy sand, ALL	I	II	I
Emporia loamy sand, ALL	I	II	I
Faceville sandy clay loam, 2 to 6 percent slopes, eroded	II	II	II
Fucevine sandy cray toam, 2 to 6 percent stopes, eroded	II	II	II II
Fuquay, ALL Fuquay-Urban land complex, 0 to 6 percent slopes	II IV	II	II IV
	II	II	IV
Gilead loamy sand, ALL Johns fine sandy loam, 0 to 2 percent slopes	I	I	I
Johnston, ALL	IV	III	I IV
Kalmia sandy loam, wet substratum, 0 to 2 percent slopes	<u>I</u>	II	I
Kenansville loamy sand, 0 to 4 percent slopes		I V	
Lakeland, ALL	IV	V	IV
Lakeland-Urban land complex, 1 to 8 percent slopes	IV		IV
Lillington gravelly sandy loam, 2 to 8 percent slopes	III IV	II II	III IV
Lillington gravelly sandy loam, 8 to 15 percent slopes	IV IV	II	IV IV
Lillington gravelly sandy loam, 15 to 25 percent slopes	IV	II	IV IV
Pactolus sand, 0 to 3 percent slopes	I	III	I
Paxville fine sandy loam, 0 to 2 percent slopes Pelion loamy sand, 0 to 2 percent slopes	I	II	I
Pelion loamy sand, 1 to 4 percent slopes	IV	II	IV IV
Pelion loamy sand, 2 to 8 percent slopes	III	II	III
Pelion loamy sand, 8 to 15 percent slopes	IV	II	IV
Pelion-Urban land complex, ALL	IV	II	IV
Pelion-Urban land complex, 8 to 15 percent slopes	IV	II	IV
Pocalla loamy sand, 0 to 6 percent slopes	II	II	II
Rains fine sandy loam, 0 to 2 percent slopes	III	I	III
Tetotum silt loam, 0 to 3 percent slopes, rarely flooded	I	I	I
Udorthents, ALL	IV	VI	IV
Urban land, ALL	IV	VI VI	IV
Vaucluse gravelly loamy sand, 2 to 8 percent slopes		II	III
Vaucluse gravelly loamy sand, 8 to 15 percent slopes	IV	II	IV
Vaucluse gravelly loamy sand, 15 to 25 percent slopes	IV	II	IV
Vaucluse gravelly sandy loam, ALL	III	II	III
Vaucluse gravelly sandy loam, 8 to 15 percent slopes	III	II	III
Vaucluse gravely sandy loam, 15 to 25 percent slopes	III	II	III
Vaucluse loamy sand, 2 to 8 percent slopes	II	II	II
Vaucluse loamy sand, 8 to 15 percent slopes	III	II	III
Valcluse loamy sand, 15 to 25 percent slopes	III IV	II	III IV
Vaucluse loamy sand, 15 to 25 percent slopes Vaucluse very gravelly loamy sand, ALL	IV IV	II	IV IV
v auciuse very graveny idaniy sanu, ALL	1 V	ш	1 V

MLRA137 – Sandhills

Map Unit Name	Agri	For	Hort
Vaucluse-Gilead loamy sands, 15 to 25 percent slopes	IV	Π	IV
Vaucluse-Urban land complex, ALL	IV	Π	IV
Wakulla and Candor soils, 0 to 8 percent slopes	IV	V	IV
Wakulla sand, ALL	IV	V	IV
Wakulla-Candor-Urban land complex, 0 to 10 percent slopes	IV	V	IV
Wehadkee fine sandy loam	IV	III	IV
Wehadkee loam, 0 to 2 percent slopes, frequently flooded	IV	III	IV

Map Map Agri For Hort Alaga, ALL IV II IV II IV Alpin, ALL IV II IV II IV Alavista-Urban land complex, 0 to 2 percent slopes IV I I I Alavista-Urban land complex, 0 to 2 percent slopes IV II II II Augusta, ALL II I II II II II Autryville fanc sand, 1 to 4 percent slopes IV II III	Naga, ALL IV Npin, ALL IV Nativista, ALL IV Natavista, Urban land complex, 0 to 2 percent slopes IV Arapahoe fine sandy loam II Augusta, ALL II Augusta, ALL II Augusta, ALL II Augusta, ALL COTHER II Aycock, ALL OTHER II Ballahack loam, 0 to 2 percent slopes, occasionally flooded I Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade fine sand, ALL IV Baymeade and Jonnston loams, frequently flooded IV Bibb, ALL IV Balach, ALL IV Banton, ALL IV Sonneau loamy fine sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes III Bonneau loamy sand, 6 to 12 percent slopes II	II I I I I II II I I I I I I I V V I III III III III V V V V V V V V V V V V V V V V V V V	IV I IV II II IV III II II II IV III IV IV
Alpin, ALLIVIIIVAltavista, ALLIIIAltavista, Urban land complex, 0 to 2 percent slopesIVIIVArapahoe fine sandy loamIIIIIAugusta, ALLIIIIIIIAutryville fine sand, 1 to 4 percent slopesIVIIIIAvcock, ALL ERODEDIIIIIIIIAycock, ALL CERODEDIIIIIIAycock, ALL CERODEDIIIIIBayboro, ALLIIIIBaymeade and Maryyn soils, 6 to 12 percent slopesIVVIVBaymeade and Maryn soils, 6 to 6 percent slopesIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBibb and Jonston loams, frequently floodedIIIIIIBibb and Jonston loams, frequently floodedIVIIIIVBlanton, ALLIIIIIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 perce	Alpin, ALLIVMaraphoe fine sandy loamIArapahoe fine sandy loamIIMarysta-Urban land complex, 0 to 2 percent slopesIVArapahoe fine sand, 1 to 4 percent slopesIIMutryville, ALL OTHERIIIMutryville, ALL OTHERIIIAycock, ALL ERODEDIIMycock, ALL OTHERIISallahack loam, 0 to 2 percent slopes, occasionally floodedIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBaymeade, ALLIIBibb and Johnston loams, frequently floodedIVBaltahack loam, 9 to 6 percent slopesIIBanton, ALLIVBanton, ALLIVBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 0 to 3 percent slopesIIIBonneau loamy sand, 0 to 3 percent slopesIIIBonneau loamy fine sand, 0 to 3 percent slopes	I I I I I I I I V V V V V I I I I I I I	I IV II IV IV III II IV IV IV IV IV IV I
Altavista, ALL I I I I Altavista-Urban land complex, 0 to 2 percent slopes IV I IV Arapaboe fine sandy loam II I II II Augusta, ALJ. II I II II II Autryville, ALL OTHER III II II II II Autryville, ALL OTHER III II II II II Aycock, ALL OTHER II I I I I Ballahack loam, 0 to 2 percent slopes, occasionally flooded I I I I Bayneade and Marvyn soils, 6 to 12 percent slopes IV V IV V Bayneade and Marvyn soils, 6 to 12 percent slopes IV V IV IV Bayneade and Marvyn soils, 6 to 12 percent slopes IV V IV IV Bayneade and Marvyn soils, 6 to 12 percent slopes IV V IV IV Bayneade and Marvyn soils, 6 to 12 percent slopes III III III III Bonneau loamy sand, 6 to 6 percent slopes III III III III </td <td>Altavista, ALL I Matavista-Urban land complex, 0 to 2 percent slopes IV Arapahoe fine sandy loam II Augusta, ALL II Augryaille fine sand, 1 to 4 percent slopes IV Autryville, ALL OTHER III Aycock, ALL ERODED II Aycock, ALL OTHER I Ballahack loam, 0 to 2 percent slopes, occasionally flooded I Bayboro, ALL I Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade fine sand, ALL IV Baymeade fine sand, ALL IV Baymeade-Urban land complex, 0 to 6 percent slopes IV Baymeade-Urban land complex, 0 to 6 percent slopes IV Bibb and Johnston loams, frequently flooded IV Bibb and Johnston loams, frequently flooded IV Baonneau loamy fine sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes III Bonneau loamy sand, 0 to 6 percent slopes III Bonneau loamy sand, 6 to 10 percent slopes III</td> <td>I I I I I I I I V V V V V I I I I I I I</td> <td>I IV II IV IV III II IV IV IV IV IV IV I</td>	Altavista, ALL I Matavista-Urban land complex, 0 to 2 percent slopes IV Arapahoe fine sandy loam II Augusta, ALL II Augryaille fine sand, 1 to 4 percent slopes IV Autryville, ALL OTHER III Aycock, ALL ERODED II Aycock, ALL OTHER I Ballahack loam, 0 to 2 percent slopes, occasionally flooded I Bayboro, ALL I Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade fine sand, ALL IV Baymeade fine sand, ALL IV Baymeade-Urban land complex, 0 to 6 percent slopes IV Baymeade-Urban land complex, 0 to 6 percent slopes IV Bibb and Johnston loams, frequently flooded IV Bibb and Johnston loams, frequently flooded IV Baonneau loamy fine sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes III Bonneau loamy sand, 0 to 6 percent slopes III Bonneau loamy sand, 6 to 10 percent slopes III	I I I I I I I I V V V V V I I I I I I I	I IV II IV IV III II IV IV IV IV IV IV I
Altavista-Urban land complex, 0 to 2 percent slopes IV I IV Aragahoe fine sandy loam II I II Augusta, ALL II II II Augusta, ALL III II II Autryville, ALL OTHER III III III Aycock, ALL ERODED II I II Aycock, ALL COTHER II I I Ballahack loam, 0 to 2 percent slopes, occasionally flooded I I I Baymeade fine sand, ALL IV V IV V Baymeade-Inbriston (ALL IV V IV V IV Baymeade-Inbriston loams, frequently flooded IV V IV V IV Bibb and Johnston loams, frequently flooded IV III II III III Bibb and Johnston loams, frequently flooded IV V IV V IV Bibb and Johnston loams, frequently flooded II II III III Bonneau loamy sand, 0 to 6 percent slopes III II III Bonneau loamy sand, 0 to 10 pe	Altavista-Urban land complex, 0 to 2 percent slopes IV Arapahoe fine sandy loam II Mugusta, ALL II Autryville fine sand, 1 to 4 percent slopes IV Autryville, ALL OTHER III Mycock, ALL ERODED II Aycock, ALL OTHER I Saymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade fine sand, ALL IV Baymeade fine sand, O to 6 percent slopes IV Baben, ALL III Bibb, ALL IV Balanton, ALL IV Sonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes III Bonneau loamy sand, 6 to 10 percent slopes III Bonneau loamy sand, 6 to	I I I I I I I I V V V V V V I I I II I I I I I I V V V V V V V V V V V V V V V V V V	II II IV III II I I I IV
Arapaboe fine sandy loamIIIIIIIAugusta, ALLIIIIIIAutryville, ALL OTHERIVIIIIVAutryville, ALL OTHERIIIIIIIIAycock, ALL OTHERIIIIAycock, ALL OTHERIIIIBallahack loam, 0 to 2 percent slopes, occasionally floodedIIBayneade and Marvyn soils, 6 to 12 percent slopesIVVBaymeade fine sand, ALLIVVBaymeade and Marvyn soils, 6 to 12 percent slopesIVVBytenede-Urban land complex, 0 to 6 percent slopesIVVBethera, ALLIIIIIBibb, ALLIVIIIIVBibb, ALLIVIIIIVBidade, ALLIVIIIIVBidade, ALLIVIIIIIIBibb, ALLIVVIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIBonneau loamy sand, 6 to 13 percent slopesIIIIIBornow pitsIVVIIVBragg, ALLIVVIIVBrogg, ALLIVVIIVBornow pitsIVVIIVBornow pitsIIIIIICaroline fine sandy loam, ALLIVVICarol	Arapahoe fine sandy loamIIAugusta, ALLIIAugusta, ALLIIAugusta, ALLIIAugusta, ALLIIIAycock, ALL COTHERIIIAycock, ALL ERODEDIIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIBibb and Johnston loams, frequently floodedIVBibb and Johnston loams, frequently floodedIVBaden, ALLIIIBanton, ALLIVBonneau loamy sind, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 0 to 3 percent slopesIIIBonneau loamy sand, 0 to 3 percent slopesIIIBonneau loamy fine sand, 0 to 3 percent slopesIIIBorrow pitsIVByars loamIICainhoy, ALLIVCape Fear loam, ALLIICareret, ALLIVCareter, ALL <t< td=""><td>I I II I I I I V V V V V I I III III I I I V V V</td><td>II II IV III II I I I IV IV</td></t<>	I I II I I I I V V V V V I I III III I I I V V V	II II IV III II I I I IV
Augusta, ALLIIIIIAutryville fine sand, 1 to 4 percent slopesIVIIIVAutryville, ALL OTHERIIIIIIIIIAycock, ALL ERODEDIIIIAycock, ALL OTHERIIIIBallahack loam, 0 to 2 percent slopes, occasionally floodedIIIBallahack loam, 0 to 2 percent slopes, occasionally floodedIIIBaymeade fine sand, ALLIVVIVBaymeade fine sand, ALLIVVIVBaymeade fine sand, ALLIIIIIBibb and Jonston loams, frequently floodedIVIIIIVBibb and Jonston loams, frequently floodedIVIIIIVBibb and Jonston loams, frequently floodedIVIIIIVBanton, ALLIVVIIVVBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIBonneau loamy sand, 0 to 3 percent slopesIIIIIIIBorrow pitsIVVIIVVIBrokowan loam, frequently floodedIVIIIIIBrokowan loam, frequently floodedIVIIIIIBorrow pitsIVVIIVVIBrokowan loam, frequently floodedIVIIIIICainhoy, ALLIIIICareter, ALLIVVI <td>Augusta, ALLIIAutryville fine sand, 1 to 4 percent slopesIVAutryville, ALL OTHERIIIAycock, ALL ERODEDIIAycock, ALL OTHERISallahack loam, 0 to 2 percent slopes, occasionally floodedIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIBibb ad Johnston loams, frequently floodedIVBibb, ALLIVBaden, ALLIVBalanon, ALLIVBanton, ALLIVBanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBornow pitsIVBragg, ALLIVSrookman loam, frequently floodedIVBayars loamIICainhoy, ALLIVCape Fear loam, ALLICarteret, ALLIICarteret, ALLIVCarteret, ALLIVCantone fine sand loam, ALLIICarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIVCanteret, ALL<td>I II I I I I V V V V V I I III III III</td><td>IV III I I I I IV IV</td></td>	Augusta, ALLIIAutryville fine sand, 1 to 4 percent slopesIVAutryville, ALL OTHERIIIAycock, ALL ERODEDIIAycock, ALL OTHERISallahack loam, 0 to 2 percent slopes, occasionally floodedIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIBibb ad Johnston loams, frequently floodedIVBibb, ALLIVBaden, ALLIVBalanon, ALLIVBanton, ALLIVBanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBornow pitsIVBragg, ALLIVSrookman loam, frequently floodedIVBayars loamIICainhoy, ALLIVCape Fear loam, ALLICarteret, ALLIICarteret, ALLIVCarteret, ALLIVCantone fine sand loam, ALLIICarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIVCanteret, ALL <td>I II I I I I V V V V V I I III III III</td> <td>IV III I I I I IV IV</td>	I II I I I I V V V V V I I III III III	IV III I I I I IV
Autryville fine sand, 1 to 4 percent slopesIVIIIVAutryville, ALL OTHERIIIIIIIIAycock, ALL ERODEDIIIIIAycock, ALL CERODEDIIIIBalboro, ALLIIIBalboro, ALIIIBayboro, ALIIIBaymeade fine sand, ALLIVVIVBaymeade fine sand, ALLIVVIVBaymeade fine sand, ALLIVVIVBaymeade furbandIVVIVBethera, ALLIIIIIBibb, ALLIVIIIIIIBibb, ALLIVIIIIVBaden, ALLIIIIIIIIIBaden, ALLIVVIIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIBornow pitsIVVIIVBornow pitsIVVIIVBornow pitsIVVIIVBornow pitsIVVIIVBornow pitsIIIIIIIIIBornow pitsIVVIIVBornow pitsIVVIIVBornow pitsIVVIIVBornow pitsIVVIIVBornow pitsIIIIIIIII <td>Autryville fine sand, 1 to 4 percent slopes IV Autryville, ALL OTHER III Aycock, ALL ERODED II Aycock, ALL OTHER I Ballahack loam, 0 to 2 percent slopes, occasionally flooded I Bayboro, ALL I Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade fine sand, ALL IV Baymeade-Urban land complex, 0 to 6 percent slopes IV Bathera, ALL II Bibb and Johnston loams, frequently flooded IV Bathera, ALL II Bibb, AL IV Banton, ALL IV Sonneau loamy fine sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 6 to 10 percent slopes III Bonneau loamy sand, 6 to 12 percent slopes III Bonneau loamy sand, 6 to 12 percent slopes III Bonneau loamy sand, 0 to 3 percent slopes III Bonneau loamy fine sand, 0 to 3 percent slopes III Barons, ALL IV</td> <td>II I I I I I V V I III III III V V V V V V V V V V V V V V V V V V</td> <td>IV III I I I I IV IV</td>	Autryville fine sand, 1 to 4 percent slopes IV Autryville, ALL OTHER III Aycock, ALL ERODED II Aycock, ALL OTHER I Ballahack loam, 0 to 2 percent slopes, occasionally flooded I Bayboro, ALL I Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade and Marvyn soils, 6 to 12 percent slopes IV Baymeade fine sand, ALL IV Baymeade-Urban land complex, 0 to 6 percent slopes IV Bathera, ALL II Bibb and Johnston loams, frequently flooded IV Bathera, ALL II Bibb, AL IV Banton, ALL IV Sonneau loamy fine sand, 0 to 6 percent slopes II Bonneau loamy sand, 0 to 6 percent slopes II Bonneau loamy sand, 6 to 10 percent slopes III Bonneau loamy sand, 6 to 12 percent slopes III Bonneau loamy sand, 6 to 12 percent slopes III Bonneau loamy sand, 0 to 3 percent slopes III Bonneau loamy fine sand, 0 to 3 percent slopes III Barons, ALL IV	II I I I I I V V I III III III V V V V V V V V V V V V V V V V V V	IV III I I I I IV
Autryville, ALL OTHERIIIIIIIIIIAycock, ALL ERODEDIIIIIAycock, ALL OTHERIIIIIBallahack loam, 0 to 2 percent slopes, occasionally floodedIIIIBayneade and Marvyn soils, 6 to 12 percent slopesIVVIVBaymeade fine sand, ALLIVVIVVBethera, ALLIVVIVVBethera, ALLIIIIIIBibb and Johnston loams, frequently floodedIVIIIIVBiden, ALLIIIIIIIIIIIIBiden, ALLIIIIIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorrow pitsIVVIIVVIBrogg, ALLIVVIIVVIBrokker, ALLIIIIIIIIIIBorrow pitsIVVIIVVIBrokker, ALLIIIIIIIIIIIIBorrow pitsIVVIIVVIBrokker, ALLIIIIIIIIIIIIBorrow pitsIVVIIVVIBrokker, ALL </td <td>Autryville, ALL OTHERIIIAycock, ALL ERODEDIIAycock, ALL ERODEDIIAycock, ALL OTHERIBalhack loam, 0 to 2 percent slopes, occasionally floodedIBayboro, ALLIVBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBathera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIIBibb and Johnston loams, frequently floodedIVBancon, ALLIVBancon, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy sand, 6 to 3 percent slopesIIIBorneau loamy sand, 6 to 3 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIBarge, ALLIVBarden, ALLIVCaroline fine sandy loam, ALLICaroline fine sandy loam, ALLICaroline fine sandy loam, ALLICaroline fine sand Chenneby soils, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV</td> <td>II I I I V V V I III III VI</td> <td>III I I I I IV IV</td>	Autryville, ALL OTHERIIIAycock, ALL ERODEDIIAycock, ALL ERODEDIIAycock, ALL OTHERIBalhack loam, 0 to 2 percent slopes, occasionally floodedIBayboro, ALLIVBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBathera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIIBibb and Johnston loams, frequently floodedIVBancon, ALLIVBancon, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy sand, 6 to 3 percent slopesIIIBorneau loamy sand, 6 to 3 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIBarge, ALLIVBarden, ALLIVCaroline fine sandy loam, ALLICaroline fine sandy loam, ALLICaroline fine sandy loam, ALLICaroline fine sand Chenneby soils, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV	II I I I V V V I III III VI	III I I I I IV
Aycock, ALL ERODEDIIIIIIAycock, ALL OTHERIIIIBallahack Ioam, 0 to 2 percent slopes, occasionally floodedIIIBaybero, ALLIIIIBaymeade and Marvyn soils, 6 to 12 percent slopesIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBethera, ALLIIIIIIIBibb, ALLIVIIIIVIVBibb, ALLIVIIIIVIIIBohcket, ALLIVVIVVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 4 percent slopesIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorrow pitsIVVIIVIVBrookman loam, frequently floodedIVVIIVBrookman loam, frequently floodedIVVIIVBrookman loam, frequently floodedIVVIIIIByars loamIIIIIIIIIIICareotine fine sand, 0 to 3 percent slopesIIIIIIIIIBorrow pitsIVVIIVIVBrookman loam, frequently floodedIVVIIVCareotine fine sandIIIIIIIII	Aycock, ALL ERODEDIIAycock, ALL OTHERIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBayboro, ALLIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBaden, ALLIIIBanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy fine sand, 0 to 3 percent slopesIIIBonneau loamy fine sand, 0 to 3 percent slopesIIIBorrow pitsIVBarge, ALLIVBorters loam, frequently floodedIVBars loamIICarefera loam, ALLIVCarefera loam, ALLIICarefera, ALLIVCarefert, ALLIVCarefert, ALLIVCarefert, ALLIVCarefert, ALLIVCarefert, ALLIVCarefert, ALLIV<	I I I V V V I I III III III V V V	II I I IV IV IV IV IV III IV IV IV
Aycock, ALL OTHERIIIIBallahack loam, 0 to 2 percent slopes, occasionally floodedIIIBalyboro, ALLIIIIBaymeade and Marvyn soils, 6 to 12 percent slopesIVVIVBaymeade fine sand, ALLIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBethera, ALLIIIIIIBibb, ALLIIIIIIIIIIBibb, ALLIVIIIIVIVBibb, ALLIVIIIIVVBoneau loamy fine sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 12 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 12 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 3 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 3 percent slopesIIIIIIIIIIBrage, ALLIVVIIVVIBrookman loam, frequently floodedIVIIIIIIBrage, ALLIIIIIIIIIIIIBrage, ALLIVVIIVVCarlore, ALLIIIIIIIIIIIIBonneau loamy sand, 0 to 3 percent slopesIIIIIIIIIIBrage, ALLIVVIIVV	Aycock, ALL OTHERIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBallahack loam, 0 to 2 percent slopes, occasionally floodedIBayboro, ALLIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIBibb and Johnston loams, frequently floodedIVBibb ALLIVBladen, ALLIVBladen, ALLIVBanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBorneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIIBorneau loamy fine sand, 0 to 3 percent slopesIIIIBarge, ALLIVCape Fear loam, ALLICarleret, ALLIVCarleret, ALLIVCarleret, ALLIVCarleret, ALLIVCarleret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV	I I V V V I I III III I I V V V	I I IV IV IV IV IV IV IV IV IV IV IV
Ballahack loam, 0 to 2 percent slopes, occasionally floodedIIIBaymeade and Marvyn soils, 6 to 12 percent slopesIVVIVBaymeade fine sand, ALLIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBibb and Johnston loams, frequently floodedIVIIIBibb and Johnston loams, frequently floodedIVIIIIIBibb and Johnston loams, frequently floodedIVIIIIVBibb and Johnston loams, frequently floodedIVIIIIVBibb and Johnston loams, frequently floodedIVVIVBohcket, ALLIVVIVVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 3 percent slopesIIIIIIIIIBonrow pitsIVVIVVIVBragg, ALLIVVIIVIVIVButters loam fine sand, 0 to 3 percent slopesIIIIIIIIICaroline fine sandIVVIIVVCaroline fine sandIVVIIVVCaroline fine sandIVVIIVIVCaroline fine sandIVVIIVIVCaroline fine sandIVIII	Ballahack loam, 0 to 2 percent slopes, occasionally floodedIBayboro, ALLIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBatter, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBaden, ALLIIIBladen, ALLIVBanton, ALLIVSonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBarrow pitsIVBarros pitsIVBarros pitsIVBarros pitsIVBarros pitsIVCape Fear loam, ALLICarline fine sandy loam, ALLICarline fine sandy loam, ALLICarline fine sand loam, ALLIVCape Fear loam, ALLIVCarleret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIVCanteret, ALLIV <td>I I V V I I III III I V V VI</td> <td>I IV IV IV IV IV IV IV IV IV IV</td>	I I V V I I III III I V V VI	I IV IV IV IV IV IV IV IV IV IV
Bayboro, ALLIIIIBaymeade and Marvyn soils, 6 to 12 percent slopesIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBethera, ALLIIIIIIBibb, ALLIVIVIIIIVBibb, ALLIVIIIIVIIIBibb, ALLIVIIIIVIIIBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIIBornow pitsIVVIIVVIBrookman loam, frequently floodedIVVIIVBrookman loam, frequently floodedIVVIIVButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIButters loamy fine sandIIIIIIIIIICare Fear loam, ALLIIIICare Fear loam, ALLIIIICare Fear loam, ALLIIIIIIIIIICare Fear loam, ALLIVVIIVChewacla and Chastain soils, frequently floodedIV </td <td>Bayboro, ALLIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBattera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBladen, ALLIIIBlanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBorrow pitsIVBorrow pitsIVBorrow pitsIVBargg, ALLIVCaroline fine sand, 0 to 3 percent slopesIIIBayars loamIICarline fine sandy loam, ALLICarefine fine sandy loam, ALLICarefine fine sandy loam, ALLICarefine fine sand loam, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV</td> <td>I V V I III III I V V VI</td> <td>I IV IV IV II IV IV IV IV IV IV</td>	Bayboro, ALLIBaymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBattera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBladen, ALLIIIBlanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBorrow pitsIVBorrow pitsIVBorrow pitsIVBargg, ALLIVCaroline fine sand, 0 to 3 percent slopesIIIBayars loamIICarline fine sandy loam, ALLICarefine fine sandy loam, ALLICarefine fine sandy loam, ALLICarefine fine sand loam, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV	I V V I III III I V V VI	I IV IV IV II IV IV IV IV IV IV
Baymeade and Marvyn soils, 6 to 12 percent slopesIVVIVBaymeade fine sand, ALLIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBethera, ALLIIIIIIBibb and Johnston loams, frequently floodedIVIIIIVBibb, ALLIIIIIIIIIIBibden, ALLIIIIIIIIIIIBoncau loamy fine sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBornow pitsIVVIIVIVBragg, ALLIVVIIVIVBourse loamy fine sand, 0 to 3 percent slopesIIIIIIIIIIByars loamIIIIIIIIIIIICarbine fine sandy loam, ALLIIIICarbine fine sandy loam, ALLIIIIIIIIICarbine fine sandy loam, ALLIIIIIIIIIIChastain soils, frequently floodedIVIIIIVCha	Baymeade and Marvyn soils, 6 to 12 percent slopesIVBaymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBaden, ALLIVBalanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIBarters loamIICarloine fine sandy loam, ALLIVCape Fear loam, ALLICarteret, ALLIVCarteret, ALLIV <t< td=""><td>V V I III III V V V V V V V V V V V V V V V VI</td><td>IV IV IV IV II IV IV</td></t<>	V V I III III V V V V V V V V V V V V V V V VI	IV IV IV IV II IV
Baymeade fine sand, ALLIVVIVBaymeade-Urban land complex, 0 to 6 percent slopesIVVIVBethera, ALLIIIIIIBibb and Johnston loams, frequently floodedIVIIIIVBibb and Johnston loams, frequently floodedIVIIIIVBibb, ALLIVIIIIVIIIBlanton, ALLIVVIVVBohicket, ALLIVVIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBornow pitsIVVIIVVIBragg, ALLIVVIIVIVBragg, ALLIVVIIVIVBrookman loam, frequently floodedIVIIIIIIBayms loamIIIIIIIIIIICarefer, ALLIVVIVIVCarefer, ALLIVVIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain and Chenneby soils, frequently floodedIVIIIIVC	Baymeade fine sand, ALLIVBaymeade-Urban land complex, 0 to 6 percent slopesIVBathera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBibb, ALLIVBladen, ALLIIIBlanton, ALLIVSonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIBrookman loam, frequently floodedIVCarteret, ALLICarteret, ALLICarteret, ALLIVCarteret, Soils, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	V V I III III V V V V V V V V V V V V V VI	IV IV II IV IV IV IV IV IV IV
Baymeade-Urban land complex, 0 to 6 percent slopesIVVIVBethera, ALLIIIIIIIBibb and Johnston loams, frequently floodedIVIIIIVBibb, ALLIVIIIIVIIIBibb, ALLIVIIIIIIIBiaden, ALLIIIIIIIIIIIIBancen, ALLIVVVIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 4 percent slopesIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBornow pitsIVVIIVVIBorrow pitsIVVIIVVIBorrow pitsIVVIIVVIByars loamIIIIIIIIIIIICainboy, ALLIVVIIVVICape Fear loam, ALLIIIIIICarteret, ALLIVVIIVVIChastain and Chenneby soils, frequently floodedIVIIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChew	Jaymeade-Urban land complex, 0 to 6 percent slopesIVBethera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBidden, ALLIVBladen, ALLIIIBlanton, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVByars loamIICarpe Fear loam, ALLICarpe Fear loam, ALLICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV	V I III III I V VI	IV II IV IV III IV IV IV
Bethera, ALLIIIIIBibb and Johnston Ioams, frequently floodedIVIIIIVBibb, ALLIVIIIIVBiladen, ALLIIIIIIIIIBaden, ALLIIIIIIIIIBonneau Ioamy fine sand, 0 to 6 percent slopesIIIIIIIBonneau Ioamy fine sand, 0 to 6 percent slopesIIIIIIIIBonneau Ioamy sand, 0 to 6 percent slopesIIIIIIIIIBonneau Ioamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau Ioamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau Ioamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau Ioamy sand, 6 to 12 percent slopesIIIIIIIIIBornow pitsIVVIIVVIBrookman Ioam, frequently floodedIVVIIVBragg, ALLIVVIIVIVByars IoamIIIIIIIIIIIIByars IoamIIIIIIIIIIICarbine fine sandy Ioam, ALLIVVIVCarteret, ALLIVVIIVIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla Ioam, frequently floodedIVIIIIVChowan silt IoamIVIIIIVIIIConoteoe, ALLIOamIVIIIIIICorolla fine sandIV <td>Bethera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBibb, ALLIVBladen, ALLIIIBlanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVByars loamIICarpe Fear loam, ALLICarpe Fear loam, ALLICarline fine sandy loam, ALLIICarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV</td> <td>I III III I V VI</td> <td>II IV IV III IV IV</td>	Bethera, ALLIIBibb and Johnston loams, frequently floodedIVBibb, ALLIVBibb, ALLIVBladen, ALLIIIBlanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVByars loamIICarpe Fear loam, ALLICarpe Fear loam, ALLICarline fine sandy loam, ALLIICarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	I III III I V VI	II IV IV III IV IV
Bibb and Johnston loams, frequently floodedIVIIIIVBibb, ALLIVIIIIVBladen, ALLIIIIIIIIBlanton, ALLIVVIVBohicket, ALLIVVIVBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBrookman loam, frequently floodedIVVIIVBrookman loam, frequently floodedIVIIIIIIButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIICanihoy, ALLIVVIVIVCape Fear loam, ALLIVVIVIVCarbert, ALLIVVIVIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain soilt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedI	Bibb and Johnston loams, frequently floodedIVBibb, ALLIVBidbe, ALLIIIBlanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy fine sand, 0 to 3 percent slopesIVBragg, ALLIVByars loamIICarline fine sandy loam, ALLICarline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	III III I V VI	IV IV III IV IV
Bibb, ALLIVIIIIVBladen, ALLIIIIIIIBlanton, ALLIVVIVBohicket, ALLIVVIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 4 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorrow pitsIVVIIVVIBorrow pitsIVVIIVVIButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIButters loam frequently floodedIVIIIIIIBayas loamIIIIIIIIIIICarbot, ALLIVVIVVCape Fear loam, ALLIIIIIICartert, ALLIVVIIVVChastain soils, frequently floodedIVIIIIVChastain sit loam, frequently floodedIVIIIIVChowan sit loam, frequently floodedIVIIIIVChowan sit loam, 0 to 4 percent slopes, occasionally floodedIVIIIIVVIIIIIVVIConoteoe, ALLIIIIIIIIICongaree sit loam, 0 to 4 percent slopes, occasionally floodedIVIIIIVVIIVVIIV	Bibb, ALLIVBladen, ALLIIIBlanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy sand, 6 to 3 percent slopesIVBragg, ALLIVBragg slaumIICainhoy, ALLIVBauters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	III I V VI	IV III IV IV
Bladen, ALLIIIIIIIBladen, ALLIVVIVBohneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 4 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBornow pitsIVVIIVVIBragg, ALLIVVIIVIVBrokean loam, frequently floodedIVIIIIIIButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIByars loamIIIIIIIIIICape Fear loam, ALLIVVIVCape Fear loam, ALLIVVIIVCentenary fine sandIVIIIIIIChastain and Chenneby soils, frequently floodedIVIIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIV <t< td=""><td>Bladen, ALLIIIBlanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVByars loamIIICainhoy, ALLIVCape Fear loam, ALLICarteret, ALLIVCarteret, ALLIVCanten y fine sandIICarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV</td><td>I V VI</td><td>III IV IV</td></t<>	Bladen, ALLIIIBlanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVByars loamIIICainhoy, ALLIVCape Fear loam, ALLICarteret, ALLIVCarteret, ALLIVCanten y fine sandIICarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	I V VI	III IV IV
Blanton, ALLIVVIVBohicket, ALLIVVIIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 0 to 4 percent slopesIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBornow pitsIVVIIVVIBragg, ALLIVVIIVVIBorokman loam, frequently floodedIVIIIIIIByars loamIIIIIIIIIIICarbony, ALLIVVIVVCape Fear loam, ALLIIIICarteret, ALLIVVIIVVIChemeary fine sandIAIIIIIICarbony, fine sandIVIIIVVICoentenary fine sandIVIIIVIVChewacla and Chenneby soils, frequently floodedIVIIIIVChewacla and Cheastain soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIV	Blanton, ALLIVBohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIICape Fear loam, ALLIVCape Fear loam, ALLIICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV	V VI	IV IV
Bohicket, ALLIVVIIVBonneau loamy fine sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIBorrow pitsIVVIIVVIIVBrookman loam, frequently floodedIVVIIVVIByars loamIIIIIIIIIIIIIIIByars loamIIIIIIIIIIIIIICarboy, ALLIVVIVVIVCarboy, ALLIVVIVVIVCarboy, ALLIVVIVIVIVCarboy, ALLIVVIIVIVIVCarboy, ALLIVVIIVIVIVCheneary fine sandIIIIIIIIIIVChewacla and Chenneby soils, frequently floodedIVIIIIVIVChewacla and Chastain soils, frequently floodedIVIIIIVIVChewacla loam, frequently floodedIVIIIIVIIIIVChewacla loam, frequently floodedIVIIIIVIIIIVChowan silt loamIV	Bohicket, ALLIVBonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICarteret, ALLIVCarteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	VI	IV
Bonneau loamy fine sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 0 to 4 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIVVIIVBragg, ALLIVVIIVVIBrookman loam, frequently floodedIVIIIIIIIIIBornham loam, frequently floodedIVIIIIIIIIIByars loamIIIIIIIIIIIIIIByars loamIIIIIIIIIIIIICape Fear loam, ALLIVVVIVCape Fear loam, ALLIVVIVIVCarteret, ALLIVVIIVIVChenary fine sandIVIIIIVIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIV </td <td>Bonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBornow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVChenneby soils, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV</td> <td></td> <td>-</td>	Bonneau loamy fine sand, 0 to 6 percent slopesIIBonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBornow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVChenneby soils, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		-
Bonneau loamy sand, 0 to 4 percent slopesIIIIIIIIBonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorneau loam, fequently floodedIVVIIVBragg, ALLIVVIIVBrokman loam, frequently floodedIVIIIIIIByars loamIIIIIIIIIIIIByars loamIIIIIIIIIIICarlee fare loam, ALLIVVIVCape Fear loam, ALLIVVIVCarteret, ALLIVVIIVCentenary fine sandIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVConetoe, ALLIIIIIIIIIConetoe, ALL<	Bonneau loamy sand, 0 to 4 percent slopesIIBonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorneau loamy sand, 6 to 12 percent slopesIVBorneau loam, frequently floodedIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Bonneau loamy sand, 0 to 6 percent slopesIIIIIIIIBonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIBorrow pitsIVVIIVBragg, ALLIVVIIVBragg, ALLIVVIIVBrookman loam, frequently floodedIVIIIIIIByars loamIIIIIIIIIIIIByars loamIIIIIIIIIIICainhoy, ALLIVVIVCape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIIICarteret, ALLIVVIIVVChewacla and Chenneby soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loamIVIIIIVIIIChowan silt loamIVIIIIVIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIIICorolla fine sandIVVIIVVIIIIIIIIIIIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIVIIVVVIVIVIVIVI	Bonneau loamy sand, 0 to 6 percent slopesIIBonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVBoutters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICape Fear loam, ALLIVCarleret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV	П	П
Bonneau loamy sand, 6 to 10 percent slopesIIIIIIIIIIIIBonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIIBorrow pitsIVVIIVVIBragg, ALLIVVIIVIVBrookman loam, frequently floodedIVIIIIIIIIIButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIIIIByars loamIIIIIIIIIIIIIIByars loamIIIIIIIIIIIIIICainhoy, ALLIVVIVVVCape Fear loam, ALLIIIIICarteret, ALLIVVIIVVIVCentenary fine sandIVIIIIVIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVIVChowan silt loamIVIIIIVIIIConetoe, ALLIIIIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIICorolla fine sandIVVIIVVIIV	Bonneau loamy sand, 6 to 10 percent slopesIIIBonneau loamy sand, 6 to 12 percent slopesIIIBornow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICareteret, ALLIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIVChastain silt loam, frequently floodedIV		
Bonneau loamy sand, 6 to 12 percent slopesIIIIIIIIIIIIBorrow pitsIVVIIVBragg, ALLIVVIIVBrookman loam, frequently floodedIVIVIIIButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIByars loamIIIIIIIIIIIByars loamIIIIIIIIIIICainhoy, ALLIVVIVVCape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVVChetatain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIVIIIIVVIIVVIIVVIIV	Bonneau loamy sand, 6 to 12 percent slopesIIIBorrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Borrow pitsIVVIIVBragg, ALLIVVIIVBrookman loam, frequently floodedIVIIIVButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIByars loamIIIIIIIIIIICainhoy, ALLIVVIVVCape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVVICentenary fine sandIVIVIVIVChestain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVIIIChowan silt loamIVIIIIVIIIConetoe, ALLIIIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIVIIVVIVIVIVIIVVI	Borrow pitsIVBragg, ALLIVBrookman loam, frequently floodedIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVChenneby soils, frequently floodedIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Bragg, ALLIVVIIVBrookman loam, frequently floodedIVIIIIVButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIByars loamIIIIIIIIIIICainhoy, ALLIVVIVCape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVVICentenary fine sandIVIIIVIVChestain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loam, frequently floodedIVIIIIVChowan silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIICorolla fine sandIVVIIVVIVVIVIVIIVVI	Bragg, ALLIVBrookman loam, frequently floodedIVBrookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Brookman loam, frequently floodedIVIIIIVButters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIByars loamIIIIIIIIIIICainhoy, ALLIVVIVCape Fear loam, ALLIIICaroline fine sandy loam, ALLIIIIIICarteret, ALLIVVIIVCentenary fine sandIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIVIIIIVCongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIICorolla fine sandIVVIIVIV	Brookman loam, frequently floodedIVButters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Butters loamy fine sand, 0 to 3 percent slopesIIIIIIIIIIIByars loamIIIIIIIIIIICainhoy, ALLIVVIVCape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVVICentenary fine sandIVIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVIIIConetoe, ALLIIIIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIICorolla fine sandIVVIIVIV	Butters loamy fine sand, 0 to 3 percent slopesIIIByars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Byars loamIIIIIIIIIICainhoy, ALLIVVIVCape Fear loam, ALLIIICaroline fine sandy loam, ALLIIIIIICarteret, ALLIVVIIVCentenary fine sandIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVIIChowan silt loamIVIIIVIIIConetoe, ALLIIIIIIIIIIICorolla fine sandIVVIIVVIVVIVIVIVIIV	Byars loamIICainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Cainhoy, ALLIVVIVCape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVVICentenary fine sandIVIIIVIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIICorolla fine sandIVVIIVVIVIVIVIVI	Cainhoy, ALLIVCape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Cape Fear loam, ALLIIIICaroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVIVCentenary fine sandIVIIIVIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIICorolla fine sandIVVIIV	Cape Fear loam, ALLICaroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Caroline fine sandy loam, ALLIIIIIIIICarteret, ALLIVVIIVCentenary fine sandIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICorolla fine sandIVVIIV	Caroline fine sandy loam, ALLIICarteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		-
Carteret, ALLIVVIIVCentenary fine sandIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIVVIIVVIIV	Carteret, ALLIVCentenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Centenary fine sandIVIIIVChastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChipley sandIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIVVIIVVIIV	Centenary fine sandIVChastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Chastain and Chenneby soils, frequently floodedIVIIIIVChastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChipley sandIVIIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIVVIIVVI	Chastain and Chenneby soils, frequently floodedIVChastain silt loam, frequently floodedIV		
Chastain silt loam, frequently floodedIVIIIIVChewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChipley sandIVIIIVChowan silt loamIVIIIVConetoe, ALLIIIIIIIIICorogaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIVVIIVVIIV	Chastain silt loam, frequently flooded IV		-
Chewacla and Chastain soils, frequently floodedIVIIIIVChewacla loam, frequently floodedIVIIIIVChipley sandIVIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIVVIIVVI			
Chewacla loam, frequently floodedIVIIIIVChipley sandIVIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIIIIIIIIIVCorolla fine sandIVVIIV	newacia and Unastain soils. Irequently flooded		
Chipley sandIVIIIVChowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIIIIIIIIIIICorolla fine sandIVVIIV			
Chowan silt loamIVIIIIVConetoe, ALLIIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIIIICorolla fine sandIVVIIV			
Conetoe, ALLIIIIIIIICongaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIICorolla fine sandIVVIIV			
Congaree silt loam, 0 to 4 percent slopes, occasionally floodedIIIIICorolla fine sandIVVIIV			
Corolla fine sand IV VI IV			
		II	
	Coxville, ALL II	II III	II
		II III VI	
		II III VI I	_ <u>* '</u>
		II III VI I I	П
		II III VI I I I I	II
Craven fine sandy loam, 4 to 8 percent slopes, croded III I III I III I III		II III VI I I I I I	II
	Craven fine sandy loam, 4 to 8 percent slopes eroded IV	II III VI I I I I I I	II III

Map Unit Name	Agri	For	Hort
Craven fine sandy loam, 6 to 10 percent slopes	IV	I	IV
Craven fine sandy loam, 8 to 12 percent slopes, eroded	IV	I	IV
Craven loam, 1 to 4 percent slopes	II	I	II
Craven loam, 1 to 4 percent slopes Craven loam, 1 to 4 percent slopes, eroded	III	I	III
Craven silt loam, 1 to 4 percent slopes	II	I	II
Craven very fine sandy loam, 1 to 4 percent slopes	II	I	II
Craven very fine sandy loam, 4 to 8 percent slopes	IV	I	IV
Craven-Urban land complex, 0 to 2 percent slopes	IV	I	IV
Croatan muck, frequently flooded	III	V	III
Croatan muck, ALL OTHER		V	II
	II II	v I	II
Dogue sandy loam, 0 to 2 percent slopes			
Dogue sandy loam, 2 to 6 percent slopes	III	I	III
Dogue sandy loam, 6 to 12 percent slopes	IV	I	IV
Dorovan, ALL	IV	V	IV
Duckston fine sand	IV	VI	IV
Echaw, ALL	IV	V	IV
Exum fine sandy loam, 0 to 1 percent slopes	I	II	I
Exum fine sandy loam, 1 to 6 percent slopes	II	II	II
Exum loam, 0 to 2 percent slopes	Ι	II	I
Exum silt loam, 0 to 2 percent slopes	Ι	II	Ι
Exum very fine sandy loam, 0 to 2 percent slopes	I	II	I
Exum very fine sandy loam, 2 to 5 percent slopes	II	II	II
Exum-Urban land complex, 0 to 2 percent slopes	IV	II	IV
Foreston loamy fine sand, ALL	II	II	II
Goldsboro sandy loam, 1 to 6 percent slopes	Ι	Ι	Ι
Goldsboro, ALL OTHER	Ι	Ι	Ι
Goldsboro-Urban land complex, ALL	IV	Ι	IV
Grantham, ALL	Ι	Ι	Ι
Grifton, ALL	II	Ι	II
Hobonny muck	IV	VI	IV
Icaria fine sandy loam, ALL	II	Ι	II
Invershiel-Pender complex, 0 to 2 percent slopes	Ι	II	Ι
Johns, ALL	II	Ι	II
Johnston and Pamlico soils, 0 to 1 percent slopes, frequently flooded	IV	III	IV
Johnston soils	IV	III	IV
Kalmia, ALL	II	II	II
Kenansville, ALL	III	II	III
Kinston loam, frequently flooded	IV	III	IV
Kureb, ALL	IV	V	IV
Lafitte muck	IV	VI	IV
Lakeland sand, 0 to 6 percent slopes	IV	V	IV
Leaf, ALL	III	v I	III
Leai, ALL Lenoir, ALL		I	III
	III	I V	
Leon, ALL	IV		
Leon-Urban land complex	IV	V	IV II
Liddell silt loam	II	I	II
Lucy loamy sand, 0 to 6 percent slopes	II	II	II
Lumbee, ALL	II	I	II
Lynchburg, ALL	II	I	II
Lynchburg-Urban land complex	IV	I	IV
Lynn Haven sand	IV	II	IV
Mandarin, ALL	IV	V	IV

Map Unit Name	Agri	For	Hort
Mandarin-Urban land complex	IV	V	IV
Marvyn and Craven soils, 6 to 12 percent slopes	IV	Ι	IV
Marvyn, ALL	IV	Ι	IV
Masada sandy loam, 0 to 4 percent slopes	Ι	II	Ι
Masontown, ALL	IV	III	IV
Masontown mucky fine sandy loam and Muckalee sandy loam, frequently	IV	III	IV
flooded			
Meggett fine sandy loam, frequently flooded	IV	III	IV
Meggett, ALL OTHER	III	Ι	III
Mine pits	IV	VI	IV
Muckalee loam, ALL	IV	III	IV
Murville, ALL	IV	V	IV
Nahunta, ALL	Ι	Ι	Ι
Nakina fine sandy loam	Ι	Ι	Ι
Nawney loam, 0 to 2 percent slopes, frequently flooded	IV	III	IV
Newhan, ALL	IV	VI	IV
Newhan-Corolla complex, 0 to 30 percent slopes	IV	VI	IV
Newhan-Corolla-Urban land complex, 0 to 30 percent slopes	IV	VI	IV
Noboco fine sandy loam, 0 to 2 percent slopes	Ι	Ι	Ι
Noboco fine sandy loam, 2 to 6 percent slopes	II	Ι	II
Norfolk, ALL	II	II	II
Norfolk-Urban land complex, 0 to 6 percent slopes	IV	II	IV
Ocilla loamy fine sand, 0 to 4 percent slopes	IV	II	IV
Olustee loamy sand, sandy subsoil variant (Murville)	IV	II	IV
Onslow, ALL	II	II	II
Osier loamy sand, loamy substratum	IV	Ι	IV
Pactolus, ALL	IV	II	IV
Pamlico muck, frequently flooded	IV	V	IV
Pamlico muck, ALL OTHER	III	V	III
Pantego, ALL	Ι	Ι	Ι
Paxville sandy loam	II	III	II
Pender fine sandy loam	II	Ι	II
Pender-Urban land complex	IV	Ι	IV
Pits, ALL	IV	VI	IV
Pocalla loamy sand, 0 to 6 percent slopes	III	II	III
Rains, ALL	Ι	Ι	Ι
Rains-Urban land complex	IV	Ι	IV
Rimini sand 1 to 6 percent slopes	IV	V	IV
Roanoke, frequently flooded	IV	III	IV
Roanoke, ALL OTHER	II	III	II
Rumford, ALL	III	II	III
Rutlege mucky loamy fine sand	IV	V	IV
Seabrook, ALL	IV	II	IV
Seabrook-Urban land complex	IV	II	IV
Stallings, ALL	II	II	II
State fine sandy loam, 0 to 2 percent slopes	Ι	Ι	Ι
State fine sandy loam, 2 to 6 percent slopes	II	Ι	II
State loamy sand, 0 to 2 percent slopes	Ι	Ι	Ι
Stockade fine sandy loam	Ι	Ι	Ι
Suffolk loamy sand, 10 to 30 percent slopes	Ι	II	Ι
Swamp	IV	III	IV
Tarboro, ALL	IV	II	IV
Tarboro-Urban land complex, 0 to 6 percent slopes	IV	II	IV

Map Unit Name	Agri	For	Hort
Tomahawk fine sand, 0 to 3 percent slopes	IV	II	IV
Tomahawk loamy fine sand	IV	II	IV
Tomahawk loamy fine sand	IV	II	IV
Tomahawk loamy sand, 0 to 3 percent slopes	III	II	III
Tomotley, ALL	Ι	Ι	Ι
Torhunta, ALL	II	Ι	II
Torhunta-Urban land complex	IV	Ι	IV
Tuckerman fine sandy loam	II	II	II
Udorthents, ALL	IV	VI	IV
Udults, steep	IV	VI	IV
Umbric Ochraqualfs	IV	VI	IV
Urban land	IV	VI	IV
Valhalla fine sand, 0 to 6 percent slopes	III	II	III
Wagram loamy fine sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 6 to 10 percent slopes	III	II	III
Wagram loamy sand, 0 to 6 percent slopes	II	II	II
Wagram loamy sand, 10 to 15 percent slopes	IV	II	IV
Wahee, ALL	II	Ι	II
Wando fine sand, 0 to 6 percent slopes	IV	II	IV
Wando-Urban land complex, 0 to 6 percent slopes	IV	II	IV
Wakulla sand, ALL	IV	V	IV
Wasda muck	Ι	Ι	Ι
Wehadkee silt loam	IV	III	IV
Wickham fine sandy loam, 0 to 2 percent slopes	Ι	Ι	Ι
Wickham fine sandy loam, 2 to 6 percent slopes	II	Ι	II
Wickham fine sandy loam, 6 to 10 percent slopes	II	Ι	II
Wickham loamy sand, 1 to 6 percent slopes	II	Ι	II
Wickham sandy loam, 0 to 2 percent slopes	Ι	Ι	Ι
Wickham sandy loam, 0 to 6 percent slopes	II	Ι	II
Wickham sandy loam, 0 to 6 percent slopes, rarely flooded	II	Ι	II
Wickham sandy loam, 2 to 6 percent slopes	II	Ι	II
Wickham-Urban land complex, 2 to 10 percent slopes	IV	Ι	IV
Wilbanks, ALL	IV	III	IV
Winton, ALL	IV	Ι	IV
Woodington, ALL	II	II	II
Wrightsboro fine sandy loam 0 to 2 percent slopes	Ι	Ι	Ι
Yaupon silty clay loam, 0 to 3 percent slopes	III	VI	III

MLRA153B – Tidewater Area

Map Unit Name	Agri	For	Hort
Acredale silt loam, 0 to 2 percent slopes, rarely flooded	Ĭ	I	I
Altavista ,ALL	Ι	Ι	Ι
Altavista-Urban land complex, 0 to 2 percent slopes	IV	Ι	IV
Arapahoe, ALL	Ι	Ι	I
Argent, ALL	II	Ι	II
Augusta ,ALL	II	I	II
Augusta-Urban land complex	IV	I	IV
Backbay mucky peat, 0 to 1 percent slopes, very frequently flooded	IV	VI	IV
Ballahack fine sandy loam, occasionally flooded	I	I	I
Barclay very fine sandy loam	I	I	I
Bayboro, ALL	I	I	I
Baymeade ,ALL	IV	V	IV
Baymeade-Urban land complex 1 to 6 percent slopes	IV	V	IV
Beaches, ALL	IV	VI	IV
Beaches-Newhan association	IV	VI	IV
Beaches-Newhan complex, ALL	IV	VI	IV
Belhaven muck, 0 to 2 percent slopes, frequently flooded	IV	V	IV
Belhaven muck, ALL OTHER	IV	V	IV
Bertie ,ALL	II	v I	II
Bibb soils	IV	III	IV
Bladen ,ALL	III	I	III
Bohicket silty clay loam	IV	VI	III IV
Bojac, ALL		II	III
Bolling loamy fine sand, 0 to 3 percent slopes, rarely flooded	III II	I	III
Borrow pits	IV	I VI	IV IV
1	IV	I	IV
Brookman loam, 0 to 2 percent slopes, rarely flooded		_	
Brookman mucky loam, frequently flooded	IV	III	IV
Brookman mucky silt loam	I	I	I
Cape Fear, ALL Carteret, ALL	I	_	I
	IV	VI I	IV
Chapanoke silt loam, ALL	I	I	I
Charleston loamy fine sand Chowan, ALL	III		
	IV	III	IV
Conaby muck, ALL Conetoe, ALL	II	I	II
,	III	II	III
Corolla, ALL	IV	VI	IV
Corolla-Duckston complex, ALL	IV	VI	IV
Corolla-Urban land complex	IV	VI	IV
Currituck, ALL	IV	VI	IV
Dare muck	IV	V	IV
Deloss fine sandy loam	I	III	I
Deloss mucky loam, frequently flooded	IV	III	IV
Delway muck, 0 to 1 percent slopes, very frequently flooded	IV	VI	IV
Dogue, ALL	II	I	II
Dorovan, ALL	IV	V	IV
Dragston, ALL	II	I	II
Duckston, ALL	IV	VI	IV
Duckston-Corolla complex, 0 to 6 percent slopes, rarely flooded	IV	VI	IV
Dune land, ALL	IV	VI	IV
Dune land-Newhan complex, 2 to 40 percent slopes	IV	VI	IV
Elkton, ALL	II	I	II
Engelhard loamy very fine sand, 0 to 2 percent slopes, frequently flooded	IV	III	IV

MLRA153B – Tidewater Area

Map Unit Name	Agri	For	Hort
Engelhard loamy very fine sand, 0 to 2 percent slopes, rarely flooded	II	III	II
Fallsington fine sandy loam	IV	I	IV
Fork fine sandy loam, 0 to 2 percent slopes, rarely flooded	I	I	I
Fork loamy fine sand	I	I	I
Fortescue, ALL	I	III	I
Fripp fine sand, 2 to 30 percent slopes	IV	VI	IV
Galestown loamy fine sand	IV	II	IV
Gullrock muck, 0 to 2 percent slopes, rarely flooded	II	I	II
Hobonny muck, 0 to 1 percent slopes, frequently flooded	IV	VI	IV
Hobucken, ALL	IV	VI	IV
Hyde, ALL	I	I	I
Hydeland silt loam, 0 to 2 percent slopes, rarely flooded	I	I	I
Icaria loamy fine sand, 0 to 2 percent slopes, rarely flooded	II	I	II
Johns loamy sand, 0 to 2 percent slopes	II	I	II
Klej loamy fine sand	IV	II	IV
Kureb sand 1 to 8 percent slopes	IV	V	IV
Kureb-Urban land complex 1 to 8 percent slopes	IV	V	IV
Lafitte muck, ALL	IV	VI	IV
Lakeland sand 1 to 8 percent slopes	IV	V	IV
Leaf silt loam	III	I	III
Lenoir, ALL	III	I	III
Leon fine sand, 0 to 2 percent slopes, rarely flooded	IV	V	III
Leon sand	IV	V	III
Longshoal mucky peat, 0 to 1 percent slopes, very frequently flooded	IV	VI	IV
Lynn Haven, ALL	IV	II	IV
Made land and dumps	IV	VI	IV
Masontown mucky fine sandy loam	IV	III	IV
Matapeake fine and very fine sandy loams	Ι	II	Ι
Mattapex, ALL	II	Ι	II
Munden, ALL	II	Ι	II
Newhan, ALL	IV	VI	IV
Newhan-Beaches complex,	IV	VI	IV
Newhan-Corolla complex, ALL	IV	VI	IV
Newhan-Corolla-Urban land complex, 0 to 30 percent slopes	IV	VI	IV
Newhan-Urban land complex, ALL	IV	VI	IV
Newholland mucky loamy sand, 0 to 2 percent slopes, frequently flooded	IV	V	IV
Newholland mucky loamy sand, 0 to 2 percent slopes, rarely flooded	Ι	V	Ι
Nimmo, ALL	II	Ι	II
Nixonton very fine sandy loam	I	I	I
Osier fine sand, ALL	IV	I	IV
Othello, ALL	I	II	I
Ousley fine sand, ALL	IV	V	IV
Pactolus fine sand	IV	II	IV
Pasquotank, ALL	I	I	I
Paxville mucky fine sandy loam	II	III	II
Perquimans, ALL	I	I	I
Pettigrew muck, ALL	I	I	I
Pits, mine	IV	VI	IV
Pocomoke, ALL	IV	I	IV
Poconioke, ALL Ponzer, ALL	II	V I	II
Polizer, ALL Portsmouth, ALL	I	V I	I
	_	_	
Psamments, 0 to 6 percent slopes	IV	VI	IV

Map Unit Name	Agri	For	Hort
Pungo muck, ALL	III	V	III
Roanoke, ALL	II	Ι	II
Roper muck, ALL	Ι	Ι	Ι
Sassafras loamy fine sand	II	Ι	II
Scuppernong muck, ALL	II	V	II
Seabrook, ALL	IV	II	IV
Seabrook-Urban land complex	IV	II	IV
Seagate fine sand	IV	II	IV
Seagate-Urban land complex	IV	II	IV
State fine sandy loam, ALL	Ι	Ι	Ι
State loamy fine sand, ALL	II	Ι	II
State sandy loam, ALL	Ι	Ι	Ι
State-Urban land complex, 0 to 2 percent slopes	IV	Ι	IV
Stockade loamy fine sand	Ι	III	Ι
Stockade mucky loam, ALL	IV	III	IV
Stono, ALL	Ι	Ι	Ι
Tarboro sand, ALL	IV	II	IV
Tidal marsh	IV	VI	IV
Tomotley fine sandy loam, ALL	Ι	Ι	Ι
Udorthents, ALL	IV	VI	IV
Urban land ALL	IV	VI	IV
Wahee, ALL	II	Ι	II
Wakulla sand, ALL	IV	V	IV
Wando, ALL	IV	II	IV
Wasda muck ALL	Ι	Ι	Ι
Weeksville loam, 0 to 2 percent slopes, frequently flooded	IV	Ι	IV
Weeksville, ALL OTHER	Ι	Ι	Ι
Wickham loamy sand, 0 to 4 percent slopes	II	Ι	II
Woodstown fine sandy loam	Ι	Ι	Ι
Wysocking very fine sandy loam, 0 to 3 percent slopes, rarely flooded	Ι	III	Ι
Yaupon fine sandy loam, 0 to 3 percent slopes	III	VI	III
Yeopim loam, 0 to 2 percent slopes	Ι	Ι	Ι
Yeopim loam, 2 to 6 percent slopes	II	Ι	II
Yeopim silt loam, ALL	Ι	Ι	Ι
Yonges, ALL	Ι	Ι	Ι